

PLEASE PURCHASE	John Deere Construction Retail Sales
Contact Person:	Mark R. DeKayne
Street Address:	1515 Fifth Avenue
P.O. Box:	P.O. Box 8806
City, State, Zip	Moline, IL 61265-8806
Phone #:	(309) 765-0294
Toll Free #:	(800) 319-3757
Fax #:	(309) 765-3358
Email Address:	DeakyneMarkR@John.Deere.com
Website:	www.Deere.com

Furnish separate price quote for: **ARTICULATING WHEEL LOADER**

1.0 Articulating Wheel Loader
Make & Model

Horse Power/Engine Information

Operating Weight
Full Turn Static Tipping Load

Recommended Bucket Type & Size
(Stuck/Heaped) (SAE)
Is bucket included with base unit?
Break Out Force, bucket (SAE)
Hinge Pin Height
Articulation Angle

Brake Type

Transmission Type (describe features)

Differential type - Front & Rear

Seat type
Battery CCA

Tires

Hydraulics

Bucket Controls

Alternator Size

Starting Aid

Road & Work Lights

Warranty Details: Months, Years, Hours, etc.

Base Price:

John Deere 204K
Manufacturer and Model Yanmar 4TNV98, Non-Road Emission Standard EPA Interim Tier 4/EU Stage IIIA, Cylinders 4, Displacement 3.3 L (203 cu. in.), Net Rated Power (ISO 9249) 44 kW (59 hp) at 2,200 rpm, Maximum Net Torque (ISO 9249) 239 Nm (176 lb.-ft.) at 1,600 rpm
11,806 lbs.
7,231 lbs
Quick Tatch Bucket w/ Bolt-on Cutting Edge 1.0 cu yd / 0.86 cu yd
No
9190 lbs
10' 5" fully raised
80° arc 40° ea direction
Hydraulically actuated, self-adjusting internal wet-disc brake and driveline drum brake

Hydrostatic (HST) with infinitely variable speed control over full range of operating speeds; 2 speed ranges; joystick-mounted F-N-R; acceleration pedal; HST inching pedal, which allows infinitely reduced travel speeds while maintaining full engine rpm and hydraulic flow

45% locking front and rear differentials

mechanical suspension, vinyl

850 CCA

365/70R18 Tubeless Tires on Single Piece Rims

Main Pump (loader and steering) Fixed-displacement gear pump; open-center system, Maximum Rated Flow at 6895 kPa (1,000 psi) and 2,200 rpm 70 L/m (18 gpm), System Relief Pressure (loader) 23 000 kPa (3,335 psi), System Relief Pressure (steering) 18 002 kPa (2,611 psi)

Hydraulic Cycle Time, Raise 5.6 sec., Dump 1.5 sec., Lower (float down) 4.7 sec., Lower (power down) 4.3 sec., Total 11.4 sec.

80 Amps

Automatic Air Intake Heater, Block Heater

Lights (Conforms to
SAE J99): (2) Driving/(2)
Front Working Halogen
Lights, (2) Front and (2)
Rear Turn/Flashing, (2)
Rear Stop Lights, (2)
Rear Reflectors

Standard Warranty for
New John Deere
Construction, Utility, &
Forest Products US &
Canada, 12 months,
unlimited hours

\$71,944.68

PLEASE PURCHASE	John Deere Construction Retail Sales
Contact Person:	Mark R. DeKayne
Street Address:	1515 Fifth Avenue
P.O. Box:	P.O. Box 8806
City, State, Zip	Moline, IL 61265-8806
Phone #:	(309) 765-0294
Toll Free #:	(800) 319-3757
Fax #:	(309) 765-3358
Email Address:	DeakyneMarkR@John.Deere.com
Website:	www.Deere.com

Furnish separate price quote for: **ARTICULATING WHEEL LOADER**

1.0 Articulating Wheel Loader
Make & Model

Horse Power/Engine Information

Operating Weight
Full Turn Static Tipping Load

Recommended Bucket Type & Size
(Stuck/Heaped) (SAE)
Is bucket included with base unit?
Break Out Force, bucket (SAE)
Hinge Pin Height
Articulation Angle

Brake Type

Transmission Type (describe features)

Differential type - Front & Rear

Seat type
Battery CCA

Tires

Hydraulics

Bucket Controls

Alternator Size

Starting Aid

Road & Work Lights

Warranty Details: Months, Years, Hours, etc.

Base Price:

John Deere 244K
Manufacturer and Model Yanmar 4TNV98C, Non-Road Emission Standard EPA Final Tier 4, Cylinders 4, Displacement 3.3 L (203 cu. in.), Net Rated Power (SAE J1349 / ISO 9249) 48 kW (64 hp) at 2,400 rpm, Gross Rated Power at 2,400 rpm (ISO 14396) 50 kW (67 hp), Peak Torque 235 Nm (176 lb.-ft.) at 1,560 rpm
12,060 lbs.
8183 lbs
w/ Bolt-on Cutting Edge for ISO Coupler 1.0 cu yd / 0.8 cu meter
No
10,792 lbs
10' 6" fully raised
60° arc 30° ea direction
Hydraulically actuated, self-adjusting internal wet-disc brake and driveline drum brake

Hydrostatic (HST) with infinitely variable speed control over full range of operating speeds; 2 speed ranges; joystick-mounted F-N-R; acceleration pedal; HST inching pedal, which allows infinitely reduced travel speeds while maintaining full engine rpm and hydraulic flow

Manual (pushbutton) 100% locking front, conventional rear

mechanical suspension, deep foam fabric

925 CCA

365/70R18 Tubeless Tires on Single Piece Rims

Fixed-displacement gear pump; open-center system

Three Function, Joystick FNR Control with Third Function Control Lever / Quik Tatch Ready

80 Amps

Automatic Glow Plugs

Lights (Conforms to SAE J99): (2) Driving/(2) Front Working Halogen Lights, (2) Front and (2) Rear Turn/Flashing, (2) Rear Stop Lights, (2) Rear Reflectors, (2) Rear Work Lights

Standard Warranty for
New John Deere
Construction, Utility, &
Forest Products US &
Canada, 12 months,
unlimited hours

\$75,882.83

PLEASE PURCHASE	John Deere Construction Retail Sales
Contact Person:	Mark R. DeKayne
Street Address:	1515 Fifth Avenue
P.O. Box:	P.O. Box 8806
City, State, Zip	Moline, IL 61265-8806
Phone #:	(309) 765-0294
Toll Free #:	(800) 319-3757
Fax #:	(309) 765-3358
Email Address:	DeakyneMarkR@John.Deere.com
Website:	www.Deere.com

Furnish separate price quote for: **ARTICULATING WHEEL LOADER**

1.0 Articulating Wheel Loader
Make & Model

Horse Power/Engine Information

Operating Weight
Full Turn Static Tipping Load

Recommended Bucket Type & Size
(Stuck/Heaped) (SAE)
Is bucket included with base unit?
Break Out Force, bucket (SAE)
Hinge Pin Height
Articulation Angle

Brake Type

Transmission Type (describe features)

Differential type - Front & Rear

Seat type
Battery CCA

Tires

Hydraulics

Bucket Controls

Alternator Size

Starting Aid

Road & Work Lights

Warranty Details: Months, Years, Hours, etc.

Base Price:

John Deere 304K
Manufacturer and Model Yanmar 4TNV98, Non- Road Emission Standard EPA Interim Tier 4/EU Stage IIIA, Cylinders 4, Displacement 3.3 L (203 cu. in.), Net Rated Power (ISO 9249) 48 kW (64 hp) at 2,400 rpm, Maximum Net Torque (ISO 9249) 239 Nm (176 lb.-ft.) at 1,600 rpm
12778 lbs
8091 lbs
Quick Tatch Bucket w/ Bolt-on Cutting Edge 1.0 cu yd / 0.86 cu yd
No
11,839 lbs
11' 1" fully raised
80° arc 40° ea direction
Hydraulically actuated, self-adjusting internal wet-disc brake and driveline drum brake

Hydrostatic (HST) with infinitely variable speed control over full range of operating speeds; 2 speed ranges; joystick-mounted F-N-R; acceleration pedal; HST inching pedal, which allows infinitely reduced travel speeds while maintaining full engine rpm and hydraulic flow

45% locking front and rear differentials

mechanical suspension, vinyl

850 CCA

405/70R18 Tubeless Tires on Single Piece Rims

Main Pump (loader and steering) Fixed-displacement gear pump; open-center system, Maximum Rated Flow at 6895 kPa (1,000 psi) and 2,200 rpm 70 L/m (18 gpm), System Relief Pressure (loader) 23 000 kPa (3,335 psi), System Relief Pressure (steering) 18 002 kPa (2,611 psi)

Hydraulic Cycle Time, Raise 5.6 sec., Dump 1.5 sec., Lower (float down) 4.7 sec., Lower (power down) 4.3 sec., Total 11.4 sec.

80 Amps

Automatic Air Intake Heater

Lights (Conforms to
SAE J99): (2) Driving/(2)
Front Working Halogen
Lights, (2) Front and (2)
Rear Turn/Flashing, (2)
Rear Stop Lights, (2)
Rear Reflectors

Standard Warranty for
New John Deere
Construction, Utility, &
Forest Products US &
Canada, 12 months,
unlimited hours

\$77,803.32

TITLE & NUMBER: LOADERS: ARTICULATING WHEEL LOADERS L-331(5)

** Following is a list of all distributors that are authorized to sell the equipment listed above.

** The Swift Vendor Number (SWIFT ID) must be complete, including the vendor Swift ID and Location Code (LOC CODE).

** All distributors MUST provide the required insurance certificates to the State as outline in the Swift Event Special Terms and Conditions before any State Contract may be executed.

COMPANY NAME	SWIFT ID	LOC CODE	COMPANY ADDRESS	ST /ZIP	PHONE	CONTACT NAME
AG POWER ENTERPRISES, INC.	0000193945	01	101 ZUYDER ZEE AVENUE SOUTH HOLLANDALE	MN / 56045	507-889-4221	Ask for Government Sales Representative
AG POWER ENTERPRISES, INC.	0000193945	04	3555 18TH STREET SW OWATONNA	MN / 55060	507-451-4054	Ask for Government Sales Representative
AG POWER ENTERPRISES, INC.	0000193945	02	1051 OLD HWY 169 BLVD BELLE PLAINE	MN / 56011	952-873-2224	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	01	110 2ND STREET NE ELBOW LAKE	MN / 56531	218-685-4438	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	03	380 ATLANTIC AVENUE BENSON	MN / 56215	320-843-2610	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	02	23604 STATE HWY 9 MORRIS	MN / 56267	320-589-2011	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	04	516 1ST STREET E MADISON	MN / 56256	320-598-7575	Ask for Government Sales Representative
DULUTH LAWN & SPORT INC	0000202057	01	4715 GRAND AVE. DULUTH	MN / 55807	218-628-3718	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	01	605 SOUTH MAIN WARREN	MN / 56762	218-745-4516	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	02	1820 STATE HWY 1 NE THIEF RIVER FALLS	MN / 56701	218-681-1131	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	04	300 US HWY 59 MAHNOMEN	MN / 56557	218-935-2241	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	03	302 E. MAIN STREET BAUDETTE	MN / 56623	218-634-2231	Ask for Government Sales Representative
FRONTIER AG & TURF	0000353568	01	2925 145TH STREET WEST ROSEMONT	MN / 55068	651-423-2274	Ask for Government Sales Representative
FRONTIER AG & TURF	0000353568	02	12040 POINT DOUGLAS DR SOUTH HASTINGS	MN / 55033	651-437-7747	Ask for Government Sales Representative
FRONTIER AG & TURF	0000353568	05	1185 4TH STREET SOUTH CANNON FALLS	MN / 55009	507-263-4238	Ask for Government Sales Representative
HAUG IMPLEMENT CO.	0000203013	01	3593 HWY. 12 SE WILLMAR	MN / 56201	320-235-8115	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	03	3099 HIGHWAY 7 SW MONTEVIDEO	MN / 56265	320-269-6466	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	04	36648 US HWY 71 REDWOOD FALLS	MN / 56283	507-644-3571	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	01	1381 WEST HIGHWAY AVENUE BIRD ISLAND	MN / 55310	320-365-3445	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	02	150 HWY 68 WABASSO	MN / 56293	507-342-5171	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	01	4561 HWY 212 GLENCOE	MN / 55336	320-864-5571	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	02	5845 KEATS AVENUE SW HOWARD LAKE	MN / 55349	320-543-2413	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	04	1035 35TH AVE NE SAUK RAPIDS	MN / 56379	320-252-2010	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	03	78412 COUNTY ROAD 20 STEWART	MN / 55385	320-562-2630	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	06	1140 CENTRE STREET SAUK CENTRE	MN / 56378	320-352-6511	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	07	5005 COUNTY ROAD 82 SE ALEXANDRIA	MN / 56308	320-763-4220	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	05	1710 NORTH FRANKLIN GLENWOOD	MN / 56334	320-634-5151	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	08	725 LAKE AVENUE SOUTH PAYNESVILLE	MN / 56362	320-243-7474	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	09	3708 BAPTIST CHURCH ROAD PRINCETON	MN / 55371	763-389-3453	Ask for Government Sales Representative
NORTRAX, INC.	0000801499	02	34316 US HWY 2 WEST GRAND RAPIDS	MN / 55744	218-326-9427	Ask for Government Sales Representative
NORTRAX, INC.	0000801499	03	3401 ARROWHEAD RD DULUTH	MN / 55811	218-722-7456	Ask for Government Sales Representative
PRESTON EQUIPMENT COMPANY	0000207584	01	21144 US 52 PRESTON	MN / 55965	507-765-3803	Ask for Government Sales Representative
RDO CONSTRUCTION EQ CO MW	0000221900	01	2900 MAIN AVENUE SOUTH EAST MOOREHEAD	MN / 56560	701-526-2200	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000199158	04	1910 LORRAY DR NORTH MANKATO	MN / 56003	507-387-1836	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000221900	02	905 BUFFALO AVENUE BRECKENRIDGE	MN / 56520	218-643-2601	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000192858	08	21207 CO. HWY #1 FERGUS FALLS	MN / 56537	218-739-3284	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000208398	01	110 MICHAEL STREET S HAWLEY	MN / 56549	218-483-3353	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000199158	01	12500 DUPONT AVE S BURNSVILLE	MN / 55337	952-890-8880	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO.	0000199158	05	1328 60TH AVE NW ROCHESTER	MN / 55901	507-282-8888	Ask for Government Sales Representative
SCHARBER & SONS	0000197372	01	13725 MAIN STREET ROGERS	MN / 55374	763-428-4107	Ask for Government Sales Representative
SCHUNEMAN EQUIPMENT CO.	0000395953	01	500 WEST HWY 14 TYLER	MN / 56178	507-247-5572	Ask for Government Sales Representative
SCHUNEMAN EQUIPMENT CO.	0000395953	05	1100 HWY 59 N MARSHALL	MN / 56258	507-537-1524	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	03	1013 SOUTH SECTION SPRING VALLEY	MN / 55975	507-346-7375	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	06	11555 HWY 60 BLVD WANAMINGO	MN / 55983	507-824-2256	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	07	610 WEST MAIN ST LE ROY	MN / 55951	507-324-5201	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	02	55083 COUNTY ROAD 4 PLAINVIEW	MN / 55964	507-534-3116	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	01	11906 HWY 14 EAST SAINT CHARLES	MN / 55972	507-932-4030	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	05	2001 4TH STREET NW AUSTIN	MN / 55912	507-437-6625	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	08	32980 NORTHFIELD BLVD. NORTHFIELD	MN / 55057	507-645-4886	Ask for Government Sales Representative
SEMA EQUIPMENT, INC.	0000197244	04	201 N HWY 44 / 76 CALEDONIA	MN / 55921	507-725-7000	Ask for Government Sales Representative

PLEASE PURCHASE	John Deere Construction Retail Sales
Contact Person:	Mark R. DeKayne
Street Address:	1515 Fifth Avenue
P.O. Box:	P.O. Box 8806
City, State, Zip	Moline, IL 61265-8806
Phone #:	(309) 765-0294
Toll Free #:	(800) 319-3757
Fax #:	(309) 765-3358
Email Address:	DeakyneMarkR@John.Deere.com
Website:	www.Deere.com

Furnish separate price quote for: **ARTICULATING WHEEL LOADER**

1.0 Articulating Wheel Loader
Make & Model

Horse Power/Engine Information

Operating Weight
Full Turn Static Tipping Load

Recommended Bucket Type & Size
(Stuck/Heaped) (SAE)
Is bucket included with base unit?
Break Out Force, bucket (SAE)
Hinge Pin Height
Articulation Angle

Brake Type

Transmission Type (describe features)

Differential type - Front & Rear

Seat type
Battery CCA

Tires

Hydraulics

Bucket Controls

Alternator Size

Starting Aid

Road & Work Lights

Warranty Details: Months, Years, Hours, etc.

Base Price:

John Deere 324K
Manufacturer and Model Yanmar 4TNV98CT, Non-Road Emission Standard EPA Final Tier 4, Cylinders 4, Displacement 3.3 L (203 cu. in.), Net Rated Power (SAE J1349 / ISO 9249) 52 kW (70 hp) at 2,400 rpm, Gross Rated Power at 2,400 rpm (ISO 14396) 54 kW (72 hp), Peak Torque 279 Nm (206 lb.-ft.) at 1,560 rpm
14,087 lbs.
9,766 lbs
w/ Bolt-on Cutting Edge for ISO Coupler 1.0 cu yd / 0.8 cu meter
No
12,364 lbs
11' 0" fully raised
60° arc 30° ea direction
Hydraulically actuated, self-adjusting internal wet-disc brake and driveline drum brake

Hydrostatic (HST) with infinitely variable speed control over full range of operating speeds; 2 speed ranges; joystick-mounted F-N-R; acceleration pedal; HST inching pedal, which allows infinitely reduced travel speeds while maintaining full engine rpm and hydraulic flow

Manual (pushbutton) 100% locking front, conventional rear

mechanical suspension, deep foam fabric

925 CCA

405/70R18 Tubeless Tires on Single Piece Rims

Fixed-displacement gear pump; open-center system

Three Function, Joystick FNR Control with Third Function Control Lever / Quik Tatch Ready

80 Amps

Automatic Glow Plugs

Lights (Conforms to SAE J99): (2) Driving/(2) Front Working Halogen Lights, (2) Front and (2) Rear Turn/Flashing, (2) Rear Stop Lights, (2) Rear Reflectors, (2) Rear Work Lights

Standard Warranty for
New John Deere
Construction, Utility, &
Forest Products US &
Canada, 12 months,
unlimited hours

\$88,055.94