

**STATE OF MINNESOTA**


**PRICING Page**

**TRAILERS: DUMP BODY, LOWBOYS, FLATBED, TAG, SLIDE AXLE, UTILITY, GOOSENECK, ENCLOSED, ETC.**

<b>Vendor Name:</b>	<b>Ziegler Inc.</b>
<b>Contact Person:</b>	<b>Mark Phillippi, Tim Hoeft</b>
<b>Street Address:</b>	<b>901 West 94th Street</b>
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	<b>Minneapolis, MN 55420</b>
<b>Phone #:</b>	<b>952-885-8256</b>
<b>Toll Free #:</b>	<b>800-352-2812</b>
<b>Fax #:</b>	<b>952-887-5820</b>
<b>Email Address:</b>	<b>mark.phillippi@zieglercat.com, tim.hoeft@zieglercat.com</b>

<b><u>1.0</u></b>	<b><u>PRICE LIST ID AND DATE</u></b>	<b>Trail King Price List - Roll Backs, 01-01-2015</b>
	PERCENTAGE DISCOUNT TO BE APPLIED TO ABOVE PRICE LIST	<b>10%</b>
<b><u>2.0</u></b>	<b><u>OPTIONS</u></b>	
2.1	PRICE FOR MN/DOT WIRING AND LIGHTING	
2.2	Price for Long Stroke Brake chambers	<b>\$600</b>
2.3	Price for Hot Dipped Galvanizing	<b>Standard</b>
<b><u>3.0</u></b>	<b><u>EQUIPMENT INSPECTION AND REPAIR</u></b>	
3.1	Hourly Labor Rate for Inspection	<b>\$123</b>
3.2	Hourly Labor Rate for Mechanical Work	<b>\$123</b>
<b><u>4.0</u></b>	<b><u>DELIVERY</u></b>	
4.1	Starting Point: City / State / ZIP	<b>Rice Lake, WI 54868</b>
4.2	Price Per Mile from Starting Point	<b>\$4.00</b>
<b><u>5.0</u></b>	<b><u>WARRANTY</u></b>	
5.1	Warranty Details: Months, years, etc.	<b>See Attached Trail King Warranty Information</b>
<b><u>6.0</u></b>	<b><u>DISCOUNT OFF LIST PRICE:</u></b>	
	% Discount for related parts and accessories	<b>10%</b>
<b><u>7.0</u></b>	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> <b>NA</b>	
<b><u>8.0</u></b>	<b><u>RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u></b> <b>NA</b>	

# TRAIL KING INDUSTRIAL ROLLBACK TRAILER RB SERIES




## TK40RB Rollback Trailer

### 11357 - STANDARD EQUIPMENT

- 40,000 lbs capacity
- 7' 4" tongue
- 102" wide
- Pintle eye w/adjustable height (18 3/4" to 29 3/4")
- 12K HD jack with spring foot
- 35 1/2" loaded deck height
- (2) 20,000 lb. capacity axles
- 49" axle spacing
- 12 1/4" X 7 1/2" air brakes
- 4S2M ABS
- Spring suspension
- 6.75 X 17.5 dual steel 8-stud hub-piloted wheels
- (10) D-rings
- Bed rolls back and tilts to achieve 7 degree load angle

- Safety chains with grab hooks
- Floor plate on approach plate and fold under
- 17" hydraulic fold-down approach plate and underride protection
- Covered, lockable tool box
- Headboard
- I-beam and formed channel cross members
- Registration holder
- LED lights
- Combination midturn signal/center marker light
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- Mudflaps
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane



## TK50RB Rollback Trailer

### 11358 - STANDARD EQUIPMENT

- 50,000 lbs capacity
- 7' 4" tongue
- 102" wide
- Pintle eye (adjustable height (12 3/4" to 26 1/4"))
- 12K HD jack with spring foot
- 36 1/2" loaded deck height
- (3) 20,000 lb. capacity axles
- 49"/49 3/4" axle spacings
- 12 1/4" X 7 1/2" air brakes
- 4S2M ABS
- Spring suspension
- 215/75R X 17.5 Tires
- 6.75 X 17.5 dual steel 8-stud hub-piloted wheels
- (10) D-rings

- Bed rolls back and tilts to achieve 7 degree load angle
- Safety chains with grab hooks
- Floor plate on approach plate and fold under
- 17" hydraulic fold-down approach plate and underride protection
- Covered, lockable tool box
- Headboard
- I-beam and formed channel cross members
- Registration holder
- LED lights
- Combination midturn signal/center marker light
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- Mudflaps
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane

Item #	Description	Price	
		TK40RB	TK50RB
<b>BASE MODEL</b>			
11357	TK40RB Rollback Trailer	44,031	
11358	TK50RB Rollback Trailer		53,085
<b>DECK LENGTH</b>			
<b>Standard Option</b>			
11359	28' Deck Length	0	
<b>Substitute Options</b>			
11360	30' Deck Length	677	
<b>Standard Option</b>			
11361	30' Deck Length		0
<b>Substitute Options</b>			
11362	34' Deck Length		2,017
<b>DECKING</b>			
<b>Standard Option</b>			
11363	1 3/8" Apitong	0	0
<b>Substitute Options</b>			
11364	1 1/2" Oak	-1,188	
11365	1 1/2" Oak		-1,277
<b>HYDRAULIC SUPPLY</b>			
<b>Standard Option</b>			
11366	PTO Hydraulics from truck	0	0
<b>Substitute Options</b>			
11367	13HP Honda SCU	4,710	
11368	13HP Honda SCU		4,720
<b>WHEEL FINISH (INSIDE)</b>			
<b>Standard Option</b>			
08182	6.75 x 17.5 8-hole steel disc wheel	0	0
<b>Substitute Options</b>			
08183	6.75 x 17.5 8-hole machined aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	168	168
<b>WHEEL FINISH (OUTSIDE)</b>			
<b>Standard Option</b>			
08192	6.75 x 17.5 8-hole steel disc wheel	0	0
<b>Substitute Options</b>			
08193	6.75 x 17.5 8-hole machined aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	168	168
08194	6.75 x 17.5 8-hole polished aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	194	194
<b>SPARE WHEEL</b>			
<b>Standard Option</b>			
10058	No spare wheel	0	0
<b>Substitute Options</b>			
08205	6.75 x 17.5 8-hole steel disc wheel (per wheel)	158	158
08206	6.75 x 17.5 8-hole machined aluminum wheel (per wheel)	326	326
08207	6.75 x 17.5 8-hole polished aluminum wheel (per wheel)	352	352
<b>TIRE SIZE</b>			
<b>Standard Option</b>			
07904	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)	0	0
<b>Substitute Options</b>			
08133	235/75R17.5 - 18 ply HTL2 in lieu of STD 215/75R17.5 - 16 ply (per tire)	48	
<b>ALTERNATIVE TIRE BRAND</b>			
<b>Additional Options</b>			
08034	Michelin 235/75R17.5 - 16 ply XTE2 in lieu of STD 215/75R17.5 - 16 ply (per tire)	173	
08053	Goodyear 215/75R17.5 - 16 ply G114 in lieu of STD 215/75R17.5 - 16 ply (per tire)	59	59
<b>SPARE TIRES</b>			
<b>Standard Option</b>			
10059	No spare tire	0	0
<b>Substitute Options</b>			
08110	235/75R17.5 - 18 ply HTL2 (tire only) (per tire)	347	
08111	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)	299	299
08115	Michelin 235/75R17.5 - 16 ply XTE2 (tire only) (per tire)	472	
08120	Goodyear 215/75R17.5 - 16 ply G114 (tire only) (per tire)	358	358
<b>MISCELLANEOUS</b>			
<b>Additional Options</b>			
11370	12K Winch mounted above tongue with wireless remote and recessed roller	3,762	3,762
08569	DOT Inspection	147	147

Item #	Description	Price	
		TK40RB	TK50RB
<b>PAINT</b>			
<b>Standard Option</b>			
06027	S7211 Maroon w/ white decals (43-7-009)	0	0
08024	Black S7203 with white decals (735-432-039)	0	0
08025	Hertz Yellow S7239 with black decals (735-434-016)	0	0
08026	New CAT Yellow S7225 with black decals (735-434-018)	0	0
08027	Off White S7222 with black decals (735-431-016)	0	0
08028	White S7235with black decals (735-431-012)	0	0
08029	Bright White with black decals (735-481-053)	0	0
08030	IH Red S7205 with white decals (735-437-010)	0	0
08031	Grey S7230 with black decals (735-489-029)	0	0
08032	Dark Grey S7265 with white decals (735-439-014)	0	0
<b>Additional Options</b>			
05004	Non-Metallic color match paint upcharge for rollbacks, and jeeps & boosters	592	592
01075	Metallic color match paint upcharge for rollbacks, and jeeps & boosters	837	837
01095	Code A - Optional Paint - rollbacks, and jeeps & boosters	139	139
01097	Code B - Optional Paint - rollbacks, and jeeps & boosters	171	171
01099	Code C - Optional Paint - rollbacks, and jeeps & boosters	208	208
01101	Code D - Optional Paint - rollbacks, and jeeps & boosters	208	208
01103	Code E - Optional Paint - rollbacks, and jeeps & boosters	293	293
01105	Code F - Optional Paint - rollbacks, and jeeps & boosters	331	331

\* To meet 1997 federal requirements, Trail King offers two variations of the anti-lock braking system. The minimum 2S1M system is available, but Trail King recommends the 4S2M system.

*CAPACITY RATINGS ARE FRAME CAPACITIES ONLY. ACTUAL LOAD CAPACITIES MAY BE RESTRICTED BY FACTORS SUCH AS GROSS AXLE WEIGHT RATINGS (GAWR) OR STATE AND FEDERAL REGULATIONS. FEDERAL RETAIL EXCISE TAX MUST BE FIGURED ON THE SELLING PRICE WHEN SELLING TO A NON-EXEMPT END USER.*



**TRAIL KING CONSTRUCTION DIVISION**

ALL RIGHTS RESERVED. TRAIL KING INDUSTRIES, INC., 2015

**STATE OF MINNESOTA**

**PRICING Page**

TRAILERS: DUMP BODY, LOWBOYS, FLATBED, TAG, SLIDE AXLE, UTILITY, GOOSENECK, ENCLOSED, ETC.

<b>Vendor Name:</b>	<b>Ziegler Inc.</b>
<b>Contact Person:</b>	<b>Mark Phillippi, Tim Hoeft</b>
<b>Street Address:</b>	<b>901 West 94th Street</b>
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	<b>Minneapolis, MN 55420</b>
<b>Phone #:</b>	<b>952-885-8256</b>
<b>Toll Free #:</b>	<b>800-352-2812</b>
<b>Fax #:</b>	<b>952-887-5820</b>
<b>Email Address:</b>	<b>mark.phillippi@zieglercat.com, tim.hoeft@zieglercat.com</b>

<b><u>1.0</u></b>	<b><u>PRICE LIST ID AND DATE</u></b>	<b>Trail King Price List - Tags, 01-1-2015</b>
	IF NOT PROPOSING ENTIRE CATALOG, PROVIDE SECTION TITLE(S), PAGE NUMBER(S), ETC. <b>**INSERT ADDITIONAL LINES IF NEEDED **</b>	
	PERCENTAGE DISCOUNT TO BE APPLIED TO ABOVE PRICE LIST	10%

<b><u>2.0</u></b>	<b><u>OPTIONS</u></b>	
2.1	PRICE FOR MN/DOT WIRING AND LIGHTING	
2.2	Price for Long Stroke Brake chambers	\$600
2.3	Price for Hot Dipped Galvanizing	Standard

<b><u>3.0</u></b>	<b><u>EQUIPMENT INSPECTION AND REPAIR</u></b>	
3.1	Hourly Labor Rate for Inspection	\$123
3.2	Hourly Labor Rate for Mechanical Work	\$123


<b><u>4.0</u></b>	<b><u>DELIVERY</u></b>	
4.1	Starting Point: City / State / ZIP	Rice Lake, WI 54868
4.2	Price Per Mile from Starting Point	\$4.00

<b><u>5.0</u></b>	<b><u>WARRANTY</u></b>	
5.1	Warranty Details: Months, years, etc.	See Attached Trail King Warranty Information

<b><u>6.0</u></b>	<b><u>DISCOUNT OFF LIST PRICE:</u></b>	
	% Discount for related parts and accessories	10%

<b><u>7.0</u></b>	<b><u>NEW EQUIPMENT RENTAL PROGRAM NA</u></b>	
<b><u>8.0</u></b>	<b><u>RENTAL RETURN OR DEMO EQUIPMENT PROGRAM NA</u></b>	


# TRAIL KING INDUSTRIAL TAG TRAILER



## TK20LP TAG TRAILER

- 11200 - STANDARD EQUIPMENT
- 8'-6" wide deck
- 5' tongue
- Pintle eye (adjustable height (17 3/4" to 29"))
- 33 1/4" loaded deck height
- (2) 10,000 lb. capacity GD axles
- Electric brakes
- Slipper spring suspension
- 48 1/2" axle spacing
- Dual 6 x 16 8-hole steel disc wheels
- ST235/80R16 - 10 ply tires
- 12K HD jack with spring foot
- (10) D-rings


- 5' Ladder style ramps
- Spring assist for ramps
- Maximum adjustable ramps
- Safety chains with grab hooks
- Lockable tool box
- Head board
- I-beam cross members on 16" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane



## TK24LP TAG TRAILER

- 11201 - STANDARD EQUIPMENT
- 8'-6" wide deck
- 5' tongue
- Pintle eye (adjustable height (18 1/4" to 29 1/2"))
- 33 1/4" loaded deck height
- (2) 12,000 lb. capacity axles
- 48 1/2" axle spacing
- Dual 6 x 16 8-hole steel disc wheels
- ST235/80R16 - 10 ply tires
- (10) D-rings
- 5' Ladder style ramps
- Spring assist for ramps

- Maximum adjustable ramps
- Safety chains with grab hooks
- Lockable tool box
- Head board
- I-beam cross members on 16" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane




**TK40LP TAG TRAILER**

**11202 - STANDARD EQUIPMENT**

- 8'-6" wide deck
- 5' tongue
- Pintle eye (adjustable height (16 3/4" to 32 1/2"))
- 32" loaded deck height
- (2) 22,500 lb. capacity axles
- 4-leaf spring suspension
- 49" axle spacing
- 12 1/4" X 7 1/2" air brakes
- 4S2M ABS anti-lock brakes
- Dual 6.75 x 17.5 8-hole disc wheels
- (10) D-rings

- 5' Ramps with spring assist
- Maximum adjustable ramps
- Safety chains with grab hooks
- Lockable tool box
- Head board
- I-beam cross members on 16" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane



**TK50LP TAG TRAILER**

**11203 - STANDARD EQUIPMENT**

- 8'-6" wide deck
- Pintle eye (adjustable height (12 1/4" to 28"))
- 32" loaded deck height
- (3) 22,500 lb. capacity axles
- 51.5" axle spacing
- 12 1/4" X 7 1/2" air brakes
- 4S2M ABS anti-lock brakes
- Dual 6.75 x 17.5 8-hole disc wheels
- (10) D-rings
- 5' ramps with spring assist

- Maximum adjustable ramps
- Safety chains with grab hooks
- Lockable tool box
- Head board
- 4" I-beam cross members on 12" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane

Item #	Description	20LP	24LP	40LP	50LP
<b>BASE MODEL</b>					
11200	TK20LP TAG	13,420			
11201	TK24LP TAG		15,148		
11202	TK40LP TAG			20,829	
11203	TK50LP TAG				27,917

DECK LENGTH				
<b>Standard Option</b>				
11204	24' Deck (19' flat with 5' beavertail)	0	0	
<b>Substitute Options</b>				
11205	26' Deck ( 21' flat with 5' beavertail)	362		
11206	26' Deck ( 21' flat with 5' beavertail)		379	
<b>Standard Option</b>				
11207	26' Deck (21' flat with 5' beavertail, 5' ramps)			0
<b>Substitute Options</b>				
11208	27' Deck ( 21' flat with 6' beavertail, 6' ramps)			278
13086	27' Deck ( 22' flat with 5' beavertail, 5' ramps) (Pintle eye adjustable height approximately 16.75" to 25.75") Canadian RTAC compliant			730
13087	28' Deck ( 22' flat with 6' beavertail, 6' ramps) (Pintle eye adjustable height (approximately 16.75" to 25.75") Canadian RTAC compliant			821
<b>Standard Option</b>				
11209	30' Deck (25' flat with 5' beavertail), 5' tongue			0
<b>Substitute Options</b>				
13088	29' Deck ( 24' flat with 5' beavertail, 5' ramps) (Pintle eye adjustable height approximately 16.75" to 25.75") Canadian RTAC compliant			730
13089	30' Deck ( 24' flat with 6' beavertail, 6' ramps) (Pintle eye adjustable height approximately 16.75" to 25.75") Canadian RTAC compliant			775
LANDING GEAR				
<b>Standard Option</b>				
11334	12K HD jack with spring foot	0	0	0
<b>Substitute Options</b>				
11335	25k Single 2 speed	164	164	164
HITCH				
<b>Standard Option</b>				
13090	5' Tongue			0
<b>Substitute Options</b>				
13091	7' Tongue			164
TIE DOWNS				
<b>Standard Option</b>				
13092	5 Pair D-rings (main deck only)	0	0	0
<b>Substitute Options</b>				
13093	7 Pair D-rings (6 main deck, 1 beavertail)	82	82	82
DECKING				
<b>Standard Option</b>				
11215	1-1/2" Oak (raised)	0	0	0
<b>Substitute Options</b>				
11216	1-3/8" Apitong (raised)	1,112	1,112	
11217	1-3/8" Apitong (raised)			1,156
11218	1-3/8" Apitong (raised)			1,310
BEAVERTAIL				
<b>Standard Option</b>				
11219	Self-cleaning beavertail (includes mudflaps)	0	0	0
<b>Substitute Options</b>				
11220	Wood-filled beavertail (no mudflaps)	-268	-268	
11221	Wood-filled beavertail (no mudflaps)			-258
11222	Wood-filled beavertail (no mudflaps)			-234
RAMPS				
<b>Standard Option</b>				
11223	Ladder Style	0	0	0
<b>Substitute Options</b>				
11224	Wood Filled	311	311	311
SUSPENSIONS				
<b>Standard Option</b>				
11228	Dexter Slipper Spring		0	
<b>Substitute Options</b>				
11229	H9700 Spring Suspension		56	
<b>Standard Option</b>				
13131	H9700 Spring Suspension			0
<b>Substitute Options</b>				
12812	Air lift front axle (raises deck height 2")			2,424
BRAKES				
<b>Standard Option</b>				
11233	Electric brakes		0	
<b>Substitute Options</b>				
11234	Air Brakes with 4S2M ABS		2,324	

Item #	Description	20LP	24LP	40LP	50LP
<b>SPARE WHEEL</b>					
<b>Standard Option</b>					
10058	No spare wheel	0	0	0	0
<b>Substitute Options</b>					
08204	6 x 16 steel disc wheel (per wheel)	60	60		
08205	6.75 x 17.5 8-hole steel disc wheel (per wheel)			158	158
<b>TIRE SIZE</b>					
<b>Standard Option</b>					
07904	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)			0	0
<b>Substitute Options</b>					
08133	235/75R17.5 - 18 ply HTL2 in lieu of STD 215/75R17.5 - 16 ply (per tire)			48	48
<b>SPARE TIRES</b>					
<b>Standard Option</b>					
10059	No spare tire	0	0	0	0
<b>Substitute Options</b>					
08109	ST235/80R16 - 10 ply (tire only) (per tire)	132	132		
08110	235/75R17.5 - 18 ply HTL2 (tire only) (per tire)			347	347
08111	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)			299	299
<b>MISCELLANEOUS</b>					
<b>Standard Option</b>					
12809	Spare tire carrier on side of tongue	143	143	143	143
08569	DOT Inspection	147	147	147	147
13094	3/4" Traction aids on wheel covers	493	493	493	493
13095	3/4" Traction aids on beaver tail (bolt on over wood)	762	762	762	762
<b>PAINT</b>					
<b>Standard Option</b>					
08024	Black S7203 with white decals (735-432-039)	0	0	0	0
08026	New CAT Yellow S7225 with black decals (735-434-018)	0	0	0	0
08029	Bright White with black decals (735-481-053)	0	0	0	0

CAPACITY RATINGS ARE FRAME CAPACITIES ONLY. ACTUAL LOAD CAPACITIES MAY BE RESTRICTED BY FACTORS SUCH AS  
GROSS AXLE WEIGHT RATINGS (GAWR) OR STATE AND FEDERAL REGULATIONS.  
FEDERAL RETAIL EXCISE TAX MUST BE FIGURED ON THE SELLING PRICE WHEN SELLING TO A NON-EXEMPT END USER.



**TRAIL KING**  
industries

**TRAIL KING CONSTRUCTION DIVISION**


ALL RIGHTS RESERVED. TRAIL KING INDUSTRIES, INC., 2015

**STATE OF MINNESOTA**  
**PRICING Page**

<b>Vendor Name:</b>	Ziegler Inc.
<b>Contact Person:</b>	Mark Phillippi, Tim Hoeft
<b>Street Address:</b>	901 West 94th Street
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	Minneapolis, MN 55420
<b>Phone #:</b>	952-885-8256
<b>Toll Free #:</b>	800-352-2812
<b>Fax #:</b>	952-887-5820
<b>Email Address:</b>	mark.phillippi@zieglercat.com, tim.hoeft@zieglercat.com

<b><u>1.0</u></b>	<b><u>PRICE LIST ID AND DATE</u></b>	Trail King Price List - Tilts, 01-01-2015
	IF NOT PROPOSING ENTIRE CATALOG, PROVIDE SECTION TITLE(S), PAGE NUMBER(S), ETC. **INSERT ADDITIONAL LINES IF NEEDED **	
	PERCENTAGE DISCOUNT TO BE APPLIED TO ABOVE PRICE LIST	10%
<b><u>2.0</u></b>	<b><u>OPTIONS</u></b>	
2.1	PRICE FOR MN/DOT WIRING AND LIGHTING	
2.2	Price for Long Stroke Brake chambers	\$600
2.3	Price for Hot Dipped Galvanizing	Standard
<b><u>3.0</u></b>	<b><u>EQUIPMENT INSPECTION AND REPAIR</u></b>	
3.1	Hourly Labor Rate for Inspection	\$123
3.2	Hourly Labor Rate for Mechanical Work	\$123
<b><u>4.0</u></b>	<b><u>DELIVERY</u></b>	
4.1	Starting Point: City / State / ZIP	Rice Lake, WI 54868
4.2	Price Per Mile from Starting Point	\$4.00
<b><u>5.0</u></b>	<b><u>WARRANTY</u></b>	
5.1	Warranty Details: Months, years, etc.	See Attached Trail Warranty Information
<b><u>6.0</u></b>	<b><u>DISCOUNT OFF LIST PRICE:</u></b>	
	% Discount for related parts and accessories	10%
<b><u>7.0</u></b>	<b><u>NEW EQUIPMENT RENTAL PROGRAM NA</u></b>	
<b><u>8.0</u></b>	<b><u>RENTAL RETURN OR DEMO EQUIPMENT PROGRAM NA</u></b>	


# TRAIL KING INDUSTRIAL TILT TRAILER TKT SERIES



## TKT24 Tilt Trailer

- 11329 - STANDARD EQUIPMENT
- 24,000 lbs. capacity
- 5' tongue
- 24' Tilt deck with 4' Stationary
- 102" wide
- Pintle eye (adjustable height - 18 1/2 to 29 3/4")
- 33" loaded deck height
- (2) 12,000 lb. capacity axles
- Spring suspension
- ST235/80R x 16 10-ply tires
- Dual steel wheels
- 12,000 lb HD jack with spring foot
- Tilted deck slope - 12 degree
- 3 1/2" X 16" platform cushioning cylinder


- Safety chains with grab hooks
- Floor plate on approach plate and fold under
- 11" fold-down approach plate and underride protection
- Lockable tool box
- Head board
- I-beam cross members on 16" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- 3rd tail light package
- Mudflaps
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane



## TKT40LP Tilt Trailer

- 11330 - STANDARD EQUIPMENT
- 40,000 lbs. capacity
- 5' tongue
- 24' Tilt deck with 4' Stationary
- 102" wide
- Pintle eye (adjustable height - 15 to 30 3/4")
- 32 1/2" loaded deck height
- (2) 22,500 lb. capacity axles
- 12 1/4" X 7 1/2" air brakes
- 4S2M ABS
- Spring suspension
- 6.75 X 17.5 dual wheels
- Tilted deck slope - 12 degree
- (2) 3 1/2" X 16" platform cushioning cylinders

- Safety chains with grab hooks
- Floor plate on approach plate and fold under
- 11" fold-down approach plate and underride protection
- Lockable tool box
- Head board
- I-beam cross members on 12" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- 3rd tail light package
- Mudflaps
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane



**TKT50 Tilt Trailer**

**11331 - STANDARD EQUIPMENT**

- 50,000 lbs. capacity
- Pintle eye (adjustable height - 15 to 30 3/4")
- 4 bolt pintle eye with 20,000 lb vertical capacity and 100,000 lb. pull capacity
- 24' Tilt deck with 6' Stationary
- 102" wide
- 32 1/2" loaded deck height
- (3) 22,500 lb. capacity axles
- 12 1/4" X 7 1/2" air brakes
- 4S2M ABS
- Spring suspension, 51.5" axle spacing
- 6.75 X 17.5 dual wheels
- Tilted deck slope - 12 degree
- (2) 3 1/2" X 16" platform cushioning cylinders

- Safety chains with grab hooks
- Floor plate on approach plate and fold under
- 11" fold-down approach plate and underride protection
- Lockable tool box
- Head board
- I-beam cross members on 12" centers
- Registration holder
- LED lights
- Rubber mounted sealed lights with sealed harness system
- Electrical system per DOT regulations
- 3rd tail light package
- Mudflaps
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane

Item #	Description	Price		
		TKT24	TKT40LP	TKT50
<b>BASE MODEL</b>				
11329	TKT24 Tilt Trailer	20,836		
11330	TKT40LP Tilt Trailer		27,083	
11331	TKT50 Tilt Trailer			34,140
<b>HITCH</b>				
<b>Standard Option</b>				
11332	5' tongue			0
<b>Substitute Options</b>				
11333	7' tongue			88
<b>LANDING GEAR</b>				
<b>Standard Option</b>				
13103	12K HD jack with spring foot	0	0	0
<b>Substitute Options</b>				
13104	25k Single 2 speed		166	166
<b>TIE DOWNS</b>				
<b>Standard Option</b>				
13096	6 Pair D-rings (2 stationary deck, 4 tilt deck)	0	0	0
<b>Substitute Options</b>				
13097	9 Pair D-rings (2 stationary deck, 7 tilt deck)	125	125	125
<b>DECK LENGTH</b>				
<b>Standard Option</b>				
13098	28' Overall deck (4' stationary and 24' tilt deck)	0	0	
<b>Substitute Options</b>				
13099	28' Overall deck (4' stationary and 24' tilt deck) (Pintle eye adjustable height approximately 17.5" to 26.5") Canadian RTAC compliant	970	970	
<b>Standard Option</b>				
13100	30' Overall Deck (6' stationary and 24' tilt deck)			0
<b>Substitute Options</b>				
13101	30' Overall Deck (6' stationary and 24' tilt deck) (Pintle eye adjustable height approximately 17.5" to 26.5") Canadian RTAC compliant			970
13102	27'-6" Overall Deck (6' stationary and 21'-6" tilt deck) (Pintle eye adjustable height approximately 17.5" to 26.5") Canadian RTAC compliant			923

Item #	Description	Price		
		TKT24	TKT40LP	TKT50
<b>DECK LOCK</b>				
<b>Standard Option</b>				
11343	Manual lock	0	0	0
<b>Substitute Options</b>				
11344	Dual air locks operated with one switch (requires air brakes)	839	839	839
<b>DECKING</b>				
<b>Standard Option</b>				
11345	1-1/2" Oak (raised)	0	0	0
<b>Substitute Options</b>				
11347	1-3/8" Apitong (raised)	1,132	1,132	
11348	1-3/8" Apitong (raised)			1,238
<b>BRAKES</b>				
<b>Standard Option</b>				
11351	Air Brakes with 4S2M ABS	0	0	0
<b>Substitute Options</b>				
11352	Electric brakes	-674		
<b>SPARE WHEEL</b>				
<b>Standard Option</b>				
10058	No spare wheel	60	60	60
<b>Substitute Options</b>				
08204	6 x 16 steel disc wheel (per wheel)	60		
08205	6.75 x 17.5 8-hole steel disc wheel (per wheel)		158	158
<b>TIRE SIZE</b>				
07904	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)		0	0
<b>Substitute Options</b>				
08133	235/75R17.5 - 18 ply HTL2 in lieu of STD 215/75R17.5 - 16 ply (per tire)		48	48
<b>SPARE TIRES</b>				
<b>Standard Option</b>				
10059	No spare tire	132	132	132
<b>Substitute Options</b>				
08109	ST235/80R16 - 10 ply (tire only) (per tire)	132		
08110	235/75R17.5 - 18 ply HTL2 (tire only) (per tire)		347	347
08111	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)		299	299
<b>MISCELLANEOUS</b>				
<b>Additional Options</b>				
11353	Air operated approach plates (requires air brakes)	377	377	377
11356	(2) Oval strobe lights in tail channel with switch	232	232	232
12810	Spare tire carrier on side of tongue	144	144	144
12811	Air lift front axle (raises deck height 2")			2,454
08569	DOT Inspection	147	147	147
<b>PAINT</b>				
<b>Standard Option</b>				
08024	Black S7203 with white decals (735-432-039)	0	0	0
08026	New CAT Yellow S7225 with black decals (735-434-018)	0	0	0
08029	Bright White with black decals (735-481-053)	0	0	0

\* To meet 1997 federal requirements, Trail King offers two variations of the anti-lock braking system. The minimum 2S1M system is available, but Trail King recommends the 4S2M system.

CAPACITY RATINGS ARE FRAME CAPACITIES ONLY. ACTUAL LOAD CAPACITIES MAY BE RESTRICTED BY FACTORS SUCH AS GROSS AXLE WEIGHT RATINGS (GAWR) OR STATE AND FEDERAL REGULATIONS. FEDERAL RETAIL EXCISE TAX MUST BE FIGURED ON THE SELLING PRICE WHEN SELLING TO A NON-EXEMPT END USER.



**TRAIL KING CONSTRUCTION DIVISION**

ALL RIGHTS RESERVED. TRAIL KING INDUSTRIES, INC., 2015

**STATE OF MINNESOTA  
PRICING Page  
% DISCOUNT**

**TRAILERS: DUMP BODY, LOWBOYS, FLATBED, TAG, SLIDE AXLE, UTILITY, GOOSENECK, ENCLOSED, ETC.**

<b>Vendor Name:</b>	<b>Ziegler Inc.</b>
<b>Contact Person:</b>	<b>Mark Phillippi, Tim Hoeft</b>
<b>Street Address:</b>	<b>901 West 94th Street</b>
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	<b>Minneapolis, MN 55420</b>
<b>Phone #:</b>	<b>952-885-8256</b>
<b>Toll Free #:</b>	<b>800-352-2812</b>
<b>Fax #:</b>	<b>952-887-5820</b>
<b>Email Address:</b>	<b>mark.phillippi@zieglercat.com, tim.hoeft@zieglercat.com</b>

<b><u>1.0</u></b>	<b><u>PRICE LIST ID AND DATE</u></b> PERCENTAGE DISCOUNT TO BE APPLIED TO ABOVE PRICE LIST	Trail King Price List - Utilities, 01-01-2015 10%
<b><u>2.0</u></b>	<b><u>OPTIONS</u></b>	
2.1	PRICE FOR MN/DOT WIRING AND LIGHTING	
2.2	Price for Long Stroke Brake chambers	\$600
2.3	Price for Hot Dipped Galvanizing	Standard
<b><u>3.0</u></b>	<b><u>EQUIPMENT INSPECTION AND REPAIR</u></b>	
3.1	Hourly Labor Rate for Inspection	\$123
3.2	Hourly Labor Rate for Mechanical Work	\$123
<b><u>4.0</u></b>	<b><u>DELIVERY</u></b>	
4.1	Starting Point: City / State / ZIP	Rice Lake, WI 54868
4.2	Price Per Mile from Starting Point	\$4.00
<b><u>5.0</u></b>	<b><u>WARRANTY</u></b>	
5.1	Warranty Details: Months, years, etc.	See Attached Trail King Warranty Information
<b><u>6.0</u></b>	<b><u>DISCOUNT OFF LIST PRICE:</u></b>	
	% Discount for related parts and accessories	10%

**STATE OF MINNESOTA  
PRICING Page  
% DISCOUNT**

**7.0      NEW EQUIPMENT RENTAL PROGRAM**

Summer Rental Rate - April 1 through Sept 30.

Summer Hourly Rental Rate:	\$50.00
Summer Weekly Rental Rate:	\$150.00
Summer Monthly Rental Rate:	\$450.00
Percent (%) of Rental Fee applied to purchase price:	85%

Winter Rental Rate - October 1 through March 31

Winter Hourly Rental Rate:	\$50.00
Winter Weekly Rental Rate:	\$150.00
Winter Monthly Rental Rate:	\$450.00
Percent (%) of Rental Fee applied to purchase price:	85%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**8.0      RENTAL RETURN OR DEMO EQUIPMENT PROGRAM NA**

**STATE OF MINNESOTA  
PRICING Page  
% DISCOUNT**

**TRAILERS: DUMP BODY, LOWBOYS, FLATBED, TAG, SLIDE AXLE, UTILITY, GOOSENECK, ENCLOSED, ETC.**

<b>Vendor Name:</b>	<b>Ziegler Inc.</b>
<b>Contact Person:</b>	<b>Mark Phillippi, Tim Hoeft</b>
<b>Street Address:</b>	<b>901 West 94th Street</b>
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	<b>Minneapolis, MN 55420</b>
<b>Phone #:</b>	<b>952-885-8256</b>
<b>Toll Free #:</b>	<b>800-352-2812</b>
<b>Fax #:</b>	<b>952-887-5820</b>
<b>Email Address:</b>	<b>mark.phillippi@zieglercat.com, tim.hoeft@zieglercat.com</b>

<b><u>1.0</u></b>	<b><u>PRICE LIST ID AND DATE</u></b> PERCENTAGE DISCOUNT TO BE APPLIED TO ABOVE PRICE LIST	Trail King Price List - Utilities, 01-01-2015 10%
<b><u>2.0</u></b>	<b><u>OPTIONS</u></b>	
2.1	PRICE FOR MN/DOT WIRING AND LIGHTING	
2.2	Price for Long Stroke Brake chambers	\$600
2.3	Price for Hot Dipped Galvanizing	Standard
<b><u>3.0</u></b>	<b><u>EQUIPMENT INSPECTION AND REPAIR</u></b>	
3.1	Hourly Labor Rate for Inspection	\$123
3.2	Hourly Labor Rate for Mechanical Work	\$123
<b><u>4.0</u></b>	<b><u>DELIVERY</u></b>	
4.1	Starting Point: City / State / ZIP	Rice Lake, WI 54868
4.2	Price Per Mile from Starting Point	\$4.00
<b><u>5.0</u></b>	<b><u>WARRANTY</u></b>	
5.1	Warranty Details: Months, years, etc.	See Attached Trail King Warranty Information
<b><u>6.0</u></b>	<b><u>DISCOUNT OFF LIST PRICE:</u></b>	
	% Discount for related parts and accessories	10%

**STATE OF MINNESOTA  
PRICING Page  
% DISCOUNT**

**7.0      NEW EQUIPMENT RENTAL PROGRAM**

Summer Rental Rate - April 1 through Sept 30.

Summer Hourly Rental Rate:	\$75.00
Summer Weekly Rental Rate:	\$225.00
Summer Monthly Rental Rate:	\$675.00
Percent (%) of Rental Fee applied to purchase price:	85%


Winter Rental Rate - October 1 through March 31

Winter Hourly Rental Rate:	\$75.00
Winter Weekly Rental Rate:	\$225.00
Winter Monthly Rental Rate:	\$675.00
Percent (%) of Rental Fee applied to purchase price:	85%

**If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: \_\_\_\_\_**

**8.0      RENTAL RETURN OR DEMO EQUIPMENT PROGRAM NA**

# TRAIL KING UTILITY AND TILT UTILITY TRAILERS TKU AND TKTU SERIES




**TK12U UTILITY TRAILER**

**11293 - STANDARD EQUIPMENT**

- 12,000 lb. capacity
- Single disc wheels (8 hole)
- Adjustable coupler height (18 1/2 to 23")
- ST235/80R X 16 10-ply tires
- 12" X 2" electric brakes on both axles
- (2) 7000 lb capacity axles
- 36" axle spacing
- 12,000 lb HD jack with spring foot
- 102" overall width
- 82" width between fenders

- Maximum adjustable spring assist ramps
- 6 tie down bars
- Head board
- Structural steel main frame
- LED lights
- Electrical system per DOT regulations
- Breakaway switch (with battery)
- Safety chains with hooks
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane




**TK14U UTILITY TRAILER**

**11294 - STANDARD EQUIPMENT**

- 14,000 lb. capacity
- Single disc wheels (8 hole)
- Adjustable coupler height (18 1/2 to 23")
- 215/75R X 17.5 18-ply tires
- 12" X 2" electric brakes on both axles
- (2) 7000 lb capacity axles
- 36" axle spacing
- 12,000 lb HD jack with spring foot
- 102" overall width
- 82" width between fenders

- Maximum adjustable spring assist ramps
- 6 tie down bars
- Head board
- Structural steel main frame
- LED lights
- Electrical system per DOT regulations
- Breakaway switch (with battery)
- Safety chains with hooks
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane






**TKT12U TILT-UTILITY TRAILER**

**11295 - STANDARD EQUIPMENT**

- 12,000 lb capacity
- 20' overall deck length
- 102" overall width, 82" wide deck between fenders
- 16' tilt deck with 4' stationary deck
- (2) 7000 lb capacity axles
- 34" axle spacing
- Single disc wheels (8 hole)
- Adjustable coupler height (19 to 23-1/2")
- ST235/80R X 16 10-ply tires
- 12" X 2" electric brakes on both axles
- 12,000 lb HD jack with spring foot
- Structural steel main frame

- Cushioning cylinders
- 11 degree load angle
- Head board
- Steel crossmembers
- Star traction covered approach
- 6 pair D-rings, 2-stationary & 4-tilt deck
- LED lights
- Electrical system per DOT regulations
- Breakaway switch (with battery)
- Safety chains with hooks
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane



**TKT14U TILT-UTILITY TRAILER**

**11296 - STANDARD EQUIPMENT**

- 14,000 lb capacity
- 20' overall deck length
- 102" overall width, 82" wide deck between fenders
- 16' tilt deck with 4' stationary deck
- (2) 7000 lb capacity axles
- 34" axle spacing
- 215/75R X 17.5 18-ply tires
- Single disc wheels (8 hole)
- Adjustable coupler height (16 to 22-3/4")
- 12" X 2" electric brakes on both axles
- 12,000 lb HD jack with spring foot
- Structural steel main frame

- Cushioning cylinders
- 11 degree load angle
- Head board
- Steel crossmembers
- Star traction covered approach
- LED lights
- Electrical system per DOT regulations
- Breakaway switch (with battery)
- 6 pair D-rings, 2-stationary & 4-tilt deck
- Safety chains with hooks
- Red and white conspicuity markings
- Paint: Trail King 2-part polyurethane

Item #	Description	Price			
		Utilities		Tilt Utilities	
		TK12U	TK14U	TKT12U	TKT14U
<b>BASE MODEL</b>					
11293	TK12U Utility Trailer	7,063			
11294	TK14U Utility Trailer		8,774		
11295	TKT12U Tilt-Utility Trailer			9,548	
11296	TKT14U Tilt-Utility Trailer				11,131
<b>HITCH</b>					
<b>Standard Option</b>					
11297	2-5/16" ball coupler	0	0	0	0
<b>Substitute Options</b>					
11298	Pintle Eye	0	0	0	0
<b>MAIN DECK</b>					
<b>Standard Option</b>					
11300	16' Deck length (straight, no beavertail)	0	0		
<b>Substitute Options</b>					
11303	18' Deck length ( straight, no beavertail)	148			
11304	20' Deck length ( straight, no beavertail)		278		
<b>DECKING</b>					
<b>Standard Option</b>					
11307	1-1/2" Oak (raised)	0	0	0	0
<b>Substitute Options</b>					
11308	1-3/8" Apitong (raised)	703	703		
11309	1-3/8" Apitong (raised)			766	766
<b>FLAPS, MUD GUARDS &amp; FENDERS</b>					
<b>Standard Option</b>					
11310	14 ga steel enclosed fenders	0	0	0	0
<b>Substitute Options</b>					
11311	3/16" Bolt-on Heavy Duty enclosed fenders	424	424		
11313	3/16" Bolt-on Heavy Duty enclosed fenders			423	423
<b>RAMPS</b>					
<b>Standard Option</b>					
11314	5' Ladder style (18" wide)	0	0		
<b>Substitute Options</b>					
11315	6' Ladder style with knife edge	63	63		
<b>SPARE WHEEL</b>					
<b>Standard Option</b>					
10058	No spare wheel	0	0	0	0
<b>Substitute Options</b>					
08204	6 x 16 steel disc wheel (per wheel)	60		60	
08205	6.75 x 17.5 8-hole steel disc wheel (per wheel)		158		158
<b>SPARE TIRES</b>					
<b>Standard Option</b>					
10059	No spare tire	0	0	0	0
<b>Substitute Options</b>					
08109	ST235/80R16 - 10 ply (tire only) (per tire)	132		132	
08111	215/75R17.5 - 18 ply HTL2 (tire only) (per tire)		299		299
<b>ELECTRICAL</b>					
<b>Standard Option</b>					
11318	7 Pole RV style electrical plug	0	0	0	0
<b>MISCELLANEOUS</b>					
<b>Additional Options</b>					
11320	Bolt-on lockable tool box lid	311	311	311	311
11323	Bolt-on fork holders (under deck, includes 2 pair of tie downs)	375	375	375	375
11327	Bolt-on spare tire carrier (on side of deck)	310	310	310	310

Item #	Description	Price			
		Utilities		Tilt Utilities	
		TK12U	TK14U	TKT12U	TKT14U
<b>PAINT</b>					
<b>Standard Option</b>					
08024	Black S7203 with white decals (735-432-039)	0	0	0	0
08026	New CAT Yellow S7225 with black decals (735-434-018)	0	0	0	0
08029	Bright White with black decals (735-481-053)	0	0	0	0

\* To meet 1997 federal requirements, Trail King offers two variations of the anti-lock braking system. The minimum 2S1M system is available, but Trail King recommends the 4S2M system.

*CAPACITY RATINGS ARE FRAME CAPACITIES ONLY. ACTUAL LOAD CAPACITIES MAY BE RESTRICTED BY FACTORS SUCH AS GROSS AXLE WEIGHT RATINGS (GAWR) OR STATE AND FEDERAL REGULATIONS. FEDERAL RETAIL EXCISE TAX MUST BE FIGURED ON THE SELLING PRICE WHEN SELLING TO A NON-EXEMPT END USER.*



**TRAIL KING CONSTRUCTION DIVISION**

ALL RIGHTS RESERVED. TRAIL KING INDUSTRIES, INC., 2015