

Vendor Name:	Titan Machinery Inc.
Contact Person:	Fred Senger & Andy Bethel
Street Address:	644 East Beaton Drive
P.O. Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9275
Fax #:	952-445-0365
Email Address:	<a href="mailto:fred.senger@titanmachinery.com">fred.senger@titanmachinery.com</a> , or <a href="mailto:andy.bethel@titanmachinery.com">andy.bethel@titanmachinery.com</a>

Spec #	Information Requested	Answer
1.0	Tractor Catalog Section Price List Title: Date & I.D. of Price List Percentage Discount to be applied to Price List	Case/Farmall 45C & 55C Series 10/1/2013 30%
1.1	Price for manuals, (service, parts, repair, and operations)	\$ 1,200.00
1.2	Price for set of fluid and air filters	600
2.0	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/warranty options, number these items starting with 2.1, 2.2, 2.3, etc. (Specify years, miles or hours extended term covers.)	
2.1	_____	\$
2.2	_____	\$
3.0	<b>INSTALLATION - PER HOUR</b> Installation services may be requested on an "as needed" basis. See Special Terms and Conditions	\$ 112.00
4.0	<b>NEW EQUIPMENT RENTAL PROGRAM - <u>SUMMER RATES - 4/1 THRU 9/30</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions. Hourly Rental Rate: Weekly Rental Rate: Monthly Rental Rate: Percent (%) of Rental Fee applied to purchase price:	\$ \$ \$ %
	<b>NEW EQUIPMENT RENTAL PROGRAM - <u>WINTER RATES - 10/1 THRU 3/31</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions. Hourly Rental Rate: Weekly Rental Rate: Monthly Rental Rate: Percent (%) of Rental Fee applied to purchase price:	\$ \$ \$ %
	<b>If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____</b>	
5.0	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b> See Solicitation Special Terms and Conditions. <b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	\$
6.0	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES - (See Special Terms and Conditions)</b> <b>Price List Date and Number</b>	% Discount
7.0	<b>DELIVERY STARTING POINT -</b> See Special Terms and Conditions - No flat rate allowed <b>City, State, Zip</b> <b>Price per Loaded Mile:</b>	Nearest Titan Machinery Inc. Case/Farmall Ag Store \$ 4.00



## FARMALL® SERIES COMPACT TRACTORS TABLE OF CONTENTS

### COMPACT TRACTORS

FARMALL 45C CVT, 55 CVT TRACTORS Tier 4B	
Standard Features .....	1
Price List .....	3
FARMALL 30C and 35C TRACTORS TIER 4B	
Standard Features .....	7
Price List .....	9
Factory Supplied Attachments .....	11
FARMALL 40C and 50C TRACTORS TIER 4B	
Standard Features .....	13
Price List .....	15
Factory Supplied Attachments .....	17

### COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

L350A LOADERS FOR COMPACT FARMALL 30C and 35C TIER 4	
Standard Features .....	19
Price List .....	20
Factory Supplied Attachments .....	21
L360A LOADERS FOR COMPACT FARMALL 40C and 50C TIER 4	
Standard Features .....	23
Price List .....	24
Factory Supplied Attachments .....	25
L360A LOADER FOR FARMALL C CVT (LOADER READY)	
Standard Features .....	27
Price List .....	28
Factory Supplied Attachments .....	29
MW SERIES MOWERS FOR FARMALL C	
Standard Features .....	31
Price List .....	32
MW SERIES MOWERS FOR FARMALL B/C CVT	
Standard Features .....	33
Price List .....	34



## FARMALL® SERIES COMPACT TRACTORS TABLE OF CONTENTS

MW SERIES MOWERS FOR FARMALL B	
Standard Features .....	37
Price List .....	38
RR SERIES REAR MOUNT FINISHING MOWERS	
Standard Features .....	39
Price List .....	41
BR SERIES FRONT MOUNT ROTARY BROOMS	
Standard Features .....	43
Price List .....	44
Factory Supplied Attachments .....	46
TL SERIES ROTARY TILLERS	
Standard Features .....	47
Price List .....	48
BM SERIES FRONT MOUNTED BLADES - BM1	
Standard Features .....	49
Price List .....	50
Factory Supplied Attachments .....	51
BS SERIES FRONT MOUNT SNOW BLOWERS	
Standard Features .....	53
Price List .....	55
Factory Supplied Attachments .....	58
BS SERIES REAR MOUNT SNOW BLOWERS	
Standard Features .....	59
Price List .....	60
Factory Supplied Attachments .....	61
RC ROTARY CUTTERS	
Standard Features .....	63
Price List .....	66
Factory Supplied Attachments .....	69
WORK EZ® DISK HARROW	
Standard Features .....	71
Price List .....	72



## FARMALL® SERIES COMPACT TRACTORS TABLE OF CONTENTS

WORK EZ® RAKES	
Standard Features .....	73
Price List .....	74
WORK EZ® BOX BLADES	
Standard Features .....	75
Price List .....	76
WORK EZ® REAR BLADES	
Standard Features .....	77
Price List .....	78
WORK EZ® EZ MATCH	
Standard Features .....	79
Price List .....	80
WORK EZ® BALE CARRIERS	
Standard Features .....	81
Price List .....	82
WORK EZ® HAY SPEARS	
Standard Features .....	83
Price List .....	84
<b>CHARTS</b>	
PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS .....	85
PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B CVT SERIES TRACTORS .....	88
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTORS .....	90
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT LOADERS.....	95
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTOR IMPLEMENTS.....	97
REFERRAL ATTACHMENTS.....	99
CASE IH PURCHASED PROTECTION.....	100



**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

**(Ex Works - See Standard Equipment)  
Standard Equipment**

**MODELS:**

Farmall 45C CVT  
45.1 Gross Engine hp @ 2600 rpm  
46.0 Gross Engine Cv @2600 rpm  
36.0 PTO hp @ 2600 rpm

**Farmall 55C CVT**

53.0 Gross Engine HP @ 2600 rpm  
54.0 Gross Engine Cv @2600 rpm  
43.0 PTO hp @ 2600 rpm

**ENGINE:**

FPT Engine Model R7531E4  
135.9 cu. in. (2.2L) Displacement  
3 Cylinders  
Tier 4b Compliant  
Turbo-charged  
Under Hood Exhaust  
Two-stage Dual Element Air Cleaner  
Full-flow, Spin-on Oil Filter  
13 gallon (49.2 L) Fuel Tank  
Fuel Filter with water separator  
Quick Glow Plug Starting Aid  
Flip-Up Hood  
MMV Standard

**INSTRUMENT PANEL:**

Analog Tachometer  
Fuel Gauge  
Coolant Temperature Gauge  
Hour Meter  
Engine Oil Pressure Warning Light  
Battery Charge Warning Light  
Status Indicator Lights  
Digital display panel

**TRANSMISSION:**

EasyDrive™ Continuously Variable  
Transmission (CVT) Series II  
Cruise Control  
Steering Column mounted shuttle lever  
for FWD/REV directional control  
Single pedal for speed control  
Electronic Adjustable Speed & Response  
settings

**HYDRAULICS:**

Open Center Hydraulic System  
Dual Gear-type Pumps  
Implement Pump Capacity:  
9.7 gpm (36.9 L/min)  
Steering Pump Capacity:  
5.1 gpm (21.0 L/min)  
Mid-mount Hydraulic Ports

**HITCH:**

Lift Capacity @ 24 in. behind link ends:  
2800 lb. (1270 kg)  
Category I, 3-point Linkage  
Position Control Lever  
Drop Rate Control Knob  
Crank-type Leveling Mechanism  
Telescoping Stabilizers  
Flexible Link Ends

**ELECTRICAL:**

12-volt, 850 CCA Battery  
Safety Start Switch  
Key Start/Fuel Shutoff  
Alternator  
75 amp - ROPS models  
90 amp - CAB models  
Operator Presence System  
12-volt DC (10 amp) Auxiliary Power  
outlet

**LIGHTING:**

Cab / ROPS  
(2) Halogen Corner Work Lights  
(2) Halogen Headlights (high/low beam)  
(2) Taillights  
(2) Flashers / Turn Signals  
Cab Only  
(2) Front-mounted Cab Work Lights  
(2) Rear-mounted Cab Work Lights

**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

**(Ex Works - See Standard Equipment)  
Standard Equipment**

- |   |  |
|---|--|
| <p><b>PTO:</b><br/>Rear<br/>Independent 540 rpm<br/>Flip-up Shield<br/>Shaft Cap<br/>Mid PTO<br/>2,000 RPM</p> <p><b>DRAWBAR:</b><br/>Swinging<br/>2-Position Extendable</p> <p><b>REAR DIFFERENTIAL LOCK</b></p> <p><b>STEERING:</b><br/>Hydrostatic Power Steering<br/>Tilt and Telescoping Steering Column</p> <p><b>BRAKES:</b><br/>Wet Disc<br/>Parking Brake Lock Lever<br/>Left Side Mounted Suspended Brake Pedals</p> <p><b>FRONT AXLE:</b><br/>Four Wheel Drive (FWD)<br/>Fixed Position Rims<br/>52.5 in. (1334 mm) Tread Setting with R4 tires</p> <p><b>FRONT TIRES:</b><br/>10-16.5 6PR R4 industrial bar tread</p> <p><b>REAR AXLE:</b><br/>Flange-type Axle<br/>Adjustable Position Rims - R1<br/>Fixed Rims - R3, R4, Galaxy<br/>55.3 in. to 67.4 in. (1404 - 1712 mm)<br/>Tread Setting with R4 tires</p> <p><b>REAR TIRES:</b><br/>17.5LX24 6PR R4 tread</p> | <p><b>ROPS PLATFORM:</b><br/>Deluxe Viny Covered Seat<br/>Full suspension with weight adjustability<br/>Fore/Aft/ Swivel adjustment<br/>Floor Mat<br/>Cup Holder<br/>Left and Right Side Steps<br/>Toolbox<br/>Slow Moving Vehicle Emblem</p> <p><b>CAB PLATFORM:</b><br/>(2) Doors<br/>Rear Window Opens 35 degrees<br/>High Visibility Panel in Roof above Windshield<br/>Air Conditioning<br/>Heater<br/>3-speed Fan Control for heat and A/C<br/>Single Cab Air Filter<br/>Radio-ready with (2) speakers, wiring and antenna<br/>Deluxe Cloth Covered Seat<br/>Full suspension with weight adjustability<br/>Fore/Aft/ Swivel adjustment<br/>Floor Mat<br/>Cloth Covered Headliner<br/>Adjustable Sun Visor<br/>Interior Rearview Mirror<br/>Left and Right External Mounted Mirrors<br/>Removable Plug in rear of cab to route harness<br/>Front Windshield Wiper and Washer<br/>Cup Holder<br/>Left and Right Side Steps<br/>Toolbox<br/>Slow Moving Vehicle Emblem</p> <p><b>WARRANTY:</b><br/>Full Coverage - 24 months or 2000 hours<br/>Powertrain - 36 months or 2000 hours</p> |
|---|--|



**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

(Ex Works - See Standard Equipment)

**Models**

COMMERCIAL MODEL	VERSION	ENGINE POWER	Weight	List Price
FARMALL 45C CVT T4 ROPS	Rops	45 HP		\$33,891.00
FARMALL 45C CVT T4 CAB	Cab	45 HP		\$42,783.00
FARMALL 55C CVT T4 ROPS	Rops	53HP		\$37,210.00
FARMALL 55C CVT T4 CAB	Cab	53HP		\$46,102.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OPERATOR STRUCTURE</b>			
SD 05109 ARMREST			
X5109X	No Armrest		No Charge
449330	ARM RESTS		\$78.00
SD T9162 RADIO/RADIO READY			
XT9162X	Standard less radio		No Charge
420804	AM/FM stereo radio <b>AM/FM Radio with MP3 port</b>		\$312.00
<b>ENGINE</b>			
STARTING AID			
SD T9940 MKT PACK.FOR COLD C			
XT9940X	Cold Start Thrmstar		No Charge
729568	Mkt Pack F/Cold Cli <b>Cold weather pkg includes - engine heater, transmission heater, fuel heater, rear windshield wiper &amp; washer</b>		\$296.00

**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

(Ex Works - See Standard Equipment)

**HYDRAULICS**

SD T8270 REAR REMOTES

	XT8270X	Base Equipment -See Std Featrs		No Charge
	720826	1 Remote DA <b>1 Rear remote: 1st position rear remote - float &amp; detent valve</b>		\$779.00
	720336	2 Aux.Hydr.:1 S/D 1 <b>2 Rear remotes: 1st position rear remote - float &amp; detent 2nd position rear remote - 3 position detent valve (no float)</b>		\$1,558.00

**FRONT WHEELS AND TIRES**

SD T4940 FRONT WHEELS AND TIRES

	8275704	10-16.5 6PR R4 Ind. Bar		No Charge
	8224704	27/12LL x 15 6PR Galaxy® Tires <b>Galaxy tires are NOT compatible with front-end loader, front attachments or mid mount mowers.</b>		\$88.00
	8278604	27 x 10.50-15 4PR R3 Turf		(\$151.00)
	8229704	8-16 6PR R1(Ag Bar) 8229704		(\$151.00)
	8199907	Less front wheels and tires. <b>Requires 720457 - shipping wheels</b>		(\$847.00)

**REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

	8396704	17.5Lx24 6PR R4		No Charge
	8310704	22.5LL x 16.1 6PR R3 Galaxy® <b>Galaxy tires are NOT compatible with front-end loader, front attachments or mid mount mowers.</b>		\$768.00
	8342604	14.9-24 4PR R1 Ag Bar		(\$388.00)
	8303604	44 x 18-20 4PR R3 Turf		(\$409.00)
	8399907	Less Rear Wheels and Tires <b>Requires 720457 - shipping wheels</b>		(\$2,297.00)

**OTHER EQUIPMENT**

SD T4931 SHIPPING WHEELS

	XT4931X	Less shipping wheel kit		No Charge
	720457	Shipping wheel kit		\$1,365.00



**FARMALL 45C/55C CVT TRACTORS - T4  
US PRICE LIST**

**(Ex Works - See Standard Equipment)**

**OPERATOR'S MANUAL**

SD T9800 OPERATORS MANUAL

	XT9800X	North American English			No Charge
	729187	French Canadian			No Charge

**FARMALL 30C/35C TRACTORS - TIER 4B  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**DIESEL ENGINE:**

Farmall 30C Tier 4B:  
ISM 3 Cyl. Turbo Diesel Engine  
32.2 Gross Engine hp @ 2600 rpm  
26.0 PTO hp @ 2600 rpm (Gear)  
24.7 PTO hp @ 2600 rpm (Hydro)  
92 cu. in. (1.5L) Displacement

Farmall 35C Tier 4B:  
ISM 3 Cyl. Turbo Diesel Engine  
36.2 Gross Engine hp @ 2600 rpm  
29.6 PTO hp @ 2600 rpm (Gear)  
28.1 PTO hp @ 2600 rpm (Hydro)  
92 cu. in. (1.5L) Displacement

**ALL MODELS:**

3 Cylinders  
Tier 4b compliant  
Turbo charged  
Under Hood Muffler / Exhaust  
Two-stage Dual Element Air Cleaner  
Full-flow, Spin-on Oil Filter  
10.5 gallon (40L) Fuel Tank  
Fuel Filter with water separator  
Quick Glow Plug Starting Aid  
Flip-up Hood w/ Gas Strut

**INSTRUMENT PANEL:**

Analog Tachometer  
Fuel Gauge  
Coolant Temperature Gauge  
Hour Meter  
Engine Oil Pressure Warning Light  
Battery Charge Warning Light  
Cold Starting Aid Indicator Light  
PTO ON Indicator Light  
Parking Brake Indicator Light  
Turn Indicator Lights  
Hazard Flasher Indicator Lights  
High Beam Headlights Indicator  
Emmission Activation Indicator

**TRANSMISSION OPTIONS**

12 x 12 Synchronized Shuttle Shift (SSS)

- Left-hand, dash mounted, synchronized shuttle
- (4) Synchronized gears
- (3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control and Dual-Pedal direction control for forward and reverse

**HYDRAULIC SYSTEM:**

Open Center Hydraulic System  
Dual Gear-type Pumps  
Implement Pump Capacity:  
- Farmall 30C = 8.2 gpm (31.2 L/min)  
- Farmall 35C = 8.2 gpm (31.2 L/min)  
Steering Pump Capacity:  
- Gear models = 4.2 gpm (15.9 L/min)  
- HST models = 5.3 gpm (19.9 L/min)  
Mid-mount Hydraulic Valve & Joystick (STD)

**3-POINT LIFT SYSTEM:**

Lift Capacity @ ball ends:  
1808 lb. (820 kg)  
Category I, 3-point Linkage  
Position Control Lever  
Drop Rate Control Knob  
Crank-type Leveling Mechanism  
Telescoping Stabilizers  
Flexible Link Ends

**ROPS:**

2-Post, Foldable Roll Bar  
Seat Belt

**ELECTRICAL**

12-volt, 80Ah, 660 CCA Battery  
Safety Start Switch  
Key Start/Fuel Shutoff  
85 amp Alternator  
Operator Presence System

FARMALL 30C/35C TRACTORS - TIER 4B  
US PRICE LIST

(Ex Works Port of Entry)  
**Standard Equipment**

**LIGHTING:**

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

**PTO:**

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

**DRAWBAR:**

Swinging

2-Position Extendable

**REAR DIFFERENTIAL LOCK****STEERING:**

Hydrostatic Power Steering

Tilt Steering Column

**BRAKES:**

Wet Disc

Dual Brake Pedals

Foot-assist Parking Brake Lever

**FRONT AXLE:**

Four Wheel Drive (FWD)

Fixed Position Rims

45.6 in. (1159 mm) Tread Setting with  
R4 tires**REAR AXLE:**

Flange Type Axle

Reversible Position Rims - R1 tires only

Fixed Position Rims - R3, R4 tires

46.5 in. (1283 mm) Tread Setting with  
R4 tires**OPERATOR'S AREA:**

Contoured Cushion Seat

- Fore / Aft / Height / Weight  
Compensating
- Spring Suspension

Deluxe Floor Mat

Foot Throttle

Left Side Step

Left Side Grab Handle

Right Side Cupholder &amp; Tray

**SLOW MOVING VEHICLE EMBLEM**



**FARMALL 30C/35C TRACTORS - TIER 4B  
US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	Weight	List Price
FARMALL 30C	5,500 LB	\$21,571.00
FARMALL 35C	4,500 LB	\$23,390.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>TRANSMISSION</b>			
TRANSMISSION			
SD T2810 TRANSMISSION			
	720110 12 x 12 Synchro-shuttle		No Charge
	729290 Hydrostatic Transmission		\$1,791.00
<b>HYDRAULICS</b>			
SD T8270 REAR REMOTES			
	XT8270X Base Equipment -See Std Featrs <b>Less Rear Remote</b>		No Charge
	720366 1 Remote SDA <b>Fits Farmall 30C/35C Gear or HST and Farmall 40C/50C Gear</b>		\$674.00
	720347 2 RMT VALVE <b>Fits Farmall 30C/35C Gear or HST and Farmall 40C/50C Gear</b>		\$1,070.00
<b>FRONT WHEELS AND TIRES</b>			
SD T4940 FRONT WHEELS AND TIRES			
	8199907 Less front wheels and tires.		No Charge
	8204604 7 x 14 6PR R1 Ag Bar		\$366.00
	8152604 25 x 8.50-14 4PR R3 T		\$366.00
	8266304 25 x 8.50 - 14 6PR R4		\$477.00



**FARMALL 30C/35C TRACTORS - TIER 4B  
US PRICE LIST**

(Ex Works Port of Entry)

**REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

	8399907	Less Rear Wheels and Tires			No Charge
	8332604	11.2 x 24 4PR R1 Ag Bar			\$935.00
	8364564	43 x 16.00-20 R4			\$1,239.00
	8304804	41 x 14.00-20 4PR R3			\$1,431.00

**OPERATOR MANUALS**

SD T9800 OPERATORS MANUAL

	729184	French Canadian - Gear			No Charge
	XT9800X	North American English			No Charge



FARMALL 30C/35C TRACTORS - TIER 4B  
US PRICE LIST

(Ex Works Port of Entry)  
**Factory Supplied Attachments**

Order Code	Description	Weight	List Price
815260433	25X8.50-14 4PR R3 TURF CI	98 LB	\$366.00
820460466	7X14 6PR R1 CIH LSM	95 LB	\$366.00
826630486	25x8.50-14 6PR CIH LSM	109 LB	\$477.00
830480496	41X14.00-20 4PR R3 TURF CIH LS	344 LB	\$1,431.00
833260456	11.2X24 4PR R1 CIH LSM	343 LB	\$935.00
836456466	43X16-20 4PLY TL R4 CIH	420 LB	\$1,239.00

**FARMALL 40C/50C TRACTORS - TIER 4B  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**DIESEL ENGINE:**

Farmall 40C Tier 4B:  
ISM 4 Cyl. Diesel Engine  
40.7 Gross Engine hp @ 2600 rpm  
32.4 PTO hp @ 2600 rpm (Gear)  
30.8 PTO hp @ 2600 rpm (Hydro)  
135 cu. in. (2.22L) Displacement

Farmall 50C Tier 4B:  
ISM 4 Cyl. Diesel Engine  
45.6 Gross Engine hp @ 2600 rpm  
37.3 PTO hp @ 2600 rpm (Gear)  
35.4 PTO hp @ 2600 rpm (Hydro)  
135 cu. in. (2.22L) Displacement

**ALL MODELS:**

4 Cylinders  
Naturally Aspirated  
Under Hood Muffler / Exhaust  
Two-stage Dual Element Air Cleaner  
Full-flow, Spin-on Oil Filter  
10.5 gallon (40L) Fuel Tank  
Fuel Filter with water separator  
Quick Glow Plug Starting Aid  
Flip-up Hood w/ Gas Strut

**INSTRUMENT PANEL:**

Analog Tachometer  
Fuel Gauge  
Coolant Temperature Gauge  
Hour Meter  
Engine Oil Pressure Warning Light  
Battery Charge Warning Light  
Cold Starting Aid Indicator Light  
PTO ON Indicator Light  
Parking Brake Indicator Light  
Turn Indicator Lights  
Hazard Flasher Indicator Lights  
High Beam Headlight Indicator  
Emissions Indicator

**TRANSMISSION OPTIONS:**

16 x 16 Synchronized Shuttle Shift  
(SSS)

Left-hand, dash mounted,  
synchronized shuttle  
(4) Synchronized gears  
(4) Non-synchronized ranges

3- Range Hydrostatic with Cruise Control  
and Dual Pedal direction control for  
forward and reverse

**HYDRAULIC SYSTEM:**

Open Center Hydraulic System  
Dual Gear-type Pumps  
Implement Pump Capacity:  
- 8.2 gpm (31.2 L/min)  
Steering Pump Capacity:  
- Gear models = 4.2 gpm (15.9 L/min)  
- HST models = 5.3 gpm (19.9 L/min)  
Mid-mount Hydraulic Valve & Joystick  
(STD)

**3-POINT LIFT SYSTEM:**

Lift Capacity @ ballk ends:  
2756 lb. (1250 kg)  
Category I, 3-point Linkage  
Position Control Lever  
Drop Rate Control Knob  
Crank-type Leveling Mechanism  
Telescoping Stabilizers  
Flexible Link Ends

**ROPS:**

2-Post, Foldable Roll Bar  
Seat Belt

**ELECTRICAL:**

12-volt, 80Ah, 660 CCA Battery  
Safety Start Switch  
Key Start/Fuel Shutoff  
85 amp Alternator  
Operator Presence System

FARMALL 40C/50C TRACTORS - TIER 4B  
US PRICE LIST

(Ex Works Port of Entry)  
**Standard Equipment**

**LIGHTING:**

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

**PTO:**

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

**DRAWBAR:**

Swinging

2-Position Extendable

**REAR DIFFERENTIAL LOCK****STEERING:**

Hydrostatic Power Steering

Tilt Steering Column

**BRAKES:**

Wet Disc

Dual Brake Pedals

Foot-assist Parking Brake Lever

**FRONT AXLE:**

Four Wheel Drive (FWD)

Fixed position rims

51.7 in. (1314 mm) Tread Setting with  
R4 tires**REAR AXLE:**

Flange Type Axle

Reversible Position Rims - R1 only

Fixed Position Rims - R3, R4

47.7 in. (1211 mm) Tread Setting with  
R4 tires**OPERATOR'S AREA:**

Contoured Cushion Seat

- Fore / Aft / Height / Weight  
Compensating
- Spring Suspension

Deluxe Floor Mat

Foot Throttle

Left Side Step

Left Side Grab Handle

Right Side Cupholder &amp; Tray

**SLOW MOVING VEHICLE EMBLEM**



**FARMALL 40C/50C TRACTORS - TIER 4B  
US PRICE LIST**

(Ex Works Port of Entry)  
**Models**

COMMERCIAL MODEL	Weight	List Price
FARMALL 40C	4,500 LB	\$26,440.00
FARMALL 50C	5,500 LB	\$29,543.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>TRANSMISSION</b>			
TRANSMISSION			
SD T2810 TRANSMISSION			
	330271 16x16 Synchro Shuttle		No Charge
	330014 HST + 3 Range		\$1,791.00
<b>HYDRAULICS</b>			
SD T8270 REAR REMOTES			
	XT8270X Base Equipment -See Std Featrs <b>Less Rear Remote</b>		No Charge
	720366 1 Remote SDA <b>Fits Farmall 30C/35C Gear or HST and Farmall 40C/50C Gear</b>		\$674.00
	720826 1 Remote DA <b>Fits Farmall 40C/50C HST</b>		\$674.00
	720347 2 RMT VALVE <b>Fits Farmall 30C/35C Gear or HST and Farmall 40C/50C Gear</b>		\$1,070.00
<b>FRONT WHEELS AND TIRES</b>			
SD T4940 FRONT WHEELS AND TIRES			
	8199907 Less front wheels and tires.		No Charge
	8253304 9.5 x 16 4PR R1		\$728.00
	8276504 12 x 16.5 6PR R4		\$856.00
	8299604 28 x 8.50-15 4PR R3		\$728.00

**FARMALL 40C/50C TRACTORS - TIER 4B  
US PRICE LIST**

(Ex Works Port of Entry)

**REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

	8399907	Less Rear Wheels and Tires			No Charge
	8338604	13.6-24 4PR R1			\$1,070.00
	8396704	17.5Lx24 6PR R4			\$1,851.00
	8304804	41 x 14.00-20 4PR R3			\$1,431.00

**OPERATOR MANUALS**

SD T9800 OPERATORS MANUAL

	729184	French Canadian - Gear			No Charge
	XT9800X	North American English			No Charge



**FARMALL 40C/50C TRACTORS - TIER 4B  
US PRICE LIST**

(Ex Works Port of Entry)  
**Factory Supplied Attachments**

Order Code	Description	Weight	List Price
825330446	9.5-16 4PR R1 CIH LSM	171 LB	\$728.00
827650416	12 X 16.5 6PR R4 LSM CIH	177 LB	\$856.00
829960426	28X8.50-15 4PR TL TURF (R3) 4W	48 LB	\$728.00
830480496	41X14.00-20 4PR R3 TURF CIH LS	344 LB	\$1,431.00
833860446	13.6X24 4PR R1 CIH LSM	298 LB	\$1,070.00
839670416	17.5LX24 6PR R4 CIH	581 LB	\$1,851.00

**L350A LOADER FOR FARMALL 30C AND 35C  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**L350A SPECIFICATIONS**

(PER ASAE S301.3):

L350A Loader includes the following:

Basic Loader for Farmall 30C and  
Farmall 35C Tier 4  
Mounting Kit  
Quick Coupler - Skid Steer Style  
68" HD Material Bucket (Quick Attach)  
(Mid-mount valve & Joystick are  
included with tractor)

Loader specifications are subject to  
change and may vary based on tractor  
model and tire size.

**L350A SPECIFICATIONS**

(PER ASAE S301.3):

L350A (For Farmall 30C and 35C Tier 4)  
Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise noted  
Curved Boom, Mid-Mount, Quick  
Attach Design  
Maximum Lift Height:  
105 / 2667  
Dump Clearance:  
81.5 / 2070  
Digging Depth:  
6.5 / 165  
Lift Capacity  
@ bucket pivot point:  
2000 / 907  
@ 19.7 in. (500mm) from bucket  
pivot point:  
1540 / 699  
Breakout Force  
@ bucket pivot point:  
3540 / 1606  
@ 19.7 in. (500mm) from bucket  
pivot point:  
2640 / 1197  
Reach @ Maximum Lift:  
33 / 838  
Bucket Rollback:  
30°  
Bucket Dump Angle:  
58°  
4-Bar Bucket Linkage  
Bucket Level Indicator, Parking Stand

**NOTE: COMPATIBILITY INFORMATION**

To assure proper performance,  
see Operator's manual for  
recommended counterweighting



**L350A LOADER FOR FARMALL 30C AND 35C  
US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	PACKAGED KIT	SPECIALTY	Weight		List Price
L350A FRMLL 30C/35C	Quick Attach Less Valve IV	68 in. Bucket	800 LB		\$6,283.00



**L350A LOADER FOR FARMALL 30C AND 35C  
US PRICE LIST**

(Ex Works Port of Entry)  
**Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**Other Equipment**

	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB		\$628.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB		\$826.00

**L360A LOADER FOR FARMALL 40C AND 50C  
US PRICE LIST**

**(Ex Works Port of Entry)  
Standard Equipment**

**L360A SPECIFICATIONS**

(PER ASAE S301.3):

L360A for Farmall 40C and 50C Tier 4

Basic Loader for Farmall 40C and  
Farmall 50C Tier 4

Mounting Kit

Quick Coupler - Skid Steer Style

72" HD Material Bucket (Quick Attach)

(Mid-mount valve & Joystick are  
included with tractor)

Loader specifications are subject to  
change and may vary based on tractor  
model and tire size.

**L360A SPECIFICATIONS**

(PER ASAE S301.3):

L360A (For Farmall 40C and 50C Tier4)

Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise noted

Curved Boom, Mid-Mount, Quick  
Attach Design

Maximum Lift Height:  
112.3 / 2852

Dump Clearance:  
85.2 / 2164

Digging Depth:

4.9 / 125

Lift Capacity

@ bucket pivot point:

2500 / 1134

@ 19.7 in. (500mm) from bucket

pivot point:

1830 / 830

Breakout Force

@ bucket pivot point:

5000 / 2268

@ 19.7 in. (500mm) from bucket

pivot point:

3114 / 1412

Reach @ Maximum Lift:

32 / 813

Bucket Rollback:

39°

Bucket Dump Angle:

49°

4-Bar Bucket Linkage

Bucket Level Indicator

Parking Stand

**NOTE: COMPATIBILITY INFORMATION**

To assure proper performance,  
see Operator's manual for  
recommended counterweighting



L360A LOADER FOR FARMALL 40C AND 50C  
US PRICE LIST

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	PACKAGED KIT	SPECIALTY	Weight		List Price
L360A FRMLL 40C/50C	Quick Attach Less Valve IV	72 in. Bucket	800 LB		\$6,529.00

**L360A LOADER FOR FARMALL 40C AND 50C  
US PRICE LIST**

(Ex Works Port of Entry)  
**Factory Supplied Attachments**

Order Code		Description	Weight	List Price
	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	\$628.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	\$826.00

L360A LOADER FARMALL C CVT(LOADER READY)  
US PRICE LIST

(Ex Works Port of Entry)  
**Standard Equipment**

## L360A SPECIFICATIONS

(PER ASAE S301.3):

L350A Loader includes the following:

Basic Loader for

Farmall 45C CVT and 55C CVT with  
new Improved Visibility mounting  
system.

Quick Coupler - Skid Steer Style

72" HD Material Bucket (Quick Attach)

FARMALL C CVT TRACTORS ARE  
STANDARD LOADER READYLoader specifications are subject to  
change and may vary based on tractor  
model and tire size.

## L360A SPECIFICATIONS

(PER ASAE S301.3):

L350A (For Farmall 45C CVT and  
55C CVT)Distances in (in/mm) unless  
otherwise noted. Forces in (lbs/kg)  
unless otherwise notedCurved Boom, Mid-Mount, Quick  
Attach Design

Maximum Lift Height:

105 / 2667

Dump Clearance:

81.5 / 2070

Digging Depth:

6.5 / 165

Lift Capacity

@ bucket pivot point:

2000 / 907

@ 19.7 in. (500mm) from bucket  
pivot point:

1540 / 699

Breakout Force

@ bucket pivot point:

3540 / 1606

@ 19.7 in. (500mm) from bucket  
pivot point:

2640 / 1197

Reach @ Maximum Lift:

33 / 838

Bucket Rollback:

30°

Bucket Dump Angle:

58°

4-Bar Bucket Linkage

Bucket Level Indicator, Parking Stand

## COMPATIBILITY INFORMATION:

To assure proper performance,  
see Operator's manual for  
recommended counterweighting



**L360A LOADER FARMALL C CVT(LOADER READY)  
US PRICE LIST**

(Ex Works Port of Entry)

**Models**

COMMERCIAL MODEL	PACKAGED KIT	SPECIALTY	Weight		List Price
L360A FARMALL C CVT	Quick Attach Less Valve IV	72 in. Bucket	800 LB		\$5,530.00

**L360A LOADER FARMALL C CVT(LOADER READY)  
US PRICE LIST**

(Ex Works Port of Entry)

**Factory Supplied Attachments**

	Order Code	Description	Weight		List Price
	717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB		\$628.00
	717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB		\$826.00



**MW SERIES MOWERS FOR FARMALL C  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

MW266S Side Discharge Mid-Mount  
Rotary Mower  
For use with Farmall 30C & 35C Tractors

MW272S Side Discharge Mid-Mount  
Rotary Mower  
For use with Farmall 40C & 50C Tractors

**SPECIFICATIONS:**

Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 69  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 23 L x 2.5W  
Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads

**SPECIFICATIONS:**

Cutting Width (in.) - 72  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 85  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 25L x 2.5W  
Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads

**Tire Compatibility:**

Agricultural (R1) - Yes, limited turn  
angle:  
Right Hand - 24 degrees, Left Hand -  
27 degrees  
Industrial (R4) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand -  
37 degrees  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand -  
37 degrees

**Tire Compatibility:**

Agricultural (R1) - NO  
Large Industrial (R4) - NO  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 34 degrees, Left Hand -  
35 degrees  
Galaxy Turf - NO

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

Mulch Kit - AMENHM628 (Service Parts)

**NOTE:**

**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this  
mower. The PTO kit can only be  
ordered through parts (MT20022006).

**NOTE:**

**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this  
mower. The PTO kit can only be  
ordered through parts (MT20022006).



**MW SERIES MOWERS FOR FARMALL C  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

<b>COMMERCIAL MODEL</b>	<b>Weight</b>		<b>List Price</b>
MW266S FARMALL C T4	443 LB		\$3,643.00
MW272S FARMALL C T4	443 LB		\$3,752.00

**MW SERIES MOWERS FOR FARMALL B/C CVT  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

MW172S Side Discharge Mid-Mount  
Rotary Mower

For use with Farmall B 40 CVT, 45 CVT  
& 50 CVT Tractors

**SPECIFICATIONS:**

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute  
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads

**Tire Compatibility:**

Agricultural (R1) - NO

Large Industrial (R4) - NO

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees, Left Hand -  
35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)



**MW SERIES MOWERS FOR FARMALL B/C CVT  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	Weight		List Price
MW72S FARMALL B/C CVT	620 LB		\$3,752.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OTHER EQUIPMENT</b>			
SD_15012 BALE RAMP AND AXLE			
X15012X	No Ramp		No Charge
439047	Ramp Kit		\$105.00



MW SERIES MOWERS FOR FARMALL B/C CVT  
US PRICE LIST

(Ex Works Wholegoods Depot)

**Factory Supplied Attachments**

	Order Code	Description	Weight		List Price
	439047016	Ramp Kit CLS 2	40 LB		\$105.00

**MW SERIES MOWERS FOR FARMALL B  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

MW166S Side Discharge Mid-Mount  
Rotary Mower  
For use with Farmall 30B & 35B Tractors

MW172S Side Discharge Mid-Mount  
Rotary Mower  
For use with Farmall 40B & 50B Tractors

**SPECIFICATIONS:**

Cutting Width (in.) - 66  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 69  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 23 L x 2.5W  
Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads

**Tire Compatibility:**

Agricultural (R1) - Yes, limited turn  
angle:  
Right Hand - 24 degrees, Left Hand -  
27 degrees  
Industrial (R4) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand -  
37 degrees  
Turf (R3) - Yes, limited turn angle:  
Right Hand - 33 degrees, Left Hand -  
37 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

**NOTE:**

**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this  
mower. The PTO kit can only be  
ordered through parts (MT20022006).

**SPECIFICATIONS:**

Cutting Width (in.) - 72  
Cutting Height (in.) - 1-4  
Overall width (in.) - discharge chute  
down 85  
Number of Blades - 3  
Blade Type - Standard  
Blade Length/Width (in.) - 25L x 2.5W  
Blade Tip Speed (in feet per minute) -  
Less than 18,000 (ANSI)  
Drive - Mid PTO  
Gauge Wheels (in.) - 2 x 6 (4)  
Deck Spring suspension - Yes  
Deck Shell Weldment - 10 gauge sides,  
10 gauge top, 1/4" spindle  
reinforcement pads

**Tire Compatibility:**

Agricultural (R1) - NO  
Large Industrial (R4) - NO

**Turf (R3) - Yes, limited turn angle:**

Right Hand - 34 degrees, Left Hand -  
35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

**NOTE:**

**REQUIREMENTS FOR OPERATION**

A mid PTO kit is required to operate this  
mower. The PTO kit can only be  
ordered through parts (MT20022006).



**MW SERIES MOWERS FOR FARMALL B  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

<b>COMMERCIAL MODEL</b>	<b>Weight</b>		<b>List Price</b>
MW66S FARMALL B	443 LB		\$3,643.00
MW72S FARMALL B	443 LB		\$3,752.00

**RR SERIES REAR MOUNT FINISHING MOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**RR60 - RIGID FRAME:**

Category I 3-point mounted  
finishing mower  
Cutting Width: 60 inches (1524mm)  
Discharge: Rear  
Discharge Safety Chain  
PTO HP Rating: Up to 30  
Drive Method: Rear 540 RPM PTO  
Number of Blades: 3  
Blade Drive: V-Belt  
Blade speed (RPM): 2,630  
Cutting Height: 1 to 4 in. (25 to 101mm)  
(4) Solid Rubber Gauge Wheels  
(fully rotating)

**RR72 - RIGID FRAME:**

Category I 3-point mounted  
finishing Mower  
Cutting Width: 72 inches (1829mm)  
Discharge: Rear  
Discharge Safety Chain  
PTO HP Rating: Up to 40  
Drive Method: Rear 540 RPM PTO  
Number of Blades: 3  
Blade Drive: V-Belt  
Blade speed (RPM): 2,230  
Cutting Height: 1 to 4 in. (25 to 101mm)  
(4) Solid Rubber Gauge Wheels  
(fully rotating)

**RR90 - RIGID FRAME:**

Category I 3-point mounted  
finishing mower  
Cutting Width: 90 inches (2286mm)  
Discharge: Rear  
Discharge Safety Chain  
PTO HP Rating: Up to 60  
Drive Method: Rear 540 RPM PTO  
Number of Blades: 5  
Blade Drive: V-Belt  
Blade speed (RPM): 2,630  
Cutting Height: 1 to 4 in. (25 to 101mm)  
(4) Solid Rubber Gauge Wheels  
(fully rotating)

**RR144 - FLEX WING:**

Overall Cutting Width - 12 ft. (3.66m) Flex  
Center Deck Cutting Width - 5 ft. (1.52m)  
Wing Deck Cutting Width - 4 ft. (1.22m)  
Deck Overlap - 6 in. (152 mm)  
Overall Width - 146 in. (3.71m)  
Transport Width - 100 in. (2.54m)  
Maximum Overall Length - 182 in.  
(4.62m)  
Transport Length - 177 in. (4.5m)  
Transport Height - 90 in. (2.29m)  
Minimum HP - 30  
Cutting Height Range - 1 to 5 in.  
(25 to 127 mm)  
Blade Tip Speed (FPM) - 16,000  
Caster Wheels (12) - 15x6.00-6  
Transport Tires (2) - 26x12.00-12

**RR180 - FLEX WING:**

Overall Cutting Width - 15 ft. (4.57m) Flex  
Center Deck Cutting Width - 6 ft. (1.83m)  
Wing Deck Cutting Width - 5 ft. (1.52m)  
Deck Overlap - 6 in. (152 mm)  
Overall Width - 182 in. (4.62m)  
Transport Width - 101 in. (2.57m)  
Maximum Overall Length - 185 in. (4.7m)  
Transport Length - 180 in. (4.57m)  
Transport Height - 100 in. (2.54m)  
Minimum HP - 35  
Cutting Height Range - 1 to 5 in.  
(25 to 127 mm)  
Blade Tip Speed (FPM) - 16,000  
Caster Wheels (12) - 15x6.00-6  
Transport Tires (2) - 26x12.00-12



**RR SERIES REAR MOUNT FINISHING MOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

RR204 - FLEX WING:

Overall Cutting Width - 17 ft. (5.18m) Flex  
Center Deck Cutting Width - 7.5 ft.

(2.29m)

Wing Deck Cutting Width - 6 ft. (1.83m)

Deck Overlap - 12 in. (305 mm)

Overall Width - 207 in. (5.26m)

Transport Width - 102 in. (2.59m)

Maximum Overall Length - 196 in.

(4.98m)

RR204 - FLEX WING: (continued)

Transport Length - 188 in. (4.78m)

Transport Height - 110 in. (2.79m)

Minimum HP - 40

Cutting Height Range - 1 to 5 in.

(25 to 127 mm)

Blade Tip Speed (FPM) - 16,000

Caster Wheels (12) - 15x6.00-6

Transport Tires (2) - 26x12.00-12



**RR SERIES REAR MOUNT FINISHING MOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

<b>COMMERCIAL MODEL</b>	<b>Weight</b>	<b>List Price</b>
RR60 60 INCH MOWER	2,000 LB	\$2,919.00
RR72 72 INCH MOWER	2,000 LB	\$3,076.00
RR90 90 INCH MOWER	2,000 LB	\$4,219.00
RR144 12 FT MOWER	3,000 LB	\$15,877.00
RR180 15 FT MOWER	3,520 LB	\$17,130.00
RR204 17 FT MOWER	3,520 LB	\$18,649.00

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**Model BR160:**

(FOR FARMALL 31, 35, 40, 45 & 50)  
Quick attach design, mid-PTO driven  
Sweeping width: 55 inches (1397mm)  
Sweeping width @ 25°: 49 inches  
(1245mm)  
Broom diameter: 22 inches (560mm)  
Brush type: Wafer  
Bristle material: Polypropylene  
Manual angling: Standard  
Angling range: 0 to 25°  
Drive system: PTO to Gearbox to  
#50 HD chain  
Storage stand: Standard

**Model BR172:**

(FOR FARMALL 31, 35, 40, 45 , 50,  
40B CVT, 45B CVT, and 50B CVT)  
Quick attach design, Mid-PTO driven  
Sweeping width: 67 inches (1702mm)  
Sweeping width @ 25°: 60 inches  
(1525mm)  
Broom diameter: 22 inches (560mm)  
Bristle material: Polypropylene  
Brush type: Wafer  
Manual angling: Standard  
Angling range: 0 to 25°  
Drive system: PTO to Gearbox to  
#50 HD chain  
Storage stand: Standard

**Model BR172:**

(FOR FARMALL 30B, 35B, 40B & 50B)  
Quick attach design, Mid-PTO driven  
Sweeping width: 67 inches (1702mm)  
Sweeping width @ 25°: 60 inches  
(1525mm)  
Broom diameter: 22 inches (560mm)  
Bristle material: Polypropylene  
Brush type: Wafer  
Manual angling: Standard  
Angling range: 0 to 25°  
Drive system: PTO to Gearbox to  
#50 HD chain  
Storage stand: Standard

**REQUIREMENTS FOR OPERATION:**

TRACTOR MID MOUNT PTO IS  
REQUIRED.

If tractor is not equipped with Mid  
Mount PTO, order appropriate kit from  
tractor Parts Division Supplied  
Accessories chart.

(NOTE: On CVT version tractors,  
Mid Mount PTO is only available as  
a factory installed option.)

**FOR FARMALL 31-50 TRACTORS:**

TRACTOR MUST BE EQUIPPED WITH  
MID MOUNT VALVE AND JOYSTICK in  
order to operate loaders, front mount  
brooms, front mount blades or  
front mount snow blowers.

If tractor was not ordered "Loader  
Ready" please consult the Compact  
Tractor Parts Division Supplied  
Accessories chart for valve and  
joystick ordering information.

**FOR FARMALL B TRACTORS:**

Tractor comes equipped with  
Mid-mount valve and Joystick as  
standard equipment



**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

(Ex Works Wholegoods Depot)  
**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BR172 FARMALL B/C	BR172 FOR FARMALL B	600 LB	\$5,187.00
BR172 ROTARY BROOM	BR172 FOR FARMALL 31-50 +CVT	500 LB	\$5,187.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAME AND HITCH</b>			
SD_N5701 HITCH AND SUBFRAME			
	XN5701X No front mounting brackets		No Charge
	439115 SUBFRAME 33/37/41/46 <b>For Farmall 30C/35C/40C/ 50C</b>		\$1,924.00
	717989 Front quick hitch 30/35/40/50 <b>For Farmall 30B, 35B, 40B and 50B</b>		\$1,924.00
	717751 Front quick hitch - Class 3 <b>For Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, 50B CVT, 55 CVT</b>		\$2,055.00
<b>DRIVE COMPLETION KITS</b>			
SD_03007 MID PTO DRIVE KIT			
	X03007X No Mid PTO Drive Kit		No Charge
	439116 MID PTO Tier 4 41/47 <b>For Farmall 30C/35C/40C/ 50C</b>		\$1,014.00
	717990 MID PTO 30/35/40/50 <b>For Farmall 30B, 35B, 40B and 50B</b>		\$1,014.00
	717761 MID PTO Drive Kit-III AT <b>For Farmall 40 CVT, 45 CVT 50 CVT, 40B CVT, 45B CVT, 50B CVT, 55 CVT</b>		\$829.00
<b>HYDRAULIC ANGLING KIT</b>			
SD_20087 HYDRAULIC FRAME ANGLING KIT			
	X20087X No hydraulic angling kit		No Charge

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)**

	715677	Hydraulic angling kit	26 LB		\$668.00
--	--------	-----------------------	-------	--	----------

**SIDE CASTERWHEELS KIT**

SD 29035 SIDE CASTER WHEEL KIT

	X29035X	No side casterwheels kit			No Charge
	717231	Side casterwheels kit 2 x 6	47 LB		\$568.00

**ADDITIONAL OPERATOR'S MANUAL**

SD 47083 OPERATOR'S MANUAL

	X47083X	NO ADDITIONAL OPERATORS MANUAL			No Charge
	715294	French Canadian	1 LB		No Charge

**BR SERIES FRONT MOUNT ROTARY BROOMS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Factory Supplied Attachments**

Order Code	Description	Weight	List Price
<b>Mid PTO Drive Completion Kits</b>			
439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/ 50C	25 LB	\$1,014.00
717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	30 LB	\$829.00
717990006	MID PTO 30/35/40/50 HP Mid PTO drive kit for Farmall 30B, 35B, 40B and 50B	25 LB	\$1,014.00
<b>Quick Hitch and Subframe</b>			
439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	\$1,924.00
717751006	SUBFRAME CLS 3 Quick hitch and subframe for Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, 50B CVT	510 LB	\$2,055.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 LB	\$1,924.00
<b>Additional Attachments</b>			
717231016	2 X 6 side caster w/Wheel kit For BR160 and BR172	47 LB	\$568.00
715677016	HYD ANGLING 60&72"(2.0,3.0) For Farmall 30, 35, 40, 45, 50, 30B, 35B, 40B, 50B, 40B CVT, 45B CVT, and 50B CVT	10 LB	\$668.00
715655036	Ballasting box for 3-point hitch (Category I) capacity of 400 lbs., for total maximum weight of 500 lbs, - Ex Works Wholegoods Depot. This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	101 LB	\$247.00

**TL SERIES ROTARY TILLERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**TL160:**

Recommended for use on  
(Farmall 31, 35, 30B, and 35B)  
Approximate working width: 60 inches  
(1524mm)  
Tilling depth adjustment with guide  
shoes: 0 to 4.5 inches (0 to 114mm)  
Maximum tilling depth without guide  
shoes: 7.25 inches (184mm)  
Hitch: Category I  
Offset Adjustment to Right: 11 inches  
(280mm)  
PTO hp Rating: 45  
Rotor Drive Type: Chain  
Drive Protection: Slip Clutch  
Rotor Speed @ 540 RPM PTO: 236 RPM  
Number of Blades: 28  
Blade Tip Speed @ 540 RPM:  
1063 (FPM)

**TL172H:**

Recommended for use on  
(Farmall 40, 45, 50, 55, 60, 40B, 50B,  
40B CVT, 45B CVT, and 50B CVT)  
Approximate working width: 72 inches  
(1830mm)  
Tilling depth adjustment with guide  
shoes: 0 to 5 inches (0 to 127mm)  
Maximum tillage depth without guide  
shoes: 7 inches (178mm)  
Hitch: Category I or II  
Offset Adjustment to Right: 11 inches  
(280mm)  
PTO hp Rating: 60  
Rotor Drive Type: Gear  
Drive Protection: Slip Clutch  
Rotor Speed @ 540 RPM PTO: 211 RPM  
Number of Blades: 36  
Blade Tip Speed @ 540 RPM:  
944 (FPM)



**TL SERIES ROTARY TILLERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
TL160 60IN ROT TILL	TLX160 60IN CHAIN D	1,000 LB	\$2,913.00
TL172H 72IN ROT TILL	TL172H 72IN HD GEAR	1,000 LB	\$3,729.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>ADDITIONAL OPERATOR'S MANUAL</b>			
SD 47083 OPERATOR'S MANUAL			
X47083X	NO ADDITIONAL OPERATORS MANUAL		No Charge
715294	French Canadian	1 LB	No Charge

**BM SERIES FRONT MOUNTED BLADES -BM1  
US PRICE LIST**

(Ex Works - See Standard Equipment)

**Standard Equipment**

BM172H HEAVY DUTY:

(FOR FARMALL 40, 45, 50, 40B CVT,  
45B CVT, 50B CVT, 30B, 35B, 40B,  
and 50B)

Quick attach design

Moldboard width: 72 inches (1830mm)

Moldboard height: 22 inches (560mm)

Reversible cutting edge

Cutting edge thickness: 0.5 inch  
(12.7mm)

Hydraulic angling

Angling range: 0 to 30 degrees

Adjustable skid shoes

REQUIREMENTS FOR OPERATION:

FOR FARMALL 31-50 TRACTORS:

TRACTOR MUST BE EQUIPPED WITH  
MID MOUNT VALVE AND JOYSTICK in  
order to operate loaders, front mount  
brooms, front mount blades or front  
mount snow blowers.

If tractor was not ordered

"Loader Ready" please consult the  
Compact Tractor Parts Division  
Supplied Accessories chart for  
valve and joystick ordering information.

FOR FARMALL B TRACTORS:

Tractor comes equipped with  
Mid-mount valve and Joystick as  
standard equipment

EX WORKS:

Wholegoods

(Ex Works Wholegoods Depot)

Standard Factory Attachments

(Ex Works Wholegoods Depot)



**BM SERIES FRONT MOUNTED BLADES -BM1  
US PRICE LIST**

(Ex Works - See Standard Equipment)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BM172H FR BLADE CL3	BM172H 72IN HD FRNT	300 LB	\$2,828.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAME AND HITCH</b>			
SD_N5701 HITCH AND SUBFRAME			
	XN5701X No front mounting brackets		No Charge
	439115 SUBFRAME 33/37/41/46 <b>For Farmall 30C/35C/40C/50C</b>		\$1,924.00
	717989 Front quick hitch 30/35/40/50 <b>For Farmall 30B, 35B, 40B and 50B</b>		\$1,924.00
	717751 Front quick hitch - Class 3 <b>For Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT, 40B CVT, 45B CVT, and 50B CVT</b>		\$2,055.00
<b>ADDITIONAL OPERATOR'S MANUAL</b>			
SD_47083 OPERATOR'S MANUAL			
	X47083X NO ADDITIONAL OPERATORS MANUAL		No Charge
	715294 French Canadian	1 LB	No Charge
<b>OTHER EQUIPMENT</b>			
SD_50091 RUBBER BLADE EDGE			
	X50091X No rubber cutting edge		No Charge
	715679 Rubber cutting edge	61 LB	\$266.00

**BM SERIES FRONT MOUNTED BLADES -BM1  
US PRICE LIST**

**(Ex Works - See Standard Equipment)  
Factory Supplied Attachments**

Order Code	Description	Weight	List Price
<b>Quick Hitch and Subframe</b>			
439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	\$1,924.00
717751006	SUBFRAME CLS 3 Quick hitch and subframe for Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	510 LB	\$2,055.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 LB	\$1,924.00
<b>Additional Attachments</b>			
715679026	Rubber Cutting Edge For BM172 and BM172H	60 LB	\$266.00
715655036	Ballasting box for 3-point hitch (Category I) capacity of 400 lbs., for total maximum weight of 500 lbs, - Ex Works Wholegoods Depot. This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	101 LB	\$247.00

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

**BS163H HEAVY DUTY:**

For use with Farmall 31 and 35 ONLY  
Quick attach design, mid-PTO driven  
Overall width: 63 inches (1600mm)  
Cutting width: 63 inches (1600mm)  
Cutting height: 22 inches (560mm)  
Number of blades: 4  
Fan diameter: 18 inches (457mm)  
Auger diameter: 14 inches (356mm)  
Impeller drive: Gear box reduction  
Auger Drive: Two-part chute with  
manual chute rotation  
Shearbolt protection  
Adjustable skid shoes  
Front mount and drive completion  
package. Includes chute with  
mechanical rotation, female  
portion of quick hitch and  
front half of driveline.

**BS163B HEAVY DUTY:**

For use with Farmall 30B, 35B,  
40B and 50B Tractors ONLY  
Quick attach design, mid-PTO driven  
Overall width: 63 inches (1600mm)  
Cutting width: 63 inches (1600mm)  
Cutting height: 22 inches (560mm)  
Number of blades: 4  
Fan diameter: 18 inches (457mm)  
Auger diameter: 14 inches (356mm)  
Impeller drive: Gear box reduction  
Auger Drive: Two-part chute with  
manual chute rotation  
Shearbolt protection  
Adjustable skid shoes  
Front mount and drive completion  
package. Includes chute with  
mechanical rotation, female  
portion of quick hitch and  
front half of driveline.

**BS172H HEAVY DUTY:**

For use with:  
Farmall 40, 45, 50, 40B CVT,  
45B CVT, and 50B CVT ONLY  
Quick attach design, mid-PTO driven  
Overall width: 72 inches (1830mm)  
Cutting width: 72 inches (1830mm)  
Cutting height: 26 inches (660mm)  
Number of blades: 4  
Fan diameter: 24 inches (610mm)  
Auger diameter: 15 inches (381mm)  
Impeller drive: Gear box reduction/  
#60 HD chain  
Auger Drive: Two-part chute with  
manual chute rotation  
Shearbolt protection  
Adjustable skid shoes  
Front mount and drive completion  
package. Includes chute with  
mechanical rotation, female  
portion of quick hitch and  
front half of driveline.

**BS174H HEAVY DUTY:**

For use with Farmall 30B, 35B,  
40B and 50B Tractors ONLY  
Quick attach design, mid-PTO driven  
Overall width: 72 inches (1830mm)  
Cutting width: 72 inches (1830mm)  
Cutting height: 26 inches (660mm)  
Number of blades: 4  
Fan diameter: 24 inches (610mm)  
Auger diameter: 15 inches (381mm)  
Impeller drive: Gear box reduction/  
#60 HD chain  
Auger Drive: Two-part chute with  
manual chute rotation  
Shearbolt protection  
Adjustable skid shoes  
Front mount and drive completion  
package. Includes chute with  
mechanical rotation, female  
portion of quick hitch and  
front half of driveline.

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Standard Equipment**

REQUIREMENTS FOR OPERATION:

TRACTOR MID MOUNT PTO IS  
REQUIRED. If tractor is not equipped  
with Mid Mount PTO, order appropriate  
kit from tractor Parts Division Supplied  
Accessories chart.

(Note: On CVT version tractors,  
Mid Mount PTO is only available as a  
factory installed option.)

FOR FARMALL 31-50 TRACTORS:  
TRACTOR MUST BE EQUIPPED WITH  
MID MOUNT VALVE AND JOYSTICK in  
order to operate loaders, front mount  
brooms, front mount blades or front  
mount snow blowers.

If tractor was not ordered  
"Loader Ready" please consult the  
Compact Tractor Parts Division  
Supplied Accessories chart  
for valve and joystick ordering  
information.

FOR FARMALL B TRACTORS:  
Tractor comes equipped with  
Mid-mount valve and Joystick as  
standard equipment



**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BS163H FARMALL B	BS163H 63IN	1,005 LB	\$5,467.00
BS174H FARMALL B	BS174H 74IN	1,005 LB	\$6,962.00
BS174H FARMALL C T4/CVT	BS174J HD FR	1,005 LB	\$6,962.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>SUBFRAME AND HITCH</b>			
SD_N5701 HITCH AND SUBFRAME			
	XN5701X No front mounting brackets		No Charge
	439115 SUBFRAME 33/37/41/46 <b>For Farmall 30C/35C/40C/50C</b>		\$1,924.00
	717751 Front quick hitch - Class 3 <b>For Farmall 40 HST, 45 HST, 40B CVT, 45B CVT, 50B CVT</b>		\$2,055.00
	717989 Front quick hitch 30/35/40/50 <b>For Farmall 30B, 35B, 40B and 50B</b>		\$1,924.00
<b>FRONT MOUNTED DRIVE COMPLETING PACKAGE</b>			
SD_03007 MID PTO DRIVE KIT			
	X03007X No Mid PTO Drive Kit		No Charge
	439116 MID PTO Tier 4 41/47 <b>For 40C and 50C</b>		\$1,014.00
	717990 MID PTO 30/35/40/50 <b>For Farmall 30B, 35B, 40B and 50B</b>		\$1,014.00
	717761 MID PTO Drive Kit-III AT <b>For Farmall 40, 45, 50, 40B, 45B &amp; 50B - CVT Only</b>		\$829.00
<b>FRONT MOUNTED FINAL DRIVE COMPLETION</b>			
SD_29042 SNOW BLR CONFIG PKG			
	715346 Finishing package 63" <b>Front mount completion kit for Farmall 31 and 35 and for Farmall 30B, 35B, 40B and 50B</b>	232 LB	No Charge

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

	715339	Finishing package 72"/74" <b>Front mount completion kit for:</b> <b>Farmall 40 and 45 (HST or CVT)</b> <b>Farmall 50 (CVT) and</b> <b>Farmall 30B, 35B, 40B and 50B</b> <b>Farmall 40B CVT, 45B CVT and 50B CVT</b>	220 LB	No Charge
--	--------	--	--------	-----------

**3 PART CHUTE**

SD\_29036 3 PART CHUTE

	X29036X	No 3 part chute		No Charge
	715345	3 Part chute <b>For BH163H or BH172H.</b> <b>Not available with BH163H FARMALL B or BH174H FARMALL B.</b>	49 LB	\$438.00

**DRIFT CUTTER KIT**

SD\_50028 DRIFT CUTTER KIT

	X50028X	No drift cutter		No Charge
	716248	Drift cutter	28 LB	\$150.00

**ELECTRIC CHUTE DEFLECTOR**

SD\_29038 ELEC CHUTE DEFLECT

	X29038X	No electric chute deflector		No Charge
	715344	Electric chute deflector	8 LB	\$998.00

**HYDRAULIC CHUTE DEFLECTOR**

SD\_20101 HYDRAULIC CHUTE DEF

	X20101X	No hydraulic chute deflector		No Charge
	716864	Hydraulic chute deflector	16 LB	\$455.00

**HYDRAULIC CHUTE ROTATION**

SD\_20088 HYDRAULIC CHUTE ROT

	X20088X	No Hydraulic Chute Rotation		No Charge
	717172	Hydraulic chute rotation	11 LB	\$1,016.00

**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**ADDITIONAL OPERATOR'S MANUAL**

SD 47083 OPERATOR'S MANUAL

	X47083X	NO ADDITIONAL OPERATORS MANUAL			No Charge
	715294	French Canadian	1 LB		No Charge

**OTHER EQUIPMENT**

SD 40002 BALLAST BOX

	X40002X	No ballasting box			No Charge
	717746	Ballasting box - 500 lbs. for 3-pt hitch	100 LB		\$247.00



**BS SERIES FRONT MOUNT SNOW BLOWERS  
US PRICE LIST**

**(Ex Works Wholegoods Depot)  
Factory Supplied Attachments**

Order Code	Description	Weight	List Price
<b>Quick Hitch and Subframe</b>			
439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	\$1,924.00
717751006	SUBFRAME CLS 3 Quick hitch and subframe for Farmall 40 HST, 45 HST, 40B CVT, 45B CVT, and 50B CVT	510 LB	\$2,055.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 LB	\$1,924.00
<b>Mid PTO Drive Completion Kits</b>			
439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/50C	25 LB	\$1,014.00
717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40, 45, 40B CVT, 45B CVT, and 50B CVT	30 LB	\$829.00
717990006	MID PTO 30/35/40/50 HP For Farmall 30B, 35B, 40B and 50B	25 LB	\$1,014.00
<b>Additional Attachments</b>			
715344006	Electric chute deflector For BH163H, BH163B, BH172H or BH174H	15 LB	\$998.00
716864026	Hyd chute deflector For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	15 LB	\$455.00
717172016	HYDRAULIC CHUTE ROTATION KIT For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	10 LB	\$1,016.00
715345006	3 Part Chute For BH163H or BH172H. Not available with BH163H FARMALL B or BH174H FARMALL B.	45 LB	\$438.00
715346006	ATTACHMENT, FRT MTG COMP. Front mount completion kit (63") for Farmall 31 and 35 and also for Farmall 30B, 35B, 40B and 50B	205 LB	\$1,672.00
715339006	FRONT PACKAGE Front mount completion kit (72") for Farmall 40, 45, 50, 40B CVT, 45B CVT, and 50B CVT also (74") for Farmall 30B, 35B, 40B, 50B	128 LB	\$1,672.00
716248006	Drift Cutter For BS172H or BH174H	28 LB	\$150.00
715655036	Ballasting box for 3-point hitch (Category I) capacity of 400 lbs., for total maximum weight of 500 lbs, - Ex Works Wholegoods Depot. This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	101 LB	\$247.00
717746006	Ballast Box 500 Lb Max 0.5,0.7	100 LB	\$247.00

**BS SERIES REAR MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)  
**Standard Equipment**

**BS164R:**

For use on Farmall 31 and 35  
3-point mounted, two-stage,  
rear PTO driven  
Overall width: 64 inches (1625mm)  
Cutting width: 64 inches (1625mm)  
Cutting height: 26 inches (660mm)  
Number of blades: 4  
Fan diameter: 24 inches (610mm)  
Auger diameter: 15 inches (381mm)  
Auger drive: #60 chain  
Manual or hydraulic chute  
rotation optional  
Shearbolt protection  
Adjustable skid shoes  
Hitch, Driveline, Chute  
Manual chute rotation kit

**BS174R:**

For use on  
Farmall 31, 35, 40, 45, 50, 55, 60,  
40B CVT, 45B CVT, and 50B CVT  
3-point mounted, two-stage,  
rear PTO driven  
Overall width: 74 inches (1880mm)  
Cutting width: 74 inches (1880mm)  
Cutting height: 26 inches (660mm)  
Number of blades: 4  
Fan diameter: 24 inches (610mm)  
Auger diameter: 15 inches (381mm)  
Auger drive: #60 chain  
Manual or hydraulic chute  
rotation optional  
Shearbolt protection  
Adjustable skid shoes  
Hitch, Driveline, Chute  
Manual chute rotation kit



**BS SERIES REAR MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
BS164R SNOW BLOWER	BS164R 64IN CAT 1 3	900 LB	\$3,472.00
BS174R SNOW BLOWER	BS174R 74IN CAT 1 3	900 LB	\$4,538.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

**FRONT MOUNTED FINAL DRIVE COMPLETION**

SD\_29042 SNOW BLR CONFIG PKG

	715343	Manual chute rotation kit	26 LB	No Charge
	715342	Hydraulic chute rotation kit <b>Hoses not included, One tractor rear remote valve is required for operation.</b> <b>Please consult the appropriate Tractor Model Price List for valve ordering information.</b>	80 LB	\$518.00

**ADDITIONAL OPERATOR'S MANUAL**

SD\_47083 OPERATOR'S MANUAL

	X47083X	NO ADDITIONAL OPERATORS MANUAL		No Charge
	715294	French Canadian	1 LB	No Charge



**BS SERIES REAR MOUNT SNOW BLOWERS  
US PRICE LIST**

(Ex Works Wholegoods Depot)

**Factory Supplied Attachments**

Order Code		Description	Weight	List Price
	715342036	Hydraulic Rotation 64IN	52 LB	\$734.00
	715343046	Manual Roation 64-74-84IN	9 LB	\$216.00

**RC ROTARY CUTTERS  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

ROTARY CUTTER - ECONOMY  
(3-POINT):

RC480:

Cutting Width: 48 in.  
Cutting Height: 1 in. (min.)  
Cutting Capacity: 2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 10 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Shear Pin  
Tire and Wheel: Laminated  
1 spindle

RC600:

Cutting Width: 60 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Shear Pin  
Tire and Wheel: Laminated  
1 spindle

RC720:

Cutting Width: 72 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Shear Pin  
Tire and Wheel: Laminated  
1 spindle

ROTARY CUTTER - STANDARD DUTY  
(3-POINT):

RC605:

Cutting Width: 60 in.  
Cutting Height: 2 1/2 in. (min.)  
Cutting Capacity: 2 1/2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Splined Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

RC725:

Cutting Width: 83 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 1/2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

RC840:

Cutting Width: 83 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 2 1/2 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Rear Rubber Belting  
Driveline Size: Cat. 4 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

**RC ROTARY CUTTERS  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

ROTARY CUTTER - HEAVY DUTY  
(3-POINT):

RC727:

Cutting Width: 72 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Splined Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

RC845:

Cutting Width: 84 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Splined Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Single tail wheel

RC84HD:

Cutting Width: 84 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 4 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 3/16 x 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
1 spindle  
Dual tail wheel

ROTARY CUTTER - HEAVY DUTY  
(3-POINT): (continued)

RC960:

Cutting Width: 96 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 3/16 x 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Driveline Size: Cat. 5 - 540 rpm  
Slip Protection: Slip Clutch  
Tire and Wheel: Laminated  
2 spindle  
Dual tail wheel

ROTARY CUTTER - HEAVY DUTY  
(PULL-TYPE):

RC1200:

Cutting Width: 120 in.  
Cutting Height: 2 in. (min.)  
Cutting Capacity: 3 in. (max.)  
Blade Carrier: Pan  
Deck Thickness: 7 gauge  
Safety Deflectors: Front and Rear  
Chains  
Main Driveline: Cat. 5 CV w/  
Slip Clutch - 540 rpm  
Tire and Wheel: Laminated  
2 spindle

**RC ROTARY CUTTERS  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

ROTARY CUTTER - HEAVY DUTY  
(PULL-TYPE): (continued)

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):

RC1800 - 540 rpm driveline:  
 (Standard and  
     Smooth Top/Double Deck)  
 Cutting Width: 180 in.  
 Cutting Height: 2 in. (min.)  
 Cutting Capacity: 3 in. (max.)  
 Blade Carrier: Pan  
 Deck Thickness: 7 gauge  
 Safety Deflectors: Front and Rear  
     Chains  
 Main Driveline: Cat. 5 CV w/  
     Slip Clutch 540 rpm  
 Outboard Drivelines to wings:  
 Cat. 4 w/Slip Clutch  
 Tire and Wheel: Laminated  
 3 spindle

RC480 - up to 48  
 RC600 - up to 48  
 RC720 - up to 48  
 RC605 - up to 65  
 RC725 - up to 65  
 RC840 - up to 65  
 RC727 - up to 95  
 RC845 - up to 95  
 RC84HD - up to 140  
 RC960 - up to 140  
 RC1200 - up to 150  
 RC1800 - up to 210

RC1800 - 1000 rpm driveline:  
 (Standard and  
     Smooth Top/Double Deck)  
 Cutting Width: 180 in.  
 Cutting Height: 2 in. (min.)  
 Cutting Capacity: 3 in. (max.)  
 Blade Carrier: Pan  
 Deck Thickness: 7 gauge  
 Safety Deflectors: Front and Rear  
     Chains  
 Main Driveline: Cat. 5 CV w/ Slip Clutch  
     1000 rpm - 1 3/8 in. shaft  
     1000 rpm - 1 3/4 in. shaft  
 Outboard Drivelines to wings:  
 Cat. 4 w/Slip Clutch  
 Tire and Wheel: Aircraft (used)  
 3 spindle  
 Hydraulic level lift



**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
RC480 ROTARY CUTTR	48 in. standard-duty	5,894 LB	\$1,575.00
RC600 ROTARY CUTTR	60 in. standard-duty	781 LB	\$1,823.00
RC720 ROTARY CUTTR	72 in. standard-duty	885 LB	\$2,226.00
RC605 ROTARY CUTTR	60 in. medium-duty	885 LB	\$2,624.00
RC725 ROTARY CUTTR	72 in. medium-duty	903 LB	\$2,958.00
RC840 ROTARY CUTTR	84 in. medium-duty	1,400 LB	\$3,410.00
RC727 ROTARY CUTTR	72 in. HD single tail	1,193 LB	\$3,713.00
RC845 ROTARY CUTTR	84 in. HD single tail	1,193 LB	\$5,084.00
RC84HD ROTARY CUTTR	84 in. HD dual tail	1,680 LB	\$7,503.00
RC960 ROTARY CUTTR	96 in. HD dual tail	1,749 LB	\$8,307.00
RC1200 ROTARY CUTTR	540 rpm, 120 in.	1,749 LB	\$11,407.00
RC1800 540RPM	540 rpm, 180 in.	1,749 LB	\$19,833.00
RC1800 1000RPM 1-3/8	1000 rpm 180 in.1-3/8 in. shft	5,594 LB	\$22,720.00
RC1800 1000RPM 1-3/4	1000 rpm 180 in.1-3/4 in. shft	1,749 LB	\$22,720.00
RC1800 540RPM DD	540rpm, 180 in. Dbl Deck	5,594 LB	\$22,918.00
RC1800 1000 1-3/8 DD	1000rpm,180in.1-3/8 Dbl Deck	5,594 LB	\$25,447.00
RC1800 1000 1-3/4 DD	1000rpm,180in.1-3/4 Dbl Deck	1,749 LB	\$25,447.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
------------	-------------	--------	------------

**OTHER EQUIPMENT**

SD\_16049 EXTRA WHEELS, TIRES AND RIMS

X16049X	No Extra wheels and tires		No Charge
717984	Aircraft Tires (2) <b>Available on RC1800 with 1000RPM driveline</b>		\$460.00
717985	Aircraft Tires (6) <b>Available on RC1800 with 540RPM driveline</b>		\$1,380.00
717986	Aircraft Tires (8) <b>Available on RC1800 with 540RPM driveline</b>		\$1,847.00
717987	Foam Filled P Tire 6 <b>Available on all RC1800 Models</b>		\$1,847.00
717988	Foam Filled P Tire 8 <b>Available on all RC1800 Models</b>		\$2,331.00

**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

**SD\_N6428 FRONT SAFETY CHAINS**

	XN6428X	No Front Safety Chains		No Charge
	717979	Front Safety Chains <b>Available on RC480, RC600 and RC720</b>		\$194.00

**SD\_N6429 REAR SAFETY CHAINS**

	XN6429X	No Rear Safety Chain		No Charge
	717980	Rear Safety Chains <b>Available on RC480, RC600 and RC720</b>		\$194.00

**SD\_N6430 SLIP CLUTCH**

	XN6430X	No Slip Clutch		No Charge
	717981	Slip Clutch <b>Available on RC480, RC600 and RC720</b>		\$234.00

**SD\_N6431 DUAL TAIL WHEEL**

	XN6431X	No Dual Tail Wheel		No Charge
	717982	Dual Tail Wheel <b>Available on RC605, RC725, RC727, RC840, RC845, and RC1800</b>		\$558.00

**SD\_N6432 HYD LIFT**

	XN6432X	No HYD Lift		No Charge
	717983	HYD Lift <b>Available on RC1800 with 540RPM driveline</b>		\$1,351.00

**SD\_N6433 COATING**

	XN6433X	No Coating		No Charge
	717991	Galvanized		
		if MODEL is 72 in. standard-duty		\$112.00
		if MODEL is 60 in. medium-duty		\$112.00
		if MODEL is 48 in. standard-duty		\$112.00
		if MODEL is 72 in. medium-duty		\$112.00
		if MODEL is 60 in. standard-duty		\$112.00
		if MODEL is 84 in. medium-duty		\$112.00
		if MODEL is 540 rpm, 120 in.		\$278.00
		if MODEL is 96 in. HD dual tail		\$278.00
		if MODEL is 84 in. HD dual tail		\$278.00
		if MODEL is 84 in. HD single tail		\$278.00
		if MODEL is 72 in. HD single tail		\$278.00
		if MODEL is 540 rpm, 180 in.		\$836.00
		if MODEL is 540rpm, 180 in. Dbl Deck		\$836.00
		if MODEL is 1000 rpm 180 in.1-3/4 in. shft		\$836.00
		if MODEL is 1000 rpm 180 in.1-3/8 in. shft		\$836.00
		if MODEL is 1000rpm,180in.1-3/4 Dbl Deck		\$836.00
		if MODEL is 1000rpm,180in.1-3/8 Dbl Deck		\$836.00



**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

SD\_N6436 QUICK ATTACH HITCH

	XN6436X	No Quick Attach Hitch			No Charge
	439026	Quick Attach Hitch <b>Available on RC480, RC600, RC605, RC720, RC725, RC727, RC840, RC845, RC84HD, RC960</b>			\$83.00

**RC ROTARY CUTTERS  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Factory Supplied Attachments**

Order Code	Description	Weight	List Price
<b>Front Safety Chains</b>			
717979006	48" Front safety chains Available on RC480	27 LB	\$194.00
717979016	60" Front safety chains Available on RC600	29 LB	\$194.00
717979026	72" Front safety chains Available on RC720	33 LB	\$194.00
<b>Rear Safety Chains</b>			
717980006	48" Rear safety chains Available on RC480	42 LB	\$194.00
717980016	60" Rear safety chains Available on RC600	44 LB	\$194.00
717980026	72" Rear safety chains Available on RC720	48 LB	\$194.00

**WORK EZ® DISK HARROW  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**78 IN. DISK HARROW:**

Number of Disk Blades: 20 notched  
(front and rear)  
Disk Blade Size: 18 in. diameter  
Disk Blade Spacing: 5 1/2 in. F, 6 1/2 in.,  
7 1/2 in. R  
Maximum Cutting Depth: 6 in.  
Cutting Width: 70 in.  
Overall Length: 60 in.  
Overall Width: 79 in.  
Bearing Lubrication: sealed bearings  
Adjustable gang angle

**REQUIREMENTS FOR OPERATION:**

Tractor Horsepower (Min./Max.): 20 - 60  
Hitch: Cat. I EZ Match™ compatible



**WORK EZ® DISK HARROW  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ DISK HARROW	EZ78DC 78in Disk Harrow	678 LB	\$2,383.00



**WORK EZ® RAKES  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

LANDSCAPE RAKE:

Rake Width:

60LR - 60 in.

72LR - 72 in.

84LR - 84 in.

Tine Spacing: 1 in.

Tine Size: 5/16 x 1 in.

Tine Material: high carbon spring steel

Angle: 5 forward / 3 reverse

Rake Pivot: 360°

Pivot King Pin: 1 1/4 in.

REQUIREMENTS FOR OPERATION:

Maximum Tractor Horsepower: 50

Hitch: Cat. I EZ Match™ compatible



**WORK EZ® RAKES  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ 60LR RAKE	EZ60L 60in Landsc Rake	245 LB	\$909.00
WORK EZ 72LR RAKE	EZ72LR 72in Landsc Rake	269 LB	\$1,037.00
WORK EZ 84LR RAKE	EZ84LR 84in Rock Rake	326 LB	\$1,417.00



**WORK EZ® BOX BLADES  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**BOX BLADES:**

**STANDARD DUTY (For Estate and Homeowners):**

Number of Scarifiers (Shanks): 4 to 5  
Overall Height: 35 1/2 in.  
Box Depth: 17 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness: 3/16 in.  
Hinges Rear Flat with Cutting Edge: n/a

**MEDIUM DUTY (For Landscapers):**

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)  
Number of Scarifiers (Shanks): 6  
Overall Height: 36 in.  
Box Depth: 17 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness: 3/8 in.  
Hinges Rear Flat with Cutting Edge: n/a

**HEAVY DUTY (For Contractors):**

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)  
Number of Scarifiers (Shanks): 6  
Overall Height: 36 in.  
Box Depth: 19 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness: 1/2 in.  
Hinges Rear Flat with Cutting Edge: Standard

**INDUSTRIAL (For Contractors):**

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)  
Number of Scarifiers (Shanks): 8  
Overall Height: 36 in.  
Box Depth: 19 in.  
Cutting Edge: 1/2 x 6 in., Reversible  
Number of Cutting Edges: 2  
Shank Adjustment: manual  
Side Plate (Endplate) Thickness: 3/4 in.  
Hinges Rear Flat with Cutting Edge: Standard

**REQUIREMENTS FOR OPERATION:**

Tractor Horsepower (Max.):  
48BL - up to 28 2wd / 20 4wd  
60BL - up to 28 2wd / 20 4wd  
60BM - up to 50 2wd / 40 4wd  
72BM - up to 50 2wd / 40 4wd  
84BM - up to 50 2wd / 40 4wd  
72BH - up to 75 2wd / 55 4wd  
84BH - up to 75 2wd / 55 4wd  
96BI - up to 100 2wd / 80 4wd  
  
3 Pt. Hitch:  
48BL - Cat. I EZ Match™ compatible  
60BL - Cat. I EZ Match™ compatible  
60BM - Cat. I  
72BM - Cat. I  
84BM - Cat. I  
72BH - Cat. I  
84BH - Cat. I  
96BI - Cat. II



**WORK EZ® BOX BLADES  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ 48BL BLADE	48in 3pt Box Std Duty	313 LB	\$935.00
WORK EZ 60BL BLADE	60in 3pt Box Std Duty	387 LB	\$1,045.00
WORK EZ 60BM BLADE	60in 3pt Box Med Duty	484 LB	\$1,272.00
WORK EZ 60BM BLADE	60in 3pt Box Med Duty - Hydr	701 LB	\$1,927.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty	543 LB	\$1,363.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty - Hydr	701 LB	\$2,020.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty	603 LB	\$1,556.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty - Hydr	701 LB	\$2,212.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty	704 LB	\$2,046.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty - Hydr	701 LB	\$2,915.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty	803 LB	\$2,323.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty - Hydr	803 LB	\$3,193.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty	1,153 LB	\$2,851.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty - Hydr	701 LB	\$4,010.00

**Factory Supplied Options**

Order Code	Description	Weight	List Price
<b>OTHER OPTIONS</b>			
SD N6433 COATING			
XN6433X	No Coating		No Charge
717991	Galvanized		\$98.00

**WORK EZ® REAR BLADES  
US PRICE LIST**

**(Ex Works Beaumont, TX)  
Standard Equipment**

**REAR BLADES:**

**REQUIREMENTS FOR OPERATION:**

**STANDARD UTILITY (For Estate and Homeowners):**

- Moldboard Width: 60 in. / 72 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: n/a
- Angle Adjustment: 5 Forward / 3 Reverse positions

**MEDIUM DUTY (For Landscapers, Farm, or Ranch):**

- Moldboard Width: 60 in. / 72 in. / 84 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: 45° / E side
- Angle Adjustment: 5 Forward / 3 Reverse positions

**HEAVY DUTY (For Contractors):**

- Moldboard Width: 84 in. / 96 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: 30°
- Angle Adjustment: 5 Forward / 3 Reverse positions

**INDUSTRIAL (For Contractors):**

- Moldboard Width: 96 in. / 108 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: 15°
- Angle Adjustment: 30°

**HEAVY INDUSTRIAL (For Contractors):**

- Moldboard Width: 96 in./120 in./144 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 24 in.
- Tilt Adjustment: 15°
- Angle Adjustment: 30°

**Tractor Horsepower (max.):**

- 60SL - 30
- 72SL - 30
- 60SM - 40
- 72SM - 40
- 84SM - 40
- 72SH - 65
- 84SH - 65
- 96SI - 100
- 108SI - 100
- 96SHI - 225
- 120SHI - 225
- 144SHI - 225

**3 Pt. Hitch:**

- 60SL - Cat. I EZ Match™ compatible
- 72SL - Cat. I EZ Match™ compatible
- 60SM - Cat. I EZ Match™ compatible
- 72SM - Cat. I EZ Match™ compatible
- 84SM - Cat. I EZ Match™ compatible
- 72SH - Cat. I/II
- 84SH - Cat. I/II
- 96SI - Cat. II
- 108SI - Cat. II
- 96SHI - Cat. II/III
- 120SHI - Cat. II/III
- 144SHI - Cat. II/III



**WORK EZ® REAR BLADES  
US PRICE LIST**

(Ex Works Beaumont, TX)

**Models**

COMMERCIAL MODEL	MODEL	Weight	List Price
WORK EZ 60SM BLADE	60in 3pt Rear Med Duty	256 LB	\$947.00
WORK EZ 72SM BLADE	72in 3pt Rear Med Duty	278 LB	\$1,082.00
WORK EZ 84SM BLADE	84in 3pt Rear Med Duty	297 LB	\$1,212.00
WORK EZ 84SH BLADE	84in 3pt Rear Hvy Duty	584 LB	\$1,364.00
WORK EZ 96SH BLADE	96in 3pt Rear Hvy Duty	679 LB	\$1,488.00
WORK EZ 96SI BLADE	96in 3pt Rear Ind Duty	1,074 LB	\$4,340.00
WORK EZ 108SI BLADE	108in 3pt Rear Ind Duty	1,113 LB	\$4,954.00
WORK EZ 96SHI BLADE	96in 3pt Rear Hvy Industrial	2,120	\$10,373.00
WORK EZ 120SHI BLADE	108in 3pt Rear Hvy Industrial	2,260 LB	\$10,820.00
WORK EZ 144SHI BLADE	144in 3pt Rear Hvy Industrial	2,400 LB	\$11,261.00

**WORK EZ® EZ MATCH™  
US PRICE LIST**

**(Distribution Center)  
Standard Equipment**

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction  
Lower arms lock automatically  
Fast, easy attachment and release  
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™  
Width (inches) - 28 center to center  
(Hooks are 1-1/2 " wide)  
Height (inches) - 24  
Weight (pounds) - 80  
Maximum Horsepower - 60

The following Case-IH products are quick hitch compatible:

EZ78DC - 78 in. Disk Harrow  
EZ60LR - 60 in. Landscape Rake  
EZ72LR - 72 in. Landscape Rake  
EZ84LR - 84 in. Rock Rake  
EZ48BL - 48 in. Standard Duty Box Blade  
EZ60BL - 60 in. Standard Duty Box Blade  
EZ60SL - 60 in. Standard Utility  
Rear Blade  
EZ72SL - 72 in. Standard Utility  
Rear Blade  
EZ60SM - 60 in. Medium Duty  
Rear Blade  
EZ72SM - 72 in. Medium Duty  
Rear Blade  
EZ84SM - 84 in. Medium Duty  
Rear Blade



**WORK EZ® EZ MATCH™  
US PRICE LIST**

(Distribution Center)

**Models**

<b>COMMERCIAL MODEL</b>	<b>Weight</b>		<b>List Price</b>
WORK EZ EZ MATCH	400 LB		\$329.00

**WORK EZ® BALE CARRIERS  
US PRICE LIST**

## Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

MODEL: Work EZ® Bale Carrier

Application - Standard duty

Weight - 155 lbs

Weight rating - 2000 lbs

Tractor horsepower (max) - 60

Hitch - Cat. I

Hot dipped galvanized frame

NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear

Application - Standard duty

Weight - 98 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 60

Hitch - Cat. I

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears



**WORK EZ® BALE CARRIERS  
US PRICE LIST**

**Models**

<b>COMMERCIAL MODEL</b>	<b>Weight</b>		<b>List Price</b>
WORK EZ BALE CARRIER	88 LB		\$439.00
WORK EZ BALE SPEAR	155 LB		\$484.00

**WORK EZ® HAY SPEARS  
US PRICE LIST**

## Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty

Weight - 153 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear



**WORK EZ® HAY SPEARS  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	Weight		List Price
WORKEZ SNGL BALE QA	168 LB		\$789.00
WORKEZ DBL BALE QA	153 LB		\$908.00



**PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS**

<u>Part #</u>	<u>Description</u>	<u>Farmall 30B/35B</u>	<u>Farmall 40B/50B</u>
---------------	--------------------	------------------------	------------------------

**ROPS/FOPS GROUP**

718857166	FOPS canopy for roll bar - white	X	X
FFB1A32W	Sunshade canopy - white	X	X

**HYDRAULICS GROUP**

*Single rear remote; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Remote valve not stackable; cannot add a second single rear remote.*

MT20124614	Rear remote #1; Farmall 30B/35B (Gear or HST)	X	
MT20124611	Rear remote #1; Farmall 40B/50B HST only		X
MT20124606	Rear remote #1; Farmall 40B/50B Gear only		X

*Dual rear remotes; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Contains two valves (#1 & #2)*

MT20124614	Rear remote #1 & #2; Farmall 30B/35B (Gear or HST)	X	
MT20124612	Rear remote #1 & #2; Farmall 40B/50B HST only		X
MT20124607	Rear remote #1 & #2; Farmall 40B/50B Gear only		X

***Other Hydraulics***

MT20117607	Draft control for gear units	X	X
------------	------------------------------	---	---

**PTO GROUP**

MT20022006	Mid PTO; 2,000 RPM	X	
MT20022005	Mid PTO; 2,000 RPM		X



**PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS**

<u>Part #</u>	<u>Description</u>	<u>Farmall 30B/35B</u>	<u>Farmall 40B/50B</u>
<b>WEIGHT GROUP</b>			
<i>(Note: attaching hardware is available from Service Parts)</i>			
710215016	Front end weight - 60 lbs. Compatible with grille guard but not compatible with loader. Maximum 5 weights per tractor. Requires front weight carrier #718233006 if using more than 2 weights	X	X
718215036	Front end weight - 100 lbs. Compatible with grille guard but not compatible with loader. Maximum 3 weights per tractor. Requires front weight carrier #718233006	X	X
718740016	Rear counter weight bracket	X	X
718233006	Front weight carrier (max five 60 lb. weights) (not compatible with loader)	X	X
710470026	Wheel Weight (105lb's each) for 420/70-24 IND tires & wheels - 2 max per wheel / 4 max per tractor		X
<b>Miscellaneous Group</b>			
719849216	Grille Guard	X	
719849226	Grille Guard		X
MT20119015	Right hand side step	X	X
MT20119014	Right hand grip/grab handle (replaces std. tray & cupholder)	X	X
MT20119006	7 pin connector	X	
MT20119007	7 pin connector		X
710990076	Tool box bracket (requires toolbox 5135060)	X	
710990086	Tool box bracket (requires toolbox 5135060)		X
5135060	Toolbox (Black)	X	X
84317040	Engine coolant heater - Mitsubishi engine	X	
84316967	Engine coolant heater - LS engine		X
251006F	Linkage drawbar (FONNC830AA stay kit required)	X	X
FONNC830AA	Linkage drawbar stay kit	X	X
87702589	ROPS mounted work light kit	X	X
8427548	French operators manual / decal kit (DMC 262-636-7540)	X	
8427560	French operators manual / decal kit (DMC 262-636-7540)	X	X



**PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS**

Work Direct  
with Custom Products

**Aftermarket Cab:**

Custom Products of Litchfield, Inc.

PO Box 70

Litchfield, MN 55355

TOLL FREE 800-CAB-LINE; (800) 222-5463

FAX (320) 693-7252

[www.800cabline.com](http://www.800cabline.com)

[www.cozycab.com](http://www.cozycab.com)

## FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
<b>Cab Group</b>						
Windshield wiper/washer, rear	710642016	1.0	X	X	X	
CVT enhanced controls	84532740	1.0	X	X	X	
Cab roof visibility guard	718002006	0.5	X	X	X	
Chrome steps (RH/LH)	84178927	0.5	X	X	X	
Operator presence switch conversion seat kit for light operators	87550442	2.0	X	X	X	
Arm rest kit	18852026	0.5	X	X	X	
Radio bezel	87328627	1.0	X	X	X	Included in CNH Audiovox radio
Radios			X	X	X	Order from CNH Parts
<b>Electrical Group</b>						
Beacon light and mounting kit	710762026	1.0	X	X	X	
75 amp alternator CVT	84158955	2.0	X	X	X	
<b>Hydraulic Group</b>						
Self-centering (simple) rear remote valve only	710366216	2.0				Positions 1, 2, and 3
Float and detented (deluxe) rear remote valve only	719940056	2.0	X	X	X	Positions 1 and 2 only
Rear remote #1 completing kit - coupler dust boot and levers	719933036	1.5	X	X	X	Self-centering or float and detent rear remote valve
Rear remote #2 completing kit - coupler dust boot and levers	719933036	1.0	X	X	X	Self-centering or float and detent rear remote valve
Rear remote #3 completing kit - coupler dust boot and levers	719937026	1.0	X	X	X	Self-centering rear remote valve only
Mid-mount remote hydraulic kit (2 spool loader valve and joystick) for CVT transmission w/cab	717654006	2.0	X	X	X	
3rd function hose kit	716662016	1.0	X	X	X	
3 function conversion kit for 2 function mid-mount remote hydraulic kit (diverter valve)	718432016	1.0	X	X	X	
<b>Engine Group</b>						
Chrome exhaust pipe extension	84178926	0.5	X	X	X	
Engine coolant heater	86403117	2.0	X	X	X	
Cold performance - transmission heater kit - NAR	87537603	1.0	X	X	X	
<b>Drawbar/Hitch Group</b>						
Drawbar clevis	86402709	0.5	X	X	X	
Stabilizer bracket (required to support hydraulic tubes when 2 spool remote valve fitted, less front loader)	86404991	1.0	X	X	X	
Linkage drawbar	251006F	1.0	X	X	X	FONNC830AA stay kit required
Linkage drawbar stay kit	FONNC830AA	1.0	X	X	X	

## FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
<b>Weight Group</b>						
Front end weight 60 LB (27 Kg)	710215016	0.5	X	X	X	
Front end weight 100 LB (45 Kg)	718215036	0.5	X	X	X	
Rear wheel weight 105 LB (47 Kg)	710470026	1.0	X	X	X	
Rear counter weight bracket	718740016	0.5	X	X	X	
Front weight carrier - 5 weights 21 LB (9.5 Kg)	86402250	1.0	X	X	X	
Ballasting box, 158 LB, max 1,000 LB capacity	717747006	1.0	X	X	X	
Front tow hook	710892016	0.5	X	X	X	Not compatible with front end ballast weight
<b>Miscellaneous</b>						
Front bumper/grille guard - CNH black	719849056	0.5	X	X	X	
Front bumper/grille guard - Stainless steel/black	719849206	0.5	X	X	X	



## PARTS DIVISION SUPPLIED ACCESSORIES FOR FARMALL COMPACT TRACTORS

PART NUMBER	DESCRIPTION <small>(All items ordered from Parts Division unless otherwise specified)</small>	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
-------------	--	--------------------	-----------------------	--------------------

### CANOPY / FOPS for ROPS

FFB1A22W	Sunshade Canopy (White)	X		
FFB1A22R	Sunshade Canopy (Red)	X		
FFB3A32W	Sunshade Canopy (White)		X	X
FFB3A32R	Sunshade Canopy (Red)		X	X
718857016	FOPS/Canopy for rollbar	X		
718857016	FOPS/Canopy for rollbar		X	
718857056	FOPS/Canopy for rollbar			X

**HYDRAULICS NOTE:** Mid-mounted hydraulic valve w/single lever joystick required for use with loaders, front mount snowblowers, and front blades.

### Mid Mounted Remote Valves

710440076	Mid-mounted hydraulic valve with joystick control. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)	X		
710440106	Mid-mounted hydraulic valve with joystick control for use with Farmall 40, 45, and 50 (Gear Transmission Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)		X	
710330046	Mid-mounted hydraulic valve with joystick control for use with Farmall 40 and 45 ROPS (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
719918046	Mid-mounted hydraulic valve with joystick control for Farmall 40 and 45 CAB (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
710440046	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 ROPS Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
719918026	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 Cab Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
86403115	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For ROPS models		X	
86404991	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For CAB models		X	

### Rear Remote Valves - Farmall 31 & 35

718348066	First rear remote valve (self-centering) with ½ in. couplers	X		
718347026	Second rear remote valve (self-centering) with ½ in. couplers (second valve used in combination with 718348066)	X		

<b>PART NUMBER</b>	<b>DESCRIPTION</b> (All items ordered from Parts Division unless otherwise specified)	<b>Farmall 31 &amp; 35</b>	<b>Farmall 40, 45, 50</b>	<b>Farmall 55 &amp; 60</b>
<b>Rear Remote Valves - Farmall 40, 45 &amp; 50 (with Gear Transmission)</b>				
710366206	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		<b>X</b>	
719940046	Rear remote valve with float and detent - Requires first or second rear remote valve hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		<b>X</b>	
<b><u>Hydraulic completing kits</u> - include knobs, couplers, levers &amp; coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)</b>				
719934036	First rear remote valve completing kit - compatible with self centering valve & float & detent valve ( <b>valve not included</b> )		<b>X</b>	
719936036	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve ( <b>valve not included</b> )		<b>X</b>	

**Rear Remote Valves - Farmall 40, 45 & 50 (with Hydrostatic Transmission)**

710366046	First rear remote valve (self-centering) with ½ in. couplers (includes hydraulic completing package)		<b>X</b>	
718334036	Second rear remote valve (self-centering) with ½ in. couplers - second valve used in combination with 710366046. (includes hydraulic completing package)		<b>X</b>	
719339036	Third rear remote valve (self-centering) with ½ in. couplers - third valve used in combination with 710366046 and 718335036. For use with Deluxe models only (includes hydraulic completing package)		<b>X</b>	
716662016	3rd function hose kit - Contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).		<b>X</b>	

**Rear Remote Valves - Farmall 40, 45 & 50 (with CVT Transmission)**

710366206	3 position (Extend, Retract, Neutral); Self Centering Rear Remote Valve. Can be mounted in First, Second or Third position. Kit contains Rear Remote Valve only Completing package required (see below)		<b>X</b>	
719940046	4 position (Float, Extend, Retract, Neutral) Detent Rear Remote Valve. Can be mounted in First or Second position Kit contains Rear Remote Valve only Completing package required (see below)		<b>X</b>	
719933046	First Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		<b>X</b>	
719935046	Second Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		<b>X</b>	
719937036	Third Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216		<b>X</b>	

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
<b>Rear Remote Valves - Farmall 55 &amp; 60</b>				
710366056	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as a First, Second or Third rear remote valve)			X
719940006	Rear remote valve with float and detent - Requires the first or second rear remote valve hydraulic completing kit (see below) (Can be used as a First or Second rear remote valve)			X
<b>Hydraulic completing kits - include knobs, couplers, levers &amp; coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)</b>				
719933016	First rear remote valve completing kit - compatible with self centering valve & float & detent valve <b>(valve not included)</b>			X
719935016	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve <b>(valve not included)</b>			X
719937016	Third rear remote valve completing kit - compatible with self centering valve only <b>(valve not included)</b>			X
716662046	3rd function hose kit - contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).			X

**WEIGHTS**     **NOTE:** All weights listed below are for 1 weight only. For rear wheels, you must order two (2) to receive one weight for each side.

710215046	60 lb./27.2kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718215056	100 lb./45.3kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718233006	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader	X	X	
718233016	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader			X
718470036	75 lb./34kg Rear Wheel Weight, maximum of 2 per wheel. Compatible with R4 Industrial tires only. Attaching hardware is available through Parts Division.	X		
710470026	105 lb./47.6kg Rear Wheel Weight, maximum of 2 per wheel. Attaching hardware is available through Parts Division. (Compatible with R1 Ag Bar tires only)	X	X	X
718740016	Rear counter weight bracket. Recommended for use with loader or front mount snowblower if not using a ballasting box. Mounts on a 3-point hitch and will accept up to qty. 7 of 710215046 or qty. 5 of 718215056 front end weights.	X	X	X
<b><u>NOTE:</u></b> Attaching hardware for securing weights is not included. Please order from Parts Division.				

<b>PART NUMBER</b>	<b>DESCRIPTION</b> (All items ordered from Parts Division unless otherwise specified)	<b>Farmall 31 &amp; 35</b>	<b>Farmall 40, 45, 50</b>	<b>Farmall 55 &amp; 60</b>
<b>SOFT CABS</b>				
710660086	Soft Cab for Farmall 31 and 35 - includes base enclosure, top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)	X		
710660126	Soft Cab for Farmall 40, 45 and 50 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)		X	
710660066	Soft Cab for Farmall 55 and 60 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)			X

### MISCELLANEOUS

86590117	Engine Coolant Heater	X	X	X
251006F	Linkage Drawbar (F0NNC830AA stay kit required)	X	X	X
F0NNC830AA	Linkage Drawbar Stay Kit	X	X	X
86535719	Drawbar Clevis (used with Swinging/Extendible Drawbar)	X	X	
SBA370070300	Drawbar Clevis			X
SP1229985DS	Rear Worklight (50 watt halogen with switch. Bracket required to install worklight, see below.	X	X	X
86531714	Rear Worklight Mounting Bracket	X		
86401040	Rear Worklight Mounting Bracket		X	
87300991	Rear Worklight Mounting Bracket			X
9673703DS	AM/FM Radio Kit for ROPS models	X	X	X
ZAEJHD3000	AM/FM/WB/CD Radio Kit for CAB models		X	X
718852026	Fold-up Armrest Kit	X	X	X
87379951	Transmission Heater Kit	X		
87537603	Transmission Heater Kit		X	X
SBA385071310	Back-up Alarm Kit for SSS Transmission			X
SBA385071320	Back-up Alarm Kit for EHSS Transmission			X
87395939	Spark Arrestor Muffler Kit	X		
719849056	Grill Guard	X	X	
719849086	Grill guard			X
710709046	Step kit, left side (not compatible with MW Series mower decks)	X		
718709066	Step kit, right side (not compatible with MW Series mower decks)	X		
86571922	Right-Hand Platform Step - for Economy version (attaching hardware is available from Parts Division)		X	
718709076	Step kit, right side (ROPS only)			X
710801046	Mid PTO - 2000 RPM (for Farmall 31 gear transmission only)	X		
719801056	Mid PTO - 2000 RPM for Farmall 40 and 45 with Hydrostatic Transmission only		X	
718877016	Hood mounted LH rear view mirror	X		
718877006	Hood mounted LH rear view mirror for ROPS tractors		X	
710990046	Economy toolbox kit for Farmall 40, 45 and 50 Gear Transmission Compact Tractors (includes plastic toolbox that mounts to the top of left-hand fender and metal cup holder that mounts to top of right-hand fender)		X	
86402046	Toolbox with cup holder - for Economy version		X	
710642016	Rear window wiper and washer kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
710762006	Beacon light and mounting kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
718002006	High visibility panel guard for cab roof - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X

<b>PART NUMBER</b>	<b>DESCRIPTION</b> (All items ordered from Parts Division unless otherwise specified)	<b>Farmall 31 &amp; 35</b>	<b>Farmall 40, 45, 50</b>	<b>Farmall 55 &amp; 60</b>
	<i>The items below are supplied by the Document Management Center (DMC). To order please contact the DMC at (262) 636-7540 or order online through the Dealer Portal (go to tools, select DMC link)</i>			
87668370	French Canadian Operator's Manual (Farmall 31 & 35)	<b>X</b>		
87396594	French Canadian Operator's Manual (Economy models)		<b>X</b>	
87721388	French Canadian Operator's Manual (Deluxe models)		<b>X</b>	
87721390	French Canadian Operator's Manual (CAB models)		<b>X</b>	
87396598	French Canadian Operator's Manual (ROPS models)			<b>X</b>
87721397	French Canadian Operator's Manual (CAB models)			<b>X</b>
86402037	French Canadian Decal Kit	<b>X</b>	<b>X</b>	<b>X</b>



**PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT LOADERS**

PART NUMBER	DESCRIPTION	L340	L350	L360
	<b>All items ordered from Parts Division unless otherwise specified</b>			
	<b>Mounting Equipment</b>			
715782136	Mounting brackets for Farmall 31 and 35 tractors	X		
717652006	Mounting brackets for Farmall 40, 45, and 50 tractors		X	
715782156	Mounting brackets for Farmall 55 and 60 tractors			X
719849056	Grill guard	X	X	
719849086	Grill Guard			X
	<b>Hydraulics</b>			
710440076	Mid-mount hydraulic valve with joystick control. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing, and attaching hardware). Ex Works Racine, WI. This item must be placed on a separate order.	X		
	<b>For use with Farmall 40, 45 and 50 models (Gear transmission)</b>			
710440106	Mid-mount hydraulic valve with joystick control for use with Farmall 40, 45, and 50 (Gear transmission tractors). Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing, and attaching hardware). Ex Works Racine, WI. This item must be placed on a separate order.		X	
	<b>For use with Farmall 40 and 45 ROPS models (Hydrostatic transmission)</b>			
710330046	Mid-mount hydraulic valve with joystick control for use with Farmall 40 and 45 ROPS (HST tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing, and attaching hardware)		X	
	<b>For use with Farmall 40, 45 and 50 Cab models (Hydrostatic &amp; CVT transmission)</b>			
719918046	Mid-mount hydraulic valve with joystick control for use with Farmall 40, 45 and 50 Cab (HST & CVT tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing, and attaching hardware)		X	
	<b>For use with Farmall 55 and 60 ROPS models</b>			
710440046	Mid-mount hydraulic valve with joystick control for use with Farmall 55, and 60 ROPS tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing, and attaching hardware). Ex Works Racine, WI. This item must be placed on a separate order.			X
	<b>For use with Farmall 55 and 60 Cab models</b>			
719918026	Mid-mount hydraulic valve with joystick control for use with Farmall 55 and 60 Cab tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing, and attaching hardware)			X
	<b>Additional Hydraulic Items</b>			
716662016	3rd function hose kit – Contains hoses and couplers to run from the tractor rear remote valve (One required) to the loader cross member (torque tube). Refer to the Farmall 40, 45, or 50 tractor price pages for information on ordering the tractor rear remote.		X	

PART NUMBER	DESCRIPTION	L340	L350	L360
716662046	3rd function hose kit – Contains hoses and couplers to run from the tractor rear remote valve (One required) to the loader cross member (torque tube). Refer to the Farmall 55 and 60 tractor price pages for information on ordering the tractor rear remote.			X
	<b>Quick Coupler</b>			
716653136	Quick coupler (skid steer loader compatible)	X		
716653156	Quick coupler (skid steer loader compatible)		X	X
	<b>Buckets</b>			
	Heavy duty bucket includes: Heavy duty cutting edge with holes through cutting edge only. Requires drilling bucket floor to add bolt on cutting edge.			
	<b>For use with standard mounting (pin on) buckets:</b>			
715719076	60 in./1524 mm. Heavy Duty Material. 0.382 cu. Yd.struck, 0.471 cu. Yd heaped capacity.	X		
715720106	72 in./1829 mm. Heavy Duty Material. 0.459 cu. Yd.struck, 0.572 cu. Yd heaped capacity.		X	
	<b>For use with quick coupler:</b>			
715729076	60 in./1524 mm. Heavy Duty Material. 0.382 cu. Yd.struck, 0.471 cu. Yd heaped capacity.	X		
716425066	68 in./1727 mm. Heavy Duty Material. 0.433 cu. Yd.struck, 0.534 cu. Yd heaped capacity.	X		
715730086	72 in./1829 mm. Heavy Duty Material. 0.459 cu. Yd.struck, 0.572 cu. Yd heaped capacity.		X	
717222016	72 in./1829 mm. Heavy Duty Material. 0.459 cu. Yd.struck, 0.572 cu. Yd heaped capacity.			X
	<b>Other Equipment</b>			
716426016	60 in./1.52m Bolt-on Cutting Edge (for Heavy-Duty Material Bucket)	X		
716427016	68 in./1.73m Bolt-on Cutting Edge (for Heavy-Duty Material Bucket)	X		
716894026	72 in./1.83m Bolt-on Cutting Edge (for Heavy-Duty Material Bucket)		X	X



**PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS**

PART NUMBER	DESCRIPTION	MW60S	MW72S	MW72R	MW84R
<b>Available through Parts Division unless otherwise noted:</b>					
AUB164147	Caster wheel spring device - Required when installing an MW60S, MW72S or MW72R on a Farmall 31 or 35 equipped with Galaxy turf tires	X	X	X	
AUB182262	Mower / Loader Compatibility kit - Required when installing an MW60S, MW72S or MW72R in combination with an LX114 loader on a Farmall 31 or 35	X	X	X	
AUB163560	Caster wheel spring device - Required when installing an MW84R on a Farmall 40, 45 or 50 equipped with Galaxy turf tires				X

PART NUMBER	DESCRIPTION	RR60	RR72	RR90	RR144	RR180	RR204
<b>Available through Parts Division unless otherwise noted:</b>							
SIT 110283	Mulching kit - 60 in. Rear Discharge Only	X					
SIT 110284	Mulching kit - 72 in. Rear Discharge Only		X				
SIT 110285	Mulching kit - 90 in. Rear Discharge Only			X			
SIT 110286	Mulching kit - 12 ft. Folding Flex wing				X		
SIT 110287	Mulching kit - 15 ft. Folding Flex wing					X	
SIT 110288	Mulching kit - 17 ft. Folding Flex wing						X
SIT 100364	Anti-Scalp Kit - 60 in. and 72 in. (front adjustable roller)	X	X				
SIT 100503	Anti-Scalp Kit - 90 in. (front adjustable roller)			X			
SIT 100933	Pneumatic Tire kit - 60 in. (Set of 4). Includes wheels and forks.	X					
SIT 100934	Pneumatic Tire kit - 72 in. (Set of 4). Includes wheels and forks.		X				
SIT 100935	Pneumatic Tire kit - 90 in. (Set of 4). Includes wheels and forks.			X			



**PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS**

PART NUMBER	DESCRIPTION	RC480	RC600	RC720	RC605	RC725	RC840	RC845	RC1800
<b>Available through Parts Division unless otherwise noted:</b>									
MAG010D3590	4 ft. Front Chain Guards - Standard Duty	X							
MAG010D3591	4 ft. Rear Chain Guards - Standard Duty	X							
MAG010D6798	5 ft. Front Chain Guards - Standard and Medium Duty		X		X				
MAG010D6799	5 ft. Rear Chain Guards - Standard and Medium Duty		X		X				
MAG010D1598	6 ft. Front Chain Guards - Standard and Medium Duty			X		X			
MAG010D1599	6 ft. Rear Chain Guards - Standard and Medium Duty			X		X			
MAG010D3990	7 ft. Front Chain Guards - Medium Duty						X		
MAG010D3991	7 ft. Rear Chain Guards - Medium Duty						X		
CSE010D3992R	7 ft. Dual tail wheel - Heavy Duty							X	
MAG415D0060	15 ft. hydraulic level lift. - Pull Type								X
MAG125D801D01	Slip Clutch	X	X	X					



## REFERRAL ATTACHMENTS

Case IH does not represent these products or company or offer terms or warranty. When installed and operated according to the manufacturer's instructions, these attachments will not void the Case IH warranty of the Case IH products. The availability, performance, service parts availability, pricing, after sale service and warranty of these products is the sole responsibility of the manufacturer and not of Case IH.

**Electra-Tach -- Electronic actuator for skid-steer style quick-attach device  
(quick and easy connect/disconnect)**

Supplier: Ultra-Tach  
Address: 100 E. Shenango St.  
          Sharpsville, PA 16150

Phone: (724) 962-7644  
Fax: (724) 962-1719  
E-Mail: [www.ultratach.com](http://www.ultratach.com)



---

---

## PURCHASED PROTECTION

---

---

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.