

| | |
|------------------|--|
| Vendor Name: | Titan Machinery Inc. |
| Contact Person: | Fred Senger & Andy Bethel |
| Street Address: | 644 East Beaton Drive |
| P.O. Box: | |
| City, State, Zip | West Fargo, ND 58078 |
| Phone #: | 952-445-5400 |
| Toll Free #: | 800-795-9275 |
| Fax #: | 952-445-0365 |
| Email Address: | fred.senger@titanmachinery.com , or andy.bethel@titanmachinery.com |

| Spec # | Information Requested | Answer |
|--------|--|--|
| 1.0 | Tractor Catalog Section Price List Title: Date & I.D. of Price List Percentage Discount to be applied to Price List | Case/Farmall N & V Series 10/1/2013 31% |
| 1.1 | Price for manuals, (service, parts, repair, and operations) | \$ 1,200.00 |
| 1.2 | Price for set of fluid and air filters | 600 |
| 2.0 | EXTENDED WARRANTY OPTIONS Use this section to offer performance/warranty options, number these items starting with 2.1, 2.2, 2.3, etc. (Specify years, miles or hours extended term covers.) | |
| 2.1 | _____ | \$ |
| 2.2 | _____ | \$ |
| 3.0 | INSTALLATION - PER HOUR Installation services may be requested on an "as needed" basis. See Special Terms and Conditions | \$ 112.00 |
| 4.0 | NEW EQUIPMENT RENTAL PROGRAM - SUMMER RATES - 4/1 THRU 9/30 If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions. Hourly Rental Rate: Weekly Rental Rate: Monthly Rental Rate: Percent (%) of Rental Fee applied to purchase price: | \$ \$ \$ % |
| | NEW EQUIPMENT RENTAL PROGRAM - WINTER RATES - 10/1 THRU 3/31 If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions. Hourly Rental Rate: Weekly Rental Rate: Monthly Rental Rate: Percent (%) of Rental Fee applied to purchase price: | \$ \$ \$ % |
| | If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____ | |
| 5.0 | VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM See Solicitation Special Terms and Conditions. DEDUCT cost per Used Hour from the original Contract Price | \$ |
| 6.0 | DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES - (See Special Terms and Conditions) | % Discount |
| | Price List Date and Number | |
| 7.0 | DELIVERY STARTING POINT - See Special Terms and Conditions - No flat rate allowed City, State, Zip Price per Loaded Mile: | Nearest Titan Machinery Inc. Case/Farmall Ag Store \$ 4.00 |



FARMALL® SPECIALTIES N & V SERIES TRACTORS TABLE OF CONTENTS

FARMALL® N and V SERIES TRACTORS

FARMALL N SERIES TRACTOR

| | |
|-------------------------|---|
| Standard Features | 1 |
| Price List | 4 |

FARMALL 105V TRACTOR

| | |
|-------------------------|----|
| Standard Features | 11 |
| Price List | 13 |

| | |
|---|----|
| PARTS DIVISION SUPPLIED ACCESSORIES | 19 |
|---|----|

| | |
|--|----|
| FARMALL® SPECIALTIES N & V TIRE CHARTS | 20 |
|--|----|

| | |
|---|----|
| CASE IH PURCHASED PROTECTION PLAN | 21 |
|---|----|

L540 LOADERS for FARMALL N

| | |
|-----------------------------------|----|
| Standard Features | 23 |
| Price List | 24 |
| Factory Supplied Attachments..... | 26 |

FARMALL N SERIES TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

ENGINE: 75 HP

US - EPA Tier III Emissions Compliant
76 Gross Engine hp
62 PTO hp @ 2300 engine rpm
4 Cylinder turbocharged intercooled engine
195 cu. in. (3.2 L) Displacement
Bosch fuel injection pump
Dual element air filter
Electric engine shutoff
Grid heater starting aid
Under Hood Muffler with horizontal exhaust
20-gallon (77 L.) Fuel Tank
Hand and foot throttle controls

ENGINE: 95 HP

US- EPA Tier III Emissions Compliant
95 Gross Engine hp
82 PTO hp @ 2300 engine rpm
4 Cylinder turbocharged intercooled engine
274 cu. in. (4.5 L) Displacement
Bosch fuel injection pump
Engine oil cooler
Dual element air filter
Electric engine shutoff
Grid heater starting aid
Under Hood Muffler with horizontal exhaust
20-gallon (77 L.) Fuel Tank
Hand and foot throttle controls

ENGINE: 105 HP

US - EPA Tier III Emissions Compliant
106 Gross Engine hp
92 PTO hp @ 2300 engine rpm
4 Cylinder turbocharged intercooled engine
274 cu. in. (4.5 L) Displacement
Bosch fuel injection pump
Dual element air filter
Electric engine shutoff
Grid heater starting aid

ENGINE 105HP: (continued)

Under Hood Muffler with horizontal exhaust
20-gallon (77 L.) Fuel Tank
Hand and foot throttle controls

OPERATOR PROTECTIVE STRUCTURE:

ROPS: Foldable midmounted roll bar
Isolation mounted platform
Steering wheel: telescoping
Seat: Vinyl covered with operator's presence sensor and seat belt

CAB: Integral ROPS protected, isolation mounted, with heater and air conditioner (includes pollen filters and high capacity cab air pressurizer), tinted glass, front and rear wipers and washers, two doors with locks, interior light, hinged front and rear window, standard radio, factory installed blue tooth capable radio with MP3 input port, rear cab access panel and separate access point to route harnesses or cables
Steering wheel: telescoping
Seat: Deluxe cloth with operator's presence sensor and seat belt

INSTRUMENTATION:

Electronic Instrumentation cluster with digital readout for PTO, engine rpm and ground speed

TRANSMISSION:

Synchronized 16 x 16 Mechanical Shuttle
(4) Synchronized Gears
(4) Non-synchronized Ranges

FARMALL N SERIES TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

CLUTCH:

11 in. cerametallic driveline clutch

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Parking brake - hand operated

HYDRAULICS:

Open center system
Dual gear pumps
Maximum flow at rated engine speed:
Implement pump:
12.7 gpm (48 L/m)
for Farmall 75N and 95N
16.9 gpm (64 L/m)
for Farmall 105N
Steering pump: 7.2 gpm (27 L/m)
Two rear open center remote valves
with push-pull couplers

AXLES:

2WD Front Axle:
(optional on Farmall 75N)
57 degree Turning Angle
8 degree Axle Oscillation

MFD Front Axle: (standard)

Electrohydraulic MFD engagement
55 degree Turning Angle
8 degree Axle Oscillation
Differential lock:
2WD - Electrohydraulic engaged rear
MFD - MFD electrohydraulic
engaged front and rear

MFD front tires:

7.50R18 (R1)

Rear tires:

14.9R28; 380/85R28 (R1)

HITCH:

3-Point Category II with fixed lower
links and adjustable sway block
stabilizers
Convertible width to Category I, II and
IIN
4400 lbs. Lift Capacity (SAE)*
Two lever controls
(one for position and one for draft)
Fast Raise/Lower Control
Lower link draft sensing
Heavy-duty swinging drawbar with
clevis hitch

ROPS: Mechanical Draft Control**Cab: Electronic Draft Control**

* Manufacturer's rating

PTO:

540 rpm independant PTO
11 inch cerametallic PTO clutch
Single lever, hydraulic Servo-Assist
engagement

ELECTRICAL:

(1) 12-volt 800 cca Battery
120 amp Alternator
7-pin outlet for trailer/implement
lighting and signals
4-pin power outlet (40 amp)
Single pin (8 amp) accessory
power outlet

LIGHTING:**ROPS:**

Two halogen front headlights
One rear worklight
Turn signals and flashers

CAB:

Two halogen front headlights
Two front and two rear halogen
worklights
Turn signals and flashers

FARMALL N SERIES TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

MISCELLANEOUS:

Pivoting, one-piece engine hood
Engine compartment side protection
shields
SMV emblem
Toolbox

**FARMALL N SERIES TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)
Models

| COMMERCIAL MODEL | VERSION | ENGINE POWER | Weight | List Price |
|----------------------|---------|--------------|----------|-------------|
| FARMALL 75N SPECIALT | Cab | 76 HP | 8,360 LB | \$57,364.00 |
| FARMALL 75N SPECIALT | Rops | 76 HP | 8,360 LB | \$45,235.00 |
| FARMALL 95N SPECIALT | Cab | 96 HP | 6,300 LB | \$62,140.00 |
| FARMALL 95N SPECIALT | Rops | 96 HP | 8,888 LB | \$50,336.00 |
| FARMALL 105N SPCIALT | Cab | 106HP | 8,360 LB | \$65,766.00 |
| FARMALL 105N SPCIALT | Rops | 106HP | 8,360 LB | \$53,125.00 |

Factory Supplied Options

| Order Code | Description | Weight | List Price |
|------------|-------------|--------|------------|
|------------|-------------|--------|------------|

OPERATOR STRUCTURE

SD_T9233 CARBON FILTERS

| Cab-ROPS | | | |
|----------|---|--|-----------|
| XT9233X | Less Carbon Air Filter | | No Charge |
| CAB | | | |
| 331645 | Carbon Air Filter Supplied in a box inside cab (Not Installed) | | \$240.00 |

MIRRORS

SD_T9368 CAB INTERNAL MIRROR

| Cab-ROPS | | | |
|----------|-------------------------------|--|-----------|
| XT9368X | Standard less internal mirror | | No Charge |
| CAB only | | | |
| 330881 | Cab interior mirror | | \$82.00 |

BEACON LIGHTING

SD_T9146 ROTARY BEACON

| Cab-ROPS | | | |
|----------|-----------------------|--|-----------|
| XT9146X | Less LH rotary beacon | | No Charge |

**FARMALL N SERIES TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

| | | | | | |
|-----------|--|--------|---------------------------|--|----------|
| ROPS only | | | | | |
| | | 331916 | Rotating beacon-left side | | \$195.00 |
| CAB only | | | | | |
| | | 336920 | Foldable Beacon | | \$250.00 |

SEAT

SD_T8500 SEAT

| | | | | | |
|------|--|--------|--|--|-----------|
| ROPS | | | | | |
| | | 333155 | ROPS Seat belt & Oper. Pre. Sw Vinyl seat with seat belt and operators presence sensor | | No Charge |
| CAB | | | | | |
| | | 335859 | Deluxe Fabric Seat with seat belt, and operator presence sensor | | No Charge |
| | | 337859 | Deluxe Fabric Seat w/Air Susp with seat belt, and operator presence sensor | | \$841.00 |

ENGINE

EXHAUST SYSTEMS

SD_T1510 ENGINE EXHAUST

| | | | | | |
|------------|--|--------|---|--|-----------|
| CAB & ROPS | | | | | |
| | | 332150 | Horizontal exhaust with guard and dry air cleaner | | No Charge |
| CAB | | | | | |
| | | 331151 | Vert Exhaust w/guard Compatible with 95N, 105N and 105V. Not compatible with 75N when equipped with 2 Electronic Mid-Mount Valves (743970). | | \$228.00 |

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

| | | | | | |
|----------|--|---------|--|--|-----------|
| 2WD/MFD | | | | | |
| | | 743507 | 30 KPH Not available on the Farmall 105N model | | No Charge |
| MFD Only | | | | | |
| | | X28004X | 40KPH | | |
| | | | if ENGINE POWER is 106HP | | No Charge |
| | | | if ENGINE POWER is 96 HP | | \$560.00 |
| | | | if ENGINE POWER is 76 HP | | \$560.00 |

**FARMALL N SERIES TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

SD T2810 TRANSMISSION

| | | | | |
|--|---------|--|--|------------|
| | X28103X | Mech Shuttle 16X16 16x16 with mechanical shuttle | | No Charge |
| | 743509 | 16x16 Power Shuttle Requires 16.9 GPM Implement Pump (743524) | | \$1,998.00 |
| | 743510 | 32X16 Power Shuttle w/ Hi/Lo Requires 16.9 GPM Implement Pump (743524) | | \$3,611.00 |

SD T3230 CREEPER or Interlock

| | | | | |
|--|---------|-------------------------|--|------------|
| | XT3230X | Less standard creeper | | No Charge |
| | 335111 | Creeper 44+16 for Hi/Lo | | \$1,437.00 |

HITCH

SD T8200 HITCH

| | | | | |
|-----------|---------|--|--|-----------|
| ROPS Only | | | | |
| | XT8200X | Cat I/II 3-point hitch with Mechanical Draft Control | | No Charge |
| Cab Only | | | | |
| | 743523 | Electronic Draft Control_EDC Not available with 2WD on Farmall N | | No Charge |

REAR 3-POINT

SD T8960 3 - POINT LINKAGE-REAR

| | | | | |
|--|---------|-----------------------|--|-----------|
| | XT8960X | Fixed lower links | | No Charge |
| | 744479 | Lower Links Claw Ends | | No Charge |

HYDRAULICS

SD T8230 HYD PUMP

| | | | | |
|--|---------|---|--|-----------|
| | XT8230X | Standard hydraulic pump 12.7 GPM (48 L/min) implement pump Not available with Farmall 105N | | No Charge |
| | 743524 | 16.9 GPM implement pump Required with Power Shuttle Transmissions (743509 and 743510) Required with Farmall 105N and 105V | | |
| | | if ENGINE POWER is 106HP | | No Charge |
| | | if ENGINE POWER is 76 HP | | \$580.00 |
| | | if ENGINE POWER is 96 HP | | \$580.00 |

**FARMALL N SERIES TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

SD_T8270 REAR REMOTES

| Cab-ROPS | | | | |
|-----------|---------|---|--|------------|
| | X82701X | Base Rear Remote Valves 2 rear open center remote valves | | No Charge |
| | 743525 | 3rd Remote - 1 Flow Control 3 remotes, third valve with kick-out and flow control | | \$952.00 |
| | 743526 | 3 Remote, 2 Divert, 1 Flow CTL | | \$1,331.00 |
| ROPS Only | | | | |
| | 743527 | 3 Remote, 2 Divert, 2 Flow CTL Not available with electronic draft control (743523) | | \$1,346.00 |

MID-MOUNT VALVES

SD_T8280 MID-MOUNT VALVES

| Cab-ROPS | | | | |
|----------|---------|--|--|------------|
| | XT8280X | Base Equipment -See Std Featrs Less Mid-Mount Valve | | No Charge |
| CAB only | | | | |
| | 743970 | 2 Electronic Mid-Mount Valves with 10 couplers (Not compatible with Loader installation) Requires 16.9 GPM Implement Pump (743524) | | \$5,332.00 |

PTO

SD_T8010 PTO

| | | | | |
|--|---------|--|--|-----------|
| | X80103X | 540 PTO Speed | | No Charge |
| | 330808 | 540/1000 RPM Mechanical PTO. Includes two interchangeable shafts | | \$591.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| 2WD | | | | |
|-----|---------|---|--|--------------|
| | 743515 | 2WD Front Axle 2WD is only available on Farmall 75N ROPS tractors Requires 30 KPH (743507) Not available with 32 x 16 Power Shuttle with Hi/Lo (743510) | | (\$8,197.00) |
| MFD | | | | |
| | X40105X | Std 4WD & Electro Hyd Diff | | No Charge |

**FARMALL N SERIES TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

| 2WD | | | | | |
|-----|---------|--|--|--|------------|
| | 8109401 | 6.00-16 8PR F2 Only available on Farmall 75N ROPS | | | (\$734.00) |
| | 8112301 | 7.00-12 6PR F2 Only available on Farmall 75N ROPS | | | (\$536.00) |
| | 8199801 | Non-Return Ship Wheels - 2WD Only available on Farmall 75N ROPS Must be ordered with non-returnable rear shipping wheels | | | (\$911.00) |
| MFD | | | | | |
| | 8211401 | 7.50R16 A8 | | | No Charge |
| | 8218401 | 7.50R18 R1 | | | No Charge |
| | 8219401 | 7.50R18 A8 RIM 5.50 | | | No Charge |
| | 8807401 | 260/70R16 R1 | | | \$37.00 |
| | 8808401 | 280/70R16 A8 | | | \$12.00 |
| | 8809401 | 280/70R18 A8 | | | \$190.00 |
| | 8814401 | 240/70R16 A8 | | | \$105.00 |
| | 8299801 | Non-Return Ship Wheels - 4WD Must be ordered with non-returnable rear shipping wheels | | | (\$911.00) |

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

| | | | | | |
|--|---------|--|--|--|--------------|
| | 8350401 | 13.6R28, 340/85R28 R1 | | | No Charge |
| | 8351401 | 14.9R28, 380/85R28 R1 | | | No Charge |
| | 8935401 | 360/70R24 A8 | | | (\$217.00) |
| | 8938401 | 380/70R24 A8 | | | (\$383.00) |
| | 8940401 | 420/70R24 A8 | | | (\$229.00) |
| | 8948401 | 360/70R28 A8 | | | \$408.00 |
| | 8951401 | 420/70R28 A8 | | | \$600.00 |
| | 8399401 | Non-Returnable Ship Wh 24" This option sets the fender for use with 24" tires Must be ordered with non-returnable front shipping wheels | | | (\$1,294.00) |
| | 8399801 | Non-Returnable Shipping Wheel This option sets the fender for use with 28" and 30" tires Must be ordered with non-returnable front shipping wheels | | | (\$1,511.00) |

**FARMALL N SERIES TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

OTHER EQUIPMENT

FRONT BALLAST

SD T2150 FRONT BALLAST

| | | | | | |
|--|---------|---|--|--|-----------|
| | XT2150X | Standard less front ballast | | | No Charge |
| | 338243 | Carrier Weights (5) 4 weights (25 Kg/55 lbs each) + carrier with front tow hook (25 Kg/55 lbs) total weight = 125 Kg / 275 lbs. | | | \$502.00 |

REAR BALLAST

SD T4961 REAR BALLAST

| | | | | | |
|--|---------|---|--|--|-----------|
| | XT4961X | Standard less rear ballast | | | No Charge |
| | 744134 | Wheel Weights Rear wheel weights- 6 -70 lbs (420 lbs) weights on 24" wheels 4- 110 lbs (440 lbs) weights on 28" tires | | | \$604.00 |

OPERATOR'S MANUAL

SD T9802 OPERATORS MANUAL

| | | | | | |
|--|---------|-------------------------------|--|--|-----------|
| | XT9802X | Less add'l operator manual | | | No Charge |
| | 334986 | North American Spanish Manual | | | No Charge |

SD T9803 FRENCH OPERATOR MANUAL

| | | | | | |
|--|---------|-----------------------------|--|--|-----------|
| | XT9803X | Less French operator manual | | | No Charge |
| | 330472 | French operator's manual | | | No Charge |

FARMALL 105V TRACTOR
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

DIESEL ENGINE

105V
106 Gross Engine hp
92 PTO hp @ 2300 rpm
274 cu. in. (4.5L) Displacement
4 Cyl Turbocharged Intercooled Eng

U.S. - EPA Tier III Emissions Compliant
Bosch Fuel Injection Pump
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Under Hood Muffler
Horizontal Exhaust
19.3 gallon Fuel Capacity

CLUTCH/TRANSMISSION:

11 in. Cerametallic Driveline Clutch
16F x 16R (4 ranges of 4 synchronized gears)
Synchronized Mechanical Shuttle

FRONT AXLE:

FWD
Electrohydraulic FWD Engagement
55° Turn Angle
8° Axle Oscillation

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes (equalizing and self-adjusting)
Independent Park Brake - hand operated

DIFFERENTIAL LOCK:

FWD
Electrohydraulic Engaged
Front and Rear

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump
16.9 gpm (64L/m)
Steering Pump:
7.2 gpm (27L/m)
(2) Rear Open Center Remote Valves

PTO

11 in. Cerametallic PTO Clutch
Independent, 540 rpm
Single Lever, Hydraulic Servo-Assist Engagement
Fixed PTO Shaft Guard

3-POINT LIFT SYSTEM

(2) Lever Controls (one for position, one for draft)
Fast Raise/Lower Control
4045 lbs. Lift Capacity (SAE)
Category II Fixed Link Ends - convertible Width to Category I and IN
Adjustable Stabilizer Plates with screw type limiters
Lower Link Draft Sensing

INSTRUMENTATION:

Electronic Instrument Cluster with Digital Readout for PTO rpm and Ground Speed

Rear tires:

11.2R24 (8337401)

Front tires:

8.0/75-15 (8260301)

**FARMALL 105V TRACTOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ELECTRICAL:

(1) 12-volt, 800 cca Battery -
120 amp Alternator 800 CCA
7-Pin Outlet for Trailer/Implement
lighting
4-Pin Power Outlet (40 amp)
Single Pin (8 amp) Accessory Power
outlet

LIGHTING:

(2) Halogen Front Headlights
Turn Signals/Flashers
(1) Rear Worklight - ROPS
(2) Front and (2) Rear Halogen
Worklights - CAB

**OPERATOR PROTECTIVE STRUCTURE:
ROPS**

Foldable Midmounted Roll Bar
Isolation Mounted Platform
Telescopic Steering Wheel
Vinyl Seat Cover with Operator's
Presence Sensor

CAB

Deluxe Cab with Heater and Air
Conditioner
(2) Cab External Air Filters
(2) Cab Interior Recirculation Filters

OPERATOR PROTECTIVE STRUCTURE:

CAB (continued)
Isolation Mounted Cab
Integral ROPS
(2) Doors with Locks
Tinted Glass
Hinged Rear Window
Rear Cab Access Panel for
Control/Monitor Box
or Wiring Harness Entrance
Front Wiper and Washer
Telescoping Steering Wheel
Interior Rearview Mirror
Cloth Seat Cover with operator's
presence sensor

MISCELLANEOUS:

Pivoting Engine Hood
Engine Compartment Side Protection
Shields
Swinging Drawbar with Clevis Hitch
Lower Fuel Tank Protection Shield
SMV Emblem

WARRANTY:

Case IH Standard Warranty Applies

**FARMALL 105V TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)
Models

| COMMERCIAL MODEL | VERSION | ENGINE POWER | Weight | List Price |
|----------------------|---------|--------------|----------|-------------|
| FARMALL 105V SPCIALT | Cab | 106HP | 7,237 LB | \$63,691.00 |
| FARMALL 105V SPCIALT | Rops | 106HP | 8,360 LB | \$53,125.00 |

Factory Supplied Options

| Order Code | Description | Weight | List Price |
|------------|-------------|--------|------------|
|------------|-------------|--------|------------|

OPERATOR STRUCTURE

SD_T9233 CARBON FILTERS

| Cab-ROPS | | | |
|----------|--|--|-----------|
| XT9233X | Less Carbon Air Filter | | No Charge |
| CAB | | | |
| 331645 | Carbon Air Filter Supplied in a box inside cab (Not Installed) | | \$240.00 |

RADIO

SD_T9160 RADIO READY

| CAB & ROPS | | | |
|------------|---------------------------|--|-----------|
| XT9160X | Standard less radio ready | | No Charge |
| CAB Only | | | |
| 743974 | Radio | | \$350.00 |

MIRRORS

SD_T9365 EXTERNAL MIRRORS

| ROPS only | | | |
|-----------|--------------------------------|--|-----------|
| X93652X | Less Mirrors (ROPS) | | No Charge |
| CAB only | | | |
| XT9365X | Standard less manual mirrors | | No Charge |
| 332879 | 2 Mirror Cab, 1 Left & 1 Right | | \$163.00 |

SD_T9368 CAB INTERNAL MIRROR

| Cab-ROPS | | | |
|----------|-------------------------------|--|-----------|
| XT9368X | Standard less internal mirror | | No Charge |

**FARMALL 105V TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

| | | | | |
|----------|--------|---------------------|--|---------|
| CAB only | | | | |
| | 330881 | Cab interior mirror | | \$82.00 |

BEACON LIGHTING

SD_T9146 ROTARY BEACON

| | | | | |
|-----------|---------|---------------------------|--|-----------|
| Cab-ROPS | | | | |
| | XT9146X | Less LH rotary beacon | | No Charge |
| ROPS only | | | | |
| | 331916 | Rotating beacon-left side | | \$195.00 |
| CAB only | | | | |
| | 336920 | Foldable Beacon | | \$250.00 |

SEAT

SD_T8500 SEAT

| | | | | |
|------|--------|--|--|-----------|
| ROPS | | | | |
| | 333155 | ROPS Seat belt & Oper. Pre. Sw Vinyl seat with seat belt and operators presence sensor | | No Charge |
| CAB | | | | |
| | 335859 | Deluxe Fabric Seat with seat belt, and operator presence sensor | | No Charge |
| | 337859 | Deluxe Fabric Seat w/Air Susp with seat belt, and operator presence sensor | | \$841.00 |

ENGINE

EXHAUST SYSTEMS

SD_T1510 ENGINE EXHAUST

| | | | | |
|------------|--------|---|--|-----------|
| CAB & ROPS | | | | |
| | 332150 | Horizontal exhaust with guard and dry air cleaner | | No Charge |
| CAB | | | | |
| | 331151 | Vert Exhaust w/guard Compatible with 95N, 105N and 105V. Not compatible with 75N when equipped with 2 Electronic Mid-Mount Valves (743970). | | \$228.00 |

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

| | | | | |
|----------|---------|-------|--|-----------|
| MFD Only | | | | |
| | X28004X | 40KPH | | No Charge |

**FARMALL 105V TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

SD T2810 TRANSMISSION

| | | | | | |
|--|---------|--|--|--|------------|
| | X28103X | Mech Shuttle 16X16 16x16 with mechanical shuttle | | | No Charge |
| | 743509 | 16x16 Power Shuttle Requires 16.9 GPM Implement Pump (743524) | | | \$1,998.00 |
| | 743510 | 32X16 Power Shuttle w/ Hi/Lo Requires 16.9 GPM Implement Pump (743524) | | | \$3,611.00 |

SD T3230 CREEPER or Interlock

| | | | | | |
|--|---------|-------------------------|--|--|------------|
| | XT3230X | Less standard creeper | | | No Charge |
| | 335111 | Creeper 44+16 for Hi/Lo | | | \$1,437.00 |

HITCH

SD T8200 HITCH

| | | | | | |
|-----------|---------|--|--|--|-----------|
| ROPS Only | | | | | |
| | XT8200X | Cat I/II 3-point hitch with Mechanical Draft Control | | | No Charge |
| Cab Only | | | | | |
| | 743523 | Electronic Draft Control_EDC Not available with 2WD on Farmall N | | | No Charge |

SD T8990 IDR TOP LINK/RH LIF

| | | | | | |
|--|---------|------------------------------|--|--|-----------|
| | XT8990X | Mech Adjustable Linkage | | | No Charge |
| | 743536 | Hydraulic Adjustable Linkage | | | \$613.00 |

REAR 3-POINT

SD T8960 3 - POINT LINKAGE-REAR

| | | | | | |
|--|---------|-----------------------|--|--|-----------|
| | XT8960X | Fixed lower links | | | No Charge |
| | 744479 | Lower Links Claw Ends | | | No Charge |

HYDRAULICS

SD T8230 HYD PUMP

| | | | | | |
|--|--------|---|--|--|-----------|
| | 743524 | 16.9 GPM implement pump Required with Power Shuttle Transmissions (743509 and 743510) Required with Farmall 105N and 105V | | | No Charge |
|--|--------|---|--|--|-----------|

SD T8270 REAR REMOTES

| | | | | | |
|----------|---------|--|--|--|-----------|
| Cab-ROPS | | | | | |
| | X82701X | Base Rear Remote Valves 2 rear open center remote valves | | | No Charge |

**FARMALL 105V TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

| | | | | | |
|-----------|--------|---|--|--|------------|
| | 743525 | 3rd Remote - 1 Flow Control 3 remotes, third valve with kick-out and flow control | | | \$952.00 |
| | 743526 | 3 Remote, 2 Divert, 1 Flow CTL | | | \$1,331.00 |
| ROPS Only | | | | | |
| | 743527 | 3 Remote, 2 Divert, 2 Flow CTL Not available with electronic draft control (743523) | | | \$1,346.00 |

MID-MOUNT VALVES

SD_T8280 MID-MOUNT VALVES

| | | | | | |
|----------|---------|--|--|--|------------|
| Cab-ROPS | | | | | |
| | XT8280X | Base Equipment -See Std Featrs Less Mid-Mount Valve | | | No Charge |
| CAB only | | | | | |
| | 743970 | 2 Electronic Mid-Mount Valves with 10 couplers (Not compatible with Loader installation) Requires 16.9 GPM Implement Pump (743524) | | | \$5,332.00 |

PTO

SD_T8010 PTO

| | | | | | |
|--|---------|--|--|--|-----------|
| | X80103X | 540 PTO Speed | | | No Charge |
| | 330808 | 540/1000 RPM Mechanical PTO. Includes two interchangeable shafts | | | \$591.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | |
|-----|---------|----------------------------|--|--|-----------|
| MFD | | | | | |
| | X40105X | Std 4WD & Electro Hyd Diff | | | No Charge |

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | |
|--|---------|---|--|--|------------|
| | 8260301 | 8.0/75-15 6PR R1 | | | No Charge |
| | 8806401 | 200/70R16 A8 | | | \$152.00 |
| | 8808401 | 280/70R16 A8 | | | \$352.00 |
| | 8814401 | 240/70R16 A8 | | | \$395.00 |
| | 8299801 | Non-Return Ship Wheels - 4WD Must be ordered with non-returnable rear shipping wheels | | | (\$420.00) |

**FARMALL 105V TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

| | | | | | |
|--|---------|---|--|--|------------|
| | 8337401 | 11.2R24 A8 | | | No Charge |
| | 8929401 | 360/70R20 A8 Requires rear fenders with extensions (744478) Requires hydraulic rod (743536) Not compatible with rear wheel weights (744134) | | | \$1,087.00 |
| | 8935401 | 360/70R24 A8 | | | \$969.00 |
| | 8948401 | 360/70R28 A8 | | | \$679.00 |
| | 8399401 | Non-Returnable Ship Wh 24" This option sets the fender for use with 24" tires Must be ordered with non-returnable front shipping wheels | | | (\$525.00) |
| | 8399801 | Non-Returnable Shipping Wheel This option sets the fender for use with 28" and 30" tires Must be ordered with non-returnable front shipping wheels | | | (\$525.00) |

OTHER EQUIPMENT

FRONT BALLAST

SD T2150 FRONT BALLAST

| | | | | | |
|--|---------|---|--|--|-----------|
| | XT2150X | Standard less front ballast | | | No Charge |
| | 338243 | Carrier Weights (5) 4 weights (25 Kg/55 lbs each) + carrier with front tow hook (25 Kg/55 lbs) total weight = 125 Kg / 275 lbs. | | | \$502.00 |

REAR BALLAST

SD T4961 REAR BALLAST

| | | | | | |
|--|---------|---|--|--|-----------|
| | XT4961X | Standard less rear ballast | | | No Charge |
| | 744134 | Wheel Weights Rear wheel weights- 6 -70 lbs (420 lbs) weights on 24" wheels 4- 110 lbs (440 lbs) weights on 28" tires | | | \$604.00 |

OPERATOR'S MANUAL

SD T9802 OPERATORS MANUAL

| | | | | | |
|--|---------|-------------------------------|--|--|-----------|
| | XT9802X | Less add'l operator manual | | | No Charge |
| | 334986 | North American Spanish Manual | | | No Charge |

**FARMALL 105V TRACTOR
US PRICE LIST**

(Ex Works Port of Entry)

SD T9803 FRENCH OPERATOR MANUAL

| | | | | | | |
|--|--|---------|-----------------------------|--|--|-----------|
| | | XT9803X | Less French operator manual | | | No Charge |
| | | 330472 | French operator's manual | | | No Charge |



PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL N and V SERIES TRACTORS

| Part # | Description | Approx. Install Time (hours) | Farmall 75N | Farmall 95N | Farmall 105N |
|---------------|-------------------------------|-------------------------------------|--------------------|--------------------|---------------------|
| 719879020 | Two external mirrors - Cab | 2 | X | X | X |
| 710206034 | Engine Block Heater, 110 volt | 1.5 | | X | X |
| 710206084 | Engine Block Heater, 110 volt | 1.5 | X | | |
| 718367020 | 3rd Rear Remote Valve w/float | 4 | X | X | X |

Farmall Specialties N & V Tire Chart



| Tire Combinations for 2WD FARMALL 75N | | | | |
|---------------------------------------|-------------------------|------------------------------|--------------------------|-------------------------------------|
| Rear Tires and Wheels | | Front Wheels and Tires | | |
| Code | Description | 8109401 6.00-16 8PR F2 | 8112301 7.00-12 F2 | 8199801 Front Shipping Wheels |
| 8350401 | 13.6R28 (R1) | X | | |
| 8351401 | 14.9R28 (R1) | X | | |
| 8935401 | 360/70R24 (R1) | | X | |
| 8948401 | 360/70R28 (R1) | X | | |
| 8938401 | 380/70R24 (R1) | | X | |
| 8940401 | 420/70R24 (R1) | | X | |
| 8951401 | 420/70R28 (R1) | | X | |
| 8399401 | Non-Returnable Ship 24" | | | X |
| 8399801 | Rear Shipping Wheels | | | X |

| Tire Combinations for MFD FARMALL 75N, 95N, 105N and 105V | | | | | | | | | | | |
|---|-------------------------|---------------------------|---------------------------|---------------------------|------------------------------|------------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|-------------------------------------|
| Rear Tires and Wheels | | Front Wheels and Tires | | | | | | | | | |
| Code | Description | 8211401 7.50R16 R1* | 8218401 7.50R18 R1* | 8219401 7.50R18 R1* | 8260301 8.0/75R15 R1** | 8806401 200/70R16 R1** | 8814401 240/70R16 R1 | 8807401 260/70R16 R1* | 8808401 280/70R16 R1 | 8809401 280/70R18 R1* | 8299801 Front Shipping Wheels |
| 8337401 | 11.2R24 (R1)** | | | | X | | | | | | |
| 8350401 | 13.6R28 (R1)* | X | X | X | | | | | | | |
| 8351401 | 14.9R28 (R1)* | X | X | | | | | | | | |
| 8929401 | 360/70R20 (R1)** | | | | | X | | | | | |
| 8935401 | 360/70R24 (R1) | | | | | | X | | | | |
| 8948401 | 360/70R28 (R1) | | | | | | | X | | | |
| 8938401 | 380/70R24 (R1)* | X | | | | | X | X | | | |
| 8940401 | 420/70R24 (R1)* | | | | | | X | | X | | |
| 8951401 | 420/70R28 (R1)* | | | | | | | | | X | |
| 8399401 | Non-Returnable Ship 24" | | | | | | | | | | X |
| 8399801 | Rear Shipping Wheels | | | | | | | | | | X |

NOTE: ALL SHIPPING WHEELS SHOWN ARE NON-RETURNABLE

KEY

* = Farmall N ONLY

** = Farmall V ONLY



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

**L540 LOADER FOR FARMALL N TRACTORS
US PRICE LIST**

(Ex Works Telford, TN)

Standard Equipment

MODEL COMPATIBILITY:

Model L540 Tractor Mounted Farm
Loader - For installation on the
Farmall 75N, 95N & 105N

SPECIFICATIONS:

SPECIFICATIONS:
For L540 Loader with
Farmall 75N, 95N & 105N

STANDARD EQUIPMENT:

Bucket Level Indicator

Loader specifications may vary with
tractor model, hydraulic system,
tire size, etc.

WARRANTY:

Case IH Standard Warranty Applies

(specifications to be determined)

ORDER CONFIGURATIONS:

Base loader orders (NON-Fast Pick)
must be ordered with the following
components to be complete:
-Mounting Kit
-Hydraulic Joystick/Valve Package
-Bucket

**L540 LOADER FOR FARMALL N TRACTORS
US PRICE LIST**

(Ex Works Telford, TN)

Models

| COMMERCIAL MODEL | VERSION | Weight | | List Price |
|------------------|----------|----------|--|------------|
| L540 LOADER | Standard | 1,300 LB | | \$4,054.00 |

Factory Supplied Options

| Order Code | Description | Weight | | List Price |
|------------|-------------|--------|--|------------|
|------------|-------------|--------|--|------------|

MOUNTING BRACKETS

SD_N5802 REAR BRACKETS

| | | | | | | |
|--|--|---------|--|--|--|------------|
| | | XN5802X | No Rear Mounting Brackets | | | No Charge |
| | | 424994 | Rear Mounting Brackets Mounting brackets for Farmall 75N, 95N & 105N | | | \$1,540.00 |

HYDRAULICS

SD_20005 2 RMT MID VALVE

| | | | | | | |
|--|--|---------|---|--|--|------------|
| | | X20005X | No selection | | | No Charge |
| | | 424993 | MMV 2 function with joystick Valve and joystick for Farmall 75N, 95N & 105N | | | \$1,045.00 |

LOADER BUCKETS AND ATTACHMENTS

SD_K5230 BUCKET

| | | | | | | |
|--|--|---------|---|--|--|-----------|
| | | XK5230X | No Bucket | | | No Charge |
| | | 730417 | 84" Std Material Bucket Q/A Skid Steer Style QA 0.59 yd³ struck capacity, 0.71 yd³ heaped capacity For L540 Standard only | | | \$961.00 |

SD_N5242 72 INCH MATERIAL BUCKET

| | | | | | | |
|--|--|---------|--|--|--|-----------|
| | | XN5242X | No 72 Inch Material Bucket | | | No Charge |
| | | 715727 | 72 in. Material Q/A Skid Steer Style QA 0.51 yd³ struck capacity, 0.61 yd³ heaped capacity | | | \$825.00 |

**L540 LOADER FOR FARMALL N TRACTORS
US PRICE LIST**

(Ex Works Telford, TN)

OTHER EQUIPMENT - LOA

SD N5343 BALE FRK WITH BACK STOP

| | | | | | |
|--|---------|--------------------------|--|--|------------|
| | XN5343X | No Bale Fork w Back Stop | | | No Charge |
| | 730842 | Bale Fork w Back Stop | | | \$1,101.00 |

**L540 LOADER FOR FARMALL N TRACTORS
US PRICE LIST**

(Ex Works Telford, TN)

Factory Supplied Attachments

| Order Code | Description | Weight | | List Price |
|------------|-------------|--------|--|------------|
|------------|-------------|--------|--|------------|

Mounting Kits

| | | | | | |
|--|-----------|--|--------|--|------------|
| | 424994006 | FARMALL N 1 PC Subframe For Farmall 75N, 95N and 105N | 502 KG | | \$1,540.00 |
|--|-----------|--|--------|--|------------|

Hydraulic Kits

| | | | | | |
|--|-----------|---|-------|--|------------|
| | 424993006 | FARMALL N 2 Function MMV and Joystick Valve and joystick for Farmall 75N, 95N & 105N | 75 KG | | \$1,045.00 |
|--|-----------|---|-------|--|------------|

Buckets

| | | | | | |
|--|-----------|--|--------|--|----------|
| | 715727026 | 72" Utility Bucket 0.51yd ³ struck capacity, 0.61yd ³ heaped capacity | 476 KG | | \$825.00 |
| | 730417006 | 84" Utility Bucket 0.59yd ³ struck capacity, 0.71yd ³ heaped capacity | 310 KG | | \$961.00 |

Additional Equipment

| | | | | | |
|--|-----------|--|--------|--|------------|
| | 730405006 | Square Bale Fork - 55" (2 long tines) CORE SSL Style - Big Bale Fork 55" (2 long tines). | 169 KG | | \$1,293.00 |
| | 715106026 | Bale spike CORE SSL Style - Bale Spike (one long tine and one short tine maintains bale control) | 132 KG | | \$994.00 |
| | 730842006 | Bale Fork with Back Stop SSL | 198 KG | | \$1,101.00 |