MINNESOTA
PRICING SCHEDULE
(Typed responses required)

Vendor Name:	**Deere & Company**
Contact Person:	**Tamara Hebert**
Street Address:	**2000 John Deere Run**
P.O. Box:	
City, State, Zip	**Cary, NC 27513**
Phone #:	**800-358-5010, option 2**
Toll Free #:	**800-358-5010, option 2**
Fax #:	**309-749-2313**
Email Address:	GovContractSupport@JohnDeere.com

SPEC #	REQUESTED INFORMATION	ANSWER
1.0	**TRACTOR CATALOG SECTION PRICE PRICE LIST TITLE:**	**FR_Plant_20151109.pdf**
	DATE AND ID# OF PRICE LIST:	**FR_Plant_20151109**
	PERCENTAGE DISCOUNT TO BE APPLIED TO PRICE LIST:	**17%**
1.1	Price for manuals, (service, parts, repair, and operations)	N/A
1.2	Price for set of fluid and air filters	N/A
2.0	**PERFORMANCE/EXTENDED WARRANTY OPTIONS** Offer performance/warranty options. Numbers starting with 2.1, 2.2, etc. (Specify years, miles or hours extended term covers.)	
2.1	_____	No Bid
2.2	_____	No Bid
3.0	**INSTALLATION - PER HOUR** Installation services may be requested on an "as needed" basis. See Special Terms and Conditions	N/A
4.0	**NEW EQUIPMENT RENTAL PROGRAM** If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	No Bid
	Weekly Rental Rate:	No Bid
	Monthly Rental Rate:	No Bid
	Percent (%) of Rental Fee applied to purchase price:	N/A
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: ___N/A_____	
5.0	**VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM** See Special Terms and Conditions. DEDUCT cost per Used Hour from the original Contract Price	No Bid
6.0	**PERCENTAGE DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES** See Special Terms and Conditions	0% for incidental miscellaneous non-contract items; 17% for attachments/accessories on contract.
7.0	**DELIVERY STARTING POINT -** **City, State, Zip**	Location of delivering John Deere dealer
	See Special Terms and Conditions - No flat rate allowed	$4 per loaded mile

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator

Equipment for Base Machine

Number of Openers: 13
Available Row Spacings: 7.5 In.
Working Width: 8 Ft. 1 In.
Transport Width: 10 Ft.
Opener Type: 13 In. Double Disk / Staggered Pattern
Seedboot Types: Cast Aluminum or Cast Iron
Opener Downpressure: 124 lbs. Maximum
Metering: Fluted Feed
Transport Ground Clearance: 5.5 In.
Weight with Plain Box (7.5 In. Spacing): 1,330 lb.
Weight with Combo Box (7.5 In. Spacing): 1,475 lb.
Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement
Box Capacity (Plain Box): 2.8 Bushel/Ft. - 22.4 Bushel
Box Capacity (Combo Box): 3.4 Bushel/Ft.
40 Percent Grain: 10.8 Bushel
60 Percent Grain: 14.6 Bushel
100 Percent Grain: 22.1 Bushel
Box Capacity (Grass Seed): 1.5 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3001XF	BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator	13,313.00

BOX TYPE

1000	Plain Grain	In Base Price
1010	Combination Grain/Fertilizer	4,026.00

OPENER TYPE

2035	Double Disk Aluminum Boot	In Base Price
2045	Double Disk Cast Iron Boot	1,023.00

TIRES

3100	7.50 x 20 Farm Implement	In Base Price
3105	7.50 x 20 Double Rib	-100.00

SPECIAL EQUIPMENT - FACTORY INSTALLED

8003	Grass Seed Box	1,402.00
8010	Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets *If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.*	680.00

ATTACHMENTS - ORDER AS DESIRED

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS - ORDER AS DESIRED ...Continued...	
9005		Cover Chains	68.00
9009		1 x 12 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	545.00
9010		2 x 13 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	586.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	903.00
9040		Double Disk Outside Scrapers *Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.*	268.00
9050		Outside Scraper Conversion Parts, 26 Pair *Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.*	132.00
9060		Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	3,426.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	5YTBN160419	Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 *Must also order desired press wheels and footboard extension brackets.*	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair *Must also order conversion parts if used in combination with depth gauging press wheels.*	126.21

BD1108 End Wheel Grain Drill, 7.5 In. Spacing, 13 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5YTBN210945	Footboard Extension Brackets *Order 1 for each machine to be equipped with depth gauging press wheels.*	39.41
	5YT7015199	French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906606	Grass Seed Attachment for 13 Openers *For 13 opener, 7.5 In. spacing configuration.*	1,483.92
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair *Required on drill with depth gauging press wheels AND outside scrapers.*	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	273.40

THIS PAGE IS INTENTIONALLY LEFT BLANK

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator

Equipment for Base Machine

Number of Openers: 21
Row Spacing: 6 In.
Working Width: 10 Ft. 6 In.
Transport Width: 12 Ft. 6 In.
Opener Type: 13 In. Double Disk / Staggered Pattern
Seedboot Types: Cast Aluminum or Cast Iron
Opener Downpressure: 124 lbs. Maximum
Metering: Fluted Feed
Transport Ground Clearance: 5.5 In.
Weight with Plain Box (7.5 In. Spacing): 1,600 lb.
Weight with Combo Box (7.5 In. Spacing): 1,800 lb.
Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box): 2.8 Bushel/Ft. - 28 Bushel
Box Capacity (Combo Box): 3.4 Bushel/Ft.
40 Percent Grain: 13.5 Bushel
60 Percent Grain: 18.2 Bushel
100 Percent Grain: 27.6 Bushel
Box Capacity (Grass Seed): 1.5 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category	
		BASE MACHINE	
3002XF		BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator	15,226.00
		BOX TYPE	
1000		Plain Grain	In Base Price
1010		Combination Grain/Fertilizer	4,524.00
		OPENER TYPE	
2035		Double Disk Aluminum Boot	In Base Price
2045		Double Disk Cast Iron Boot	1,653.00
		TIRES	
3100		7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003		Grass Seed Box	2,483.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets *If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.*	1,078.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	103.00

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS - ORDER AS DESIRED ...Continued...	
9009		1 x 12 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	880.00
9010		2 x 13 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	946.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	1,459.00
9040		Double Disk Outside Scrapers *Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.*	403.00
9050		Outside Scraper Conversion Parts, 26 Pair *Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.*	132.00
9060		Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	5,746.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	5YTBN160419	Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 *Must also order desired press wheels and footboard extension brackets.*	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair *Must also order conversion parts if used in combination with depth gauging press wheels.*	126.21
	5YTBN210945	Footboard Extension Brackets *Order 1 for each machine to be equipped with depth gauging press wheels.*	39.41

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5YT7015199	French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN907037	Grass Seed Attachment for 21 Openers *For 21 opener, 6 In. spacing configuration.*	2,487.24
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair *Required on drill with depth gauging press wheels AND outside scrapers.*	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	273.40

BD1110 End Wheel Grain Drill, 6 In. Spacing, 21 Openers, and Standard Grain Agitator
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator

Equipment for Base Machine

Number of Openers: 17
Available Row Spacings: 7.5 In.
Working Width: 10 Ft. 7 In.
Transport Width: 12 Ft. 6 In.
Opener Type: 13 In. Double Disk / Staggered Pattern
Seedboot Types: Cast Aluminum or Cast Iron
Opener Downpressure: 124 lbs. Maximum
Metering: Fluted Feed
Transport Ground Clearance: 5.5 In.
Weight with Plain Box (7.5 In. Spacing): 1,600 lb.
Weight with Combo Box (7.5 In. Spacing): 1,800 lb.
Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box): 2.8 Bushel/Ft. - 28 Bushel
Box Capacity (Combo Box): 3.4 Bushel/Ft.
40 Percent Grain: 13.5 Bushel
60 Percent Grain: 18.2 Bushel
100 Percent Grain: 27.6 Bushel
Box Capacity (Grass Seed): 1.5 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category	
		BASE MACHINE	
3004XF		BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator	14,447.00
		BOX TYPE	
1000		Plain Grain	In Base Price
1010		Combination Grain/Fertilizer	4,517.00
		OPENER TYPE	
2035		Double Disk Aluminum Boot	In Base Price
2045		Double Disk Cast Iron Boot	1,339.00
		TIRES	
3100		7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003		Grass Seed Box	2,391.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets *If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.*	879.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	68.00

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS - ORDER AS DESIRED ...Continued...	
9009		1 x 12 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	713.00
9010		2 x 13 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	766.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	1,181.00
9040		Double Disk Outside Scrapers *Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.*	268.00
9050		Outside Scraper Conversion Parts, 26 Pair *Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.*	132.00
9060		Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	4,652.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	5YTBN160419	Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 *Must also order desired press wheels and footboard extension brackets.*	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair *Must also order conversion parts if used in combination with depth gauging press wheels.*	126.21
	5YTBN210945	Footboard Extension Brackets *Order 1 for each machine to be equipped with depth gauging press wheels.*	39.41

BD1110 End Wheel Grain Drill, 7.5 In. Spacing, 17 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5YT7015199	French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906607	Grass Seed Attachment for 17 Openers *For 17 opener, 7.5 In. spacing configuration.*	2,409.48
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair *Required on drill with depth gauging press wheels AND outside scrapers.*	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	273.40

THIS PAGE IS INTENTIONALLY LEFT BLANK

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator

Equipment for Base Machine

Number of Openers: 26
Available Row Spacings: 6 In.
Working Width: 13 Ft.
Transport Width: 15 Ft. 1 In.
Opener Type: 13 In. Double Disk / Staggered Pattern
Seedboot Types: Cast Aluminum or Cast Iron
Opener Downpressure: 124 lbs. Maximum
Metering: Fluted Feed
Transport Ground Clearance: 5.5 In.
Weight with Plain Box (7.5 In. Spacing): 2,225 lb.
Weight with Combo Box (7.5 In. Spacing): 2,435 lb.
Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box): 2.8 Bushel/Ft. - 36.4 Bushel
Box Capacity (Combo Box): 3.4 Bushel/Ft.
40 Percent Grain: 17.5 Bushel
60 Percent Grain: 23.6 Bushel
100 Percent Grain: 35.9 Bushel
Box Capacity (Grass Seed): 1.7 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category	
		BASE MACHINE	
3003XF		BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator	17,758.00
		BOX TYPE	
1000		Plain Grain	In Base Price
1010		Combination Grain/Fertilizer	4,877.00
		OPENER TYPE	
2035		Double Disk Aluminum Boot	In Base Price
2045		Double Disk Cast Iron Boot	2,047.00
		TIRES	
3100		7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003		Grass Seed Box	2,603.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets *If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.*	1,327.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	103.00

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS - ORDER AS DESIRED ...Continued...	
9009		1 x 12 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	1,090.00
9010		2 x 13 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	1,172.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	1,807.00
9040		Double Disk Outside Scrapers *Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.*	403.00
9050		Outside Scraper Conversion Parts, 26 Pair *Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.*	132.00
9060		Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	7,115.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	5YTBN160419	Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 *Must also order desired press wheels and footboard extension brackets.*	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair *Must also order conversion parts if used in combination with depth gauging press wheels.*	126.21
	5YTBN210945	Footboard Extension Brackets *Order 1 for each machine to be equipped with depth gauging press wheels.*	39.41

BD1113 End Wheel Grain Drill, 6 In. Spacing, 26 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5YT7015199	French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906612	Grass Seed Attachment for 26 Openers *For 26 opener, 6 In. spacing configuration.*	2,778.84
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair *Required on drill with depth gauging press wheels AND outside scrapers.*	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	273.40

THIS PAGE IS INTENTIONALLY LEFT BLANK

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator

Equipment for Base Machine

Number of Openers: 21
Available Row Spacings: 7.5 In.
Working Width: 13 Ft. 1 In.
Transport Width: 15 Ft. 1 In.
Opener Type: 13 In. Double Disk / Staggered Pattern
Seedboot Types: Cast Aluminum or Cast Iron
Opener Downpressure: 124 lbs. Maximum
Metering: Fluted Feed
Transport Ground Clearance: 5.5 In.
Weight with Plain Box (7.5 In. Spacing): 2,225 lb.
Weight with Combo Box (7.5 In. Spacing): 2,435 lb.
Tires: 7.5-20, 4PR Rib Implement OR 7.5-20, 4PR Double-Rib Implement

Box Capacity (Plain Box): 2.8 Bushel/Ft. - 36.4 Bushel
Box Capacity (Combo Box): 3.4 Bushel/Ft.
40 Percent Grain: 17.5 Bushel
60 Percent Grain: 23.6 Bushel
100 Percent Grain: 35.9 Bushel
Box Capacity (Grass Seed): 1.7 Bushel
Acremeter: Standard
Assembly/Set-Up Time: 3 Man-Hours for Base Machine, 1 Additional Hour for Grass Seed Attachment
Warranty: 1 Year Parts and Labor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category	
		BASE MACHINE	
3005XF		BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator	16,207.00
		BOX TYPE	
1000		Plain Grain	In Base Price
1010		Combination Grain/Fertilizer	4,868.00
		OPENER TYPE	
2035		Double Disk Aluminum Boot	In Base Price
2045		Double Disk Cast Iron Boot	1,653.00
		TIRES	
3100		7.50 x 20 Farm Implement	In Base Price
3105		7.50 x 20 Double Rib	-100.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8003		Grass Seed Box	2,501.00
8010		Depth Gauge Press Wheel Arm Less Wheel with Footboard Extension Brackets *If Depth Gauge Press Wheel Arms are ordered, you must order option code 9009, or 9010, or 9012 Press Wheel.*	1,078.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Cover Chains	103.00

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS - ORDER AS DESIRED ...Continued...	
9009		1 x 12 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	880.00
9010		2 x 13 Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	946.00
9012		4 x 12 Double Rib Depth Gauge Press Wheel *If code 8010 Press Wheel Arms are ordered, you must order a Depth Gauge Press Wheel (Option 9009, or 9010, or 9012). Press Wheel options include the necessary number of wheels for chosen machine configuration.*	1,459.00
9040		Double Disk Outside Scrapers *Note: Must also order outside scraper conversion parts (option 9050) if used in combination with depth gauging press wheels.*	403.00
9050		Outside Scraper Conversion Parts, 26 Pair *Note: Required on drill with depth gauging press wheels AND double disk outside scrapers.*	132.00
9060		Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	5,746.00
9200		French Operators Manual and Decals (BD11 Drills)	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	5YTBN160419	Cover Chains, Quantity 10	38.99
	5YTAN281515	Depth Gauging Press Wheel 1 x 12, Quantity 1	47.02
	5YTAN162400	Depth Gauging Press Wheel 2 x 13, Quantity 1	51.20
	5YTAN280393	Depth Gauging Press Wheel 4 x 12 Double Rib, Quantity 1	80.53
	5YTBN280000	Depth Gauging Press Wheel Arm Less Wheel, Quantity 1 *Must also order desired press wheels and footboard extension brackets.*	62.03
	5YTBN211069	Double Disk Opener Assembly with Long Aluminum Boot	231.10
	5YTBN211071	Double Disk Opener Assembly with Long Cast Iron Boot	313.71
	5YTBN211068	Double Disk Opener Assembly with Short Aluminum Boot	223.17
	5YTBN211070	Double Disk Opener Assembly with Short Cast Iron Boot	305.78
	5YTAN282365	Double Disk Outside Scrapers, 10 Pair *Must also order conversion parts if used in combination with depth gauging press wheels.*	126.21
	5YTBN210945	Footboard Extension Brackets *Order 1 for each machine to be equipped with depth gauging press wheels.*	39.41

BD1113 End Wheel Grain Drill, 7.5 In. Spacing, 21 Openers, and Standard Grain Agitator
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5YT7015199	French Operators Manual and Decals (BD11 Drills)	223.69
	5YTBN906611	Grass Seed Attachment for 21 Openers *For 21 opener, 7.5 In. spacing configuration.*	2,665.44
	5YTAN212672	Outside Scraper Conversion Parts, 26 Pair *Required on drill with depth gauging press wheels AND outside scrapers.*	143.89
	5YTBN210047	Tru-Vee Opener Attachment, One Row *For use with aluminum boot furrow openers only. Does not include opener.*	273.40

THIS PAGE IS INTENTIONALLY LEFT BLANK

FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder

Equipment for Base Machine

Machine Weight: 660 lbs.
Tractor Horsepower Range: 30-50 HP
Working Width: 42 In.
Unit Length: 62 In.
Unit Height: 43 In.
Number of Blades: 6
Blade Diameter: 16 In.
Blade Thickness: 3 mm
Blade Spacing: 8.25 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square
Gang Adjustment: Pinned Adjustment
Cultipacker Drag Width: 45 In. (Standard)
CultiPacker Roller Width: 48 In. (Optional)
Seeding Width: 45 In.
Seed Box Capacity: 45 lbs.

3 Point Hitch Type: Category I
iMatch Compatible: Yes
Number of S-Tines: 3
1.75 In. Reversible Chisel Point: 3 (Standard)
9 In. Sweep: 3 (Optional - Order Through Parts)
Right Turning Point: 1 (Optional - Order Through Parts)
Left Turning Point: 1 (Optional - Order Through Parts)
Second Toolbar with 2 S-Tines & Chisel Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3091XF		FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder *Rear roller not included. One S-tine toolbar standard. Rear roller and second toolbar available through attachments.*	4,421.00

ATTACHMENTS - ORDER AS DESIRED

9010		Native Grass Seed Attachment	559.00
9020		Rear Roller Attachment	507.00
9030		S-Tine Toolbar Attachment	344.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
	5PMATV4	Drawbar and Electric Lift	1,083.24
	5PM50062697	French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062288	Native Grass Seed Attachment	603.72
	5PM50062496	Rear Roller Attachment	547.56
	5PM50062505	S-Tine Toolbar Attachment	371.52

FP2204 - 42 in. Wide 3-Point Category I Hitch Food Plot Seeder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder

Equipment for Base Machine

Machine Weight: 550 lbs.
Tractor Horsepower Range: 20-50 HP
Working Width: 42 In.
Unit Length: 62 In.
Unit Height: 43 In.
Number of Blades: 6
Blade Diameter: 14 In.
Blade Thickness: 3 mm
Blade Spacing: 8.25 In.
Blade Type: Notched
Bearing Hanger:
"T" Hanger Bkt w/reinforcement (4 per unit)
2 U-bolts per hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square
Gang Adjustment: Fixed Angle
Cultipacker Drag Width: 45 In. (Standard)
CultiPacker Roller Width: 48 In. (Optional)
Seeding Width: 45 In.
Seed Box Capacity: 45 lbs.

3 Point Hitch Type: Category I
iMatch Compatible: Yes
Number of S-Tines: 4 Tines (only as an optional attachment)
(optional attachment) Hunter 400 Chisel plow att. Standard w 4 tines
9 In. Sweep: 3 (Optional - Order Through Parts)
Right Turning Point: 1 (Optional - Order Through Parts)
Left Turning Point: 1 (Optional - Order Through Parts)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: .5 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category	
		BASE MACHINE	
3095XF		FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder *Rear roller not included. S-tine toolbar not available on this model. Rear roller available through attachments.*	3,197.00
		ATTACHMENTS - ORDER AS DESIRED	
9020		Rear Roller Attachment	428.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous:	
	5PMJDLCA	Rear Roller Attachment	462.24

FP2204L - 42 in. Wide 3-Point Limited Category I Hitch Food Plot Seeder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FP2204P - 42 in. Wide Pull Type Food Plot Seeder

Equipment for Base Machine

Machine Weight: 730 lbs.
Single Point Hitch
Horsepower Range: 20 (500 CC)-40 HP
Working Width: 42 In.
Unit Length: 62 In.
Unit Height: 43 In.
Number of Blades: 6
Blade Diameter: 16 In.
Blade Thickness: 3 mm
Blade Spacing: 8.25 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square
Gang Adjustment: Pinned Adjustment
Cultipacker Drag Width: 45 In. (Standard)
CultiPacker Roller Width: 48 In. (Optional)
Seeding Width: 45 In.
Seed Box Capacity: 45 lbs.
Number of S-Tines: 3
1.75 In. Reversible Chisel Point: 3 (Standard)
9 In. Sweep: 3 (Optional - Order Through Parts)
Right Turning Point: 1 (Optional - Order Through Parts)
Left Turning Point: 1 (Optional - Order Through Parts)
Second Toolbar with 2 S-Tines & Chisel Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3092XF		FP2204P - 42 in. Wide Pull Type Food Plot Seeder *Includes drawbar, transport wheels, and electric jack. Rear roller not included. One S-tine toolbar standard. Rear roller available through attachments.*	6,150.00

ATTACHMENTS - ORDER AS DESIRED

9010		Native Grass Seed Attachment	559.00
9020		Rear Roller Attachment	507.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
	5PM50062697	French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062288	Native Grass Seed Attachment	603.72
	5PM50062496	Rear Roller Attachment	547.56

FP2204P - 42 in. Wide Pull Type Food Plot Seeder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder

Equipment for Base Machine

Machine Weight: 960 lbs.
Tractor Horsepower Range: 45-70 HP
Working Width: 60 In.
Unit Length: 77 In.
Unit Height: 41 In.
Number of Blades: 8
Blade Diameter: 18 In.
Blade Thickness: 3.5 mm
Blade Spacing: 7.50 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square
Gang Adjustment: Pinned Adjustment
Cultipacker Drag Width: 80 In. (Standard)
CultiPacker Roller Width: 72 In. (Optional)
Seeding Width: 71 In.
Seed Box Capacity: 63 lbs.

3 Point Hitch Type: Category I/II
iMatch Compatible: Yes
Number of S-Tines: 4
1.75 In. Reversible Chisel Point: 4 (Standard)
9 In. Sweep: 4 (Optional - Order Through Parts)
Right Turning Point: 2 (Optional - Order Through Parts)
Left Turning Point: 2 (Optional - Order Through Parts)
Second Toolbar with 3 S-Tines & Chisel Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3093XF		FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder *Rear roller not included. One S-tine toolbar standard. Rear roller and second toolbar available through attachments.*	5,777.00

ATTACHMENTS - ORDER AS DESIRED

9000		Grating Kit	186.00
9010		Native Grass Seed Attachment	671.00
9020		Rear Roller Attachment	743.00
9030		S-Tine Toolbar Attachment	475.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
	5PM50062697	French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062123	Grating Kit	208.32
	5PM50062289	Native Grass Seed Attachment	724.68
	5PM50062497	Rear Roller Attachment	802.44
	5PM50062506	S-Tine Toolbar Attachment	513.00

FP2206 - 60 in. Wide 3-Point Category I/II Hitch Food Plot Seeder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder

Equipment for Base Machine

Machine Weight: 1120 lbs.
Tractor Horsepower Range: 60-100 HP
Working Width: 82 In.
Unit Length: 77 In.
Unit Height: 41 In.
Number of Blades: 12
Blade Diameter: 18 In.
Blade Thickness: 3.5 mm
Blade Spacing: 7.50 In.
Blade Type: Notched
Bearing Hanger:
.375 In. Formed Plate with Reinforcement,
2 Each .625 U-bolts per Hanger
Bearing Type: 1 In. Square Sealed Bearing
Gang Axle: 1 In. Square
Gang Adjustment: Pinned Adjustment
Cultipacker Drag Width: 106 In. (Standard)
CultiPacker Roller Width: 96 In. (Optional)
Seeding Width: 96 In.
Seed Box Capacity: 93 lbs.

3 Point Hitch Type: Category I/II
iMatch Compatible: Yes
Number of S-Tines: 5
1.75 In. Reversible Chisel Point: 5 (Standard)
9 In. Sweep: 5 (Optional - Order Through Parts)
Right Turning Point: 2 (Optional - Order Through Parts)
Left Turning Point: 2 (Optional - Order Through Parts)
Second Toolbar with 4 S-Tines & Chisel Points: (Optional)
Rear Cultipacker Roller: (Optional)
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3094XF		FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder *Rear roller not included. One S-tine toolbar standard. Rear roller and second toolbar available through attachments.*	6,786.00

ATTACHMENTS - ORDER AS DESIRED

9000		Grating Kit	186.00
9010		Native Grass Seed Attachment	812.00
9020		Rear Roller Attachment	856.00
9030		S-Tine Toolbar Attachment	507.00
9200		French Kit - Includes Operators Manual and Safety Decals (FP22 Series)	No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
	5PM50062697	French Kit - Includes Operator's Manual and Safety Decals (FP22 Series)	See Parts
	5PM50062123	Grating Kit	208.32
	5PM50062290	Native Grass Seed Attachment	876.96
	5PM50062498	Rear Roller Attachment	924.48
	5PM50062507	S-Tine Toolbar Attachment	547.56

FP2208 - 82 in. Wide 3-Point Category I/II Hitch Food Plot Seeder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box

Equipment for Base Machine

Machine Weight: 1480 lbs. (Empty)
Tractor Horsepower: 30 HP Minimum
3 Point Hitch Type
  Category I and II
Working Width: 60 In.
Overall Width: 73 In.
Unit Length: 67 In.
Unit Height: 48 In.
Large Seed Box / Stainless Steel Box /
  Native Grass Seed Box Capacity:
  4.36 Cubic Ft. (3.50 Bushel)
Legume Seed Box Capacity:
  1.87 Cubic Ft. (1.50 Bushel)
Front Spike Roller:
  15.75 In. OD with 72 Spikes
Rear Spike Roller:
  15.75 In. OD with 114 Spikes
Rear Cultipacker Roller:
  Fiber Reinforced Nylon Rings or
  Cast Iron Rings
Roller Spikes: AR-500 Steel
Spike Roller Drive Ratio: 15:22
Seed Box Drive Ratio: 15:28 Standard
iMatch Compatible: Yes
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3081XF	CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box	10,383.00

SMALL SEED BOX

1000	Small Seed Box *For planting legumes and other small seeds.*	In Base Price
1095	Less Small Seed Box	-1,144.00

SECONDARY BOX

2000	Stainless Steel Fertilizer Box	2,829.00
2010	Native Grass Box *Includes paddle agitator and picker wheels.*	2,093.00
2020	Second Large Seed Box	1,475.00
2095	Less Secondary Box	In Base Price

REAR CULTIPACKER TYPE

3000	Cast Iron Wheels	590.00
3010	Poly Wheels	In Base Price

ATTACHMENTS - ORDER AS DESIRED

9000	Rear Cultipacker Scraper For Cast Iron Wheels	174.00
9010	Rear Cultipacker Scraper for Nylon Wheels	174.00

ATTACHMENTS FOR FIELD CONVERSION

CS1360 Conservation Seeder, 5 Ft. Wide Single Large Seed Box
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
		Miscellaneous:	
	5SBGSC012	Additional Large Seed Box with Extended Chain Guard	2,040.52
	5SBGSC014	Native Grass Seed Box with Extended Chain Guard	2,580.79
	5SBGSC006	Rear Cultipacker Scraper for Cast Iron Wheels	187.92
	5SBGSC003	Rear Cultipacker Scraper for Nylon Wheels	187.92
	5SBGSC008	Small Seed Box	1,430.90
	5SBGSC010	Stainless Steel Fertilizer Box with Extended Chain Guard	3,257.29

CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box

Equipment for Base Machine

Machine Weight: 2090 lbs. (Empty)
Tractor Horsepower: 50 HP Min
3 Point Hitch Type Category I and II
Working Width: 84 In.
Overall Width: 98 In.
Unit Length: 76 In.
Unit Height: 54 In.
Large Seed Box / Stainless Steel Box / Native Grass Seed Box Capacity: 10.27 Cubic Ft. (8.25 Bushel)
Legume Seed Box Capacity: 2.64 Cubic Ft. (2.12 Bushel)
Front Spike Roller: 19.75 In. OD with 132 Spikes
Rear Spike Roller: 19.75 In. OD with 150 Spikes
Rear Cultipacker Roller: Fiber Reinforced Nylon Rings or Cast Iron Rings
Roller Spikes: AR-500 Steel
Spike Roller Drive Ratio: 15:20
Seed Box Drive Ratio: 17:28 Standard
Cat II Quick Hitch Compatible: Yes
Approximate Set-up Time: 1 Man Hour

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		Select One Code From Each Required Category	
		BASE MACHINE	
3082XF		CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box	14,674.00
		SMALL SEED BOX	
1000		Small Seed Box *For planting legumes and other small seeds.*	In Base Price
1095		Less Small Seed Box	-1,328.00
		SECONDARY BOX	
2000		Stainless Steel Fertilizer Box	3,115.00
2010		Native Grass Box *Includes paddle agitator and picker wheels.*	2,747.00
2020		Second Large Seed Box	1,757.00
2095		Less Secondary Box	In Base Price
		REAR CULTIPACKER TYPE	
3000		Cast Iron Wheels	780.00
3010		Poly Wheels	In Base Price
		ATTACHMENTS - ORDER AS DESIRED	
9000		Rear Cultipacker Scraper For Cast Iron Wheels	245.00
9010		Rear Cultipacker Scraper for Nylon Wheels	245.00
		ATTACHMENTS FOR FIELD CONVERSION	

CS1384 Conservation Seeder, 7 Ft. Wide Single Large Seed Box
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
		Miscellaneous:	
	5SBGSC013	Additional Large Seed Box with Extended Chain Guard	2,697.16
	5SBGSC015	Native Grass Seed Box with Extended Chain Guard	3,527.86
	5SBGSC007	Rear Cultipacker Scraper for Cast Iron Wheels	264.60
	5SBGSC005	Rear Cultipacker Scraper for Nylon Wheels	264.60
	5SBGSC009	Small Seed Box	1,762.87
	5SBGSC011	Stainless Steel Fertilizer Box with Extended Chain Guard	4,199.28

TR2058 - 58 In. PTO Driven Overseeder

Equipment for Base Machine

Working Width: 58 In.
Shipping Weight: 1188 lbs.
Rotor RPM: 231 RPM
PTO RPM: 540 RPM
PTO HP: 25 to 50 HP
Operational Weight: 998 lbs.
Number Of Flanges: 18
Number Of Blades: 52
Hopper Capacity: 5.3 Cubic Ft.
Category I 3-Point Hitch
Assembly/Set-Up Time:
30 Minutes (Approximate)
Overall Width: 66 In.

Tilling Rotor Complete with C-Blades:
Optional (7 In. depth)
Rear Roller Scraper: Optional
Gauge Wheels: Optional
Front Roller: Optional
Note: Gauge Wheels and Front Roller
Can Not be Used Together

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD ($)

Select One Code From Each Required Category

BASE MACHINE

3041XF		TR2058 - 58 In. PTO Driven Overseeder	9,253.00

ATTACHMENTS ORDER AS DESIRED

9000		Front Roller *Can not be used in conjunction with Gauge Wheels.*	636.00
9010		Gauge Wheels *Can not be used in conjunction with Front Roller.*	378.00
9020		Rear Roller Scraper	236.00
9030		Tilling Roller *Includes C-Blades.*	533.00

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous:	
	5BP0099516	Front Roller	686.88
	5BP0099875	Gauge Wheels	408.24
	5BP0099539	Rear Roller Scraper	254.88
	5BP0099517	Tilling Rotor *Includes C-Blades*	575.64

TR2058 - 58 In. PTO Driven Overseeder
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK