

MINNESOTA
PRICING SCHEDULE
(Typed responses required)

Vendor Name:	Lano Equipment Inc, Anoka
Contact Person:	Scott Fahey
Street Address:	6140 Hwy 10 NW
P.O. Box:	
City, State, Zip	Anoka, MN 55303
Phone #:	612-223-0510
Toll Free #:	888-448-5266
Fax #:	763-422-3949
Email Address:	scott_f@lanoequip.com

SPEC #	REQUESTED INFORMATION	ANSWER
1.0	TRACTOR CATALOG SECTION PRICE LIST TITLE: <u>Kubota AP Attachments</u>	
	DATE AND ID# OF PRICE LIST:	<u>2/25/2016</u>
	PERCENTAGE DISCOUNT TO BE APPLIED TO PRICE LIST:	<u>8%</u>
1.1	Price for manuals, (service, parts, repair, and operations)	<u>\$25</u>
1.2	Price for set of fluid and air filters	<u>NA</u>
2.0	<u>PERFORMANCE/EXTENDED WARRANTY OPTIONS</u> Offer performance/warranty options. Numbers starting with 2.1, 2.2, etc. (Specify years, miles or hours extended term covers.)	
2.1	_____	<u>\$</u>
2.2	_____	<u>\$</u>
3.0	<u>INSTALLATION - PER HOUR</u> Installation services may be requested on an "as needed" basis. See Special Terms and Conditions	<u>\$98</u>
4.0	<u>NEW EQUIPMENT RENTAL PROGRAM</u> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	<u></u>
	Weekly Rental Rate:	<u>\$</u>
	Monthly Rental Rate:	<u>\$</u>
	Percent (%) of Rental Fee applied to purchase price:	<u>\$</u>
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____	
5.0	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u> See Special Terms and Conditions. DEDUCT cost per Used Hour from the original Contract Price	<u></u>
6.0	<u>PERCENTAGE DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES</u> See Special Terms and Conditions	<u>2%</u>
7.0	<u>DELIVERY STARTING POINT -</u> _____ City, State, Zip See Special Terms and Conditions - No flat rate allowed	<u>55303</u> <u>\$2.50 mile / \$100 minimum</u>

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 1, 2016

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of March 1, 2016.

AP SERIES ATTACHMENTS

Some options on attachments may contain *service part numbers* as well as whole good numbers. These service part numbers are for reference only. Always check with service parts for current pricing.

AP SERIES ATTACHMENTS

AUGERS



AP-SA20

Hydraulically Driven Planetary Gearbox
 Hydraulically Reversible
 2 Motor options: Med (Std) or High Flow
 Output Shaft: 2" Hex
 Auger Teeth: Forged, Individually Replaceable
 40 Degree Angle Installed on Flat Side
 50 Degree Angle Installed on Angled Side
 9" - 4 teeth, 12" - 4, 15" - 5, 18" - 6,
 24" - 8, 30" - 10, 36" - 12
 Tree Augers: 24" - 9, 30" - 11, 36" -13
 Auger Pipe: 2 1/2" ID
 Auger Flighting Thickness: 1/4"
 Auger Length: 48", 46" length on 9"

Torque (at 100% Efficiency)
 Med-Flow: 1775 ft/lb @ 3000 PSI
 High-Flow: 2620 ft/lb @ 3000 PSI



AP-SA35

Hydraulically Driven Planetary Gearbox
 Hydraulically Reversible
 Output Shaft: 2" Hex or 2 9/16" OD Round
 Auger Teeth: Forged, Individually Replaceable
 40 Degree Angle Installed on Flat Side
 50 Degree Angle Installed on Angled Side
 9" - 4 teeth, 12" - 4, 15" - 5, 18" - 6,
 24" - 8, 30" - 10, 36" - 12
 Tree Augers: 24" - 9, 30" - 11, 36" -13
 Auger Pipe: 2 1/2" ID
 Auger Flighting Thickness: 1/4"
 Auger Length: 48", 46" length on 9"
 Pilot: Cast Steel, 3 Drill Points
 Includes 8' Hose & Flat Face Couplers



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AUGERS			
AP-SA20	Post Hole Digger, 2" Hex Output Shaft		\$190.85
	YOU MUST CHOOSE THE MOUNT FEATURE		
05	Skid Steer Mount with 8' Hoses	213	\$735.37
	YOU MUST CHOOSE A MOTOR		
42	Med Flow Hyd Motor 10-20 GPM	50	\$1,236.14
43	High Flow Hyd Motor 15-30 GPM	50	\$1,227.62

AP SERIES ATTACHMENTS

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AUGERS (continued)			
YOU MAY CHOOSE ONE AUGER			
09	9" Double Flight Auger LP-317-095A	70	\$389.85
12	12" Double Flight Auger LP-317-098A	98	\$442.26
15	15" Double Flight Auger LP-317-101A	119	\$567.31
18	18" Double Flight Auger LP-317-104A	131	\$624.32
24	24" Double Flight Auger LP-317-107A	214	\$730.98
26	24" Tree Auger LP-317-110A	162	\$665.69
30	30" Double Flight Auger LP-317-113A	285	\$1,072.10
32	30" Tree Auger LP-317-116A	235	\$1,001.30
36	36" Double Flight Auger LP-317-119A	380	\$1,283.58
38	36" Tree Auger LP-317-122A	305	\$1,216.46
YOU MUST CHOOSE THE COUPLERS			
50	1/2" Flat Face Couplers	3	\$104.82
AP-SA35	Post Hole Digger, Heavy Duty, 15 - 25 GPM, 8' Hoses & 1/2" Flat Face Couplers		\$827.07
YOU MUST CHOOSE ONE OUTPUT SHAFT			
Option	Description		
01	35 SERIES HYDRAULIC POST HOLE DIGGER 2 9/16" Round Output Shaft	431	\$2,030.95
FOR 2 9/16" ROUND OUTPUT SHAFTS			
YOU MAY CHOOSE ONE AUGER			
10	9" Double Flight Auger LP-317-096A	70	\$389.85
13	12" Double Flight Auger LP-317-099A	98	\$442.26
16	15" Double Flight Auger LP-317-102A	119	\$567.31
19	18" Double Flight Auger LP-317-105A	131	\$624.32
25	24" Double Flight Auger LP-317-108A	214	\$730.98
27	24" Tree Auger LP-317-111A	162	\$665.69
31	30" Double Flight Auger LP-317-114A	285	\$1,072.10
33	30" Tree Auger LP-317-117A	236	\$1,001.30
37	36" Double Flight Auger LP-317-120A	380	\$1,283.58
39	36" Tree Auger LP-317-123A	305	\$1,216.46

AP SERIES ATTACHMENTS

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AUGERS (continued)			
02	35 SERIES HYDRAULIC POST HOLE DIGGER 2" Hex Output Shaft	435	\$2,030.95
	FOR 2" HEX OUTPUT SHAFTS		
09	9" Double Flight Auger LP-317-095A	70	\$389.85
12	12" Double Flight Auger LP-317-098A	98	\$442.26
15	15" Double Flight Auger LP-317-101A	119	\$567.31
18	18" Double Flight Auger LP-317-104A	131	\$624.32
24	24" Double Flight Auger LP-317-107A	214	\$730.98
26	24" Tree Auger LP-317-110A	162	\$665.69
30	30" Double Flight Auger LP-317-113A	285	\$1,072.10
32	30" Tree Auger LP-317-116A	235	\$1,001.30
36	36" Double Flight Auger LP-317-119A	380	\$1,283.58
38	36" Tree Auger LP-317-122A	305	\$1,216.46

AP SERIES ATTACHMENTS

ANGLE BROOMS



Hydraulic GPM Range: 12-30 GPM
 Rated Flow Standard Motor: 25 GPM @ 230 RPM
 Minimum Hydraulic Flow Req.: 12 GPM @2000 PSI
 Sweeping Width: 72", 84"

Sweeping Width @ 30 Degree Max. Angle: 64", 76"
 Overall Height: 33" approx.
 Brush Diameter: 32"
 Brush Rotor Shaft: Quick Change Broom Core with No Hydraulic Breakage in Changeover
 Hex Drive System: Replaceable
 Brush Bristle: 100% Poly or 100% Metallic or 50/50
 Hood: Sheet Metal
 Jack Stands: Standard
 Angling: Manual Angling 30 Deg Left or Right or Hydraulic Angling
 Float Control:
 Spring Loaded w/Adjustable Down Pressure & Stops
 Brush Speed Range: 100 - 230 RPM
 Hydraulic Hoses
 Hydraulic Couplers
 Additional Accessories:
 Metal Shroud Extension
 Dust Suppression System
 Marker Indicators
 Rubber Dust Deflector

HIGH FLOW: Allows higher GPM units to be used by diverting excess GPM (above 25 GPM) back to the tank.



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-AB72	72" Angle Broom, 12-24 GPM & > 25 GPM	1022	\$2,486.88
	YOU MUST CHOOSE ONE ANGLING FEATURE		
	FOR 12 - 24 GPM (Std Flow)		
	01 Standard Flow w/Hydraulic Angling	15	\$1,152.77
	02 Standard Flow w/Manual Angling	10	\$428.77
	FOR 25 GPM AND ABOVE ONLY		
	03 High Flow w/Hydraulic Angling - Must use Option -24	15	\$1,416.86
	04 High Flow w/Manual Angling - Must use Option -24	10	\$694.88
	YOU MUST CHOOSE ONE BROOM ASSEMBLY		
	14 Poly Bristles	included	\$1,212.02
	15 Wire Bristles	included	\$1,212.02
	16 Poly/Wire Bristles	included	\$1,212.02
	YOU MUST CHOOSE ONE HYDRAULIC DRIVE MOTOR		
	23 18 cu. in Hydraulic Motor - 18 GPM and below - 3500 psi (For use with Option 01 or 02)	included	\$941.90
	24 23 cu. in. Hydraulic Motor - 19 GPM and above - 3500 psi (For use with Options 03, 04)	included	\$941.90

AP SERIES ATTACHMENTS

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
ANGLE BROOMS (continued)			
YOU MAY CHOOSE ONE OF THE FOLLOWING FRONT DEFLECTORS			
31	Metal Shroud Extension w/Rubber Dust Deflector <i>LP-323-074A</i>	59	\$203.84
32	Metal Shroud Extension Only <i>LP-323-072A</i>	37	\$115.48
YOU MAY CHOOSE ONE OF THE FOLLOWING OPTIONS			
41	Marker Indicators (helps you locate front corners of unit) <i>LP-323-026A</i>	3	\$43.18
51	Dust Suppression System (uses water) <i>LP-323-030A</i>		\$435.80
52	Hose and Spray Kit <i>LP-323-043A</i>		\$105.44
YOU MUST CHOOSE ONE OF THE FOLLOWING WIRING HARNESSSES			
60	14 Pin Wiring Harness, DEUTSCH HD30, 73" <i>LP-323-094A</i>	2	\$132.55
61	14 Pin Wiring Harness, DEUTSCH HD30, 10' <i>LP-323-095A</i>	2	\$132.55
62	2 Pin Wiring Harness, DTP <i>LP-323-096A</i>	2	\$180.75
63	Switch and Wiring Harness <i>LP-323-097A</i>	2	\$132.55
64	Switch and Wiring Harness Tractor Mount <i>LP-323-098A</i>	2	\$190.75
AP-AB84	84" Angle Broom, 12-24 GPM & > 25 GPM	1022	\$2,799.13
YOU MUST CHOOSE ONE ANGLING FEATURE			
FOR 12 - 24 GPM (Std Flow)			
01	Standard Flow w/Hydraulic Angling	15	\$1,068.42
02	Standard Flow w/Manual Angling	10	\$397.40
FOR 25 GPM AND ABOVE ONLY			
03	High Flow w/Hydraulic Angling - Must use Option -24	15	\$1,313.19
04	High Flow w/Manual Angling - Must use Option -24	10	\$644.03
YOU MUST CHOOSE ONE BROOM ASSEMBLY			
14	Poly Bristles	included	\$1,123.33
15	Wire Bristles	included	\$1,123.33
16	Poly/Wire Bristles	included	\$1,123.33
YOU MUST CHOOSE ONE HYDRAULIC DRIVE MOTOR			
23	18 cu. in Hydraulic Motor - 18 GPM and below - 3500 psi (For use with Option 01, 02,)	included	\$941.90
24	23 cu. in. Hydraulic Motor - 19 GPM and above - 3500 psi (For use with Option 01, 02, 03, 04) Max Flow is 25 gpm with options 01 & 02)	included	\$941.90

AP SERIES ATTACHMENTS

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
ANGLE BROOMS <i>(continued)</i>			
YOU MAY CHOOSE ONE OF THE FOLLOWING FRONT DEFLECTORS			
31	Metal Shroud Extension w/Rubber Dust Deflector <i>LP-323-021A</i>	59	\$188.93
32	Metal Shroud Extension Only <i>LP-323-037A</i>	37	\$107.03
YOU MAY CHOOSE ONE OF THE FOLLOWING OPTIONS			
41	Marker Indicators (helps you locate front corners of unit) <i>LP-323-026A</i>	3	\$43.18
51	Dust Suppression System (uses water) <i>LP-323-030A</i>		\$435.80
52	Hose and Spray Kit <i>LP-323-043A</i>		\$105.44
YOU MUST CHOOSE ONE OF THE FOLLOWING WIRING HARNESSSES			
60	14 Pin Wiring Harness, DEUTSCH HD30, 73" <i>LP-323-094A</i>	2	\$132.55
61	14 Pin Wiring Harness, DEUTSCH HD30, 10' <i>LP-323-095A</i>	2	\$132.55
62	2 Pin Wiring Harness, DTP <i>LP-323-096A</i>	2	\$180.75
63	Switch and Wiring Harness <i>LP-323-097A</i>	2	\$132.55
64	Switch and Wiring Harness Tractor Mount <i>LP-323-098A</i>	2	\$190.75

AP SERIES ATTACHMENTS

CLAW GRAPPLES



AP-SGC20 Series

Closed Height: 39"
 Number of Bottom Teeth: 12, 14
 Number of Top Teeth: 11, 13
 Spacing of Teeth: 6"
 Tooth Thickness: 1/2"
 Working Length of Teeth: 15"
 Hydraulic Cylinder: 2 Qty, 3" x 10" x 1 1/4" Rod
 Max. Jaw Opening: 50"
 Tine Material: High Tensile AR400

*Does not include hoses or fitting

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SGC2072	72" Claw Grapple, 74" working width, HEAVY DUTY with AR400 Steel	907	\$4,054.85
AP-SGC2084	84" Claw Grapple, 86" working width, HEAVY DUTY with AR400 Steel	907	\$4,519.18
FOR ANY GRAPPLE YOU MUST ADD THE BUNDLE BELOW			
	11 Hoses & Flat Face Fitting Bundle 76"	20	\$193.09

AP SERIES ATTACHMENTS

ROCK GRAPPLES



Closed Height: 30 3/4"
 Number of Bottom Teeth: 21, 23, 25
 Spacing of Teeth: 3"
 Tooth Thickness: 3/8"
 Working Length of Teeth: 38"
 Hydraulic Cylinder: 2" x 8" x 1 1/4" Rod
 Max. Jaw Opening: 37"
 Tine Material: High Strength Grade 80 Material

*Does not include hoses or fitting

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SGR1566	66" Rock Grapple	724	\$2,182.82
AP-SGR1572	72" Rock Grapple	775	\$2,317.98
AP-SGR1578	78" Rock Grapple	809	\$2,453.14
FOR ANY ROCK GRAPPLE YOU MUST ADD THE BUNDLES BELOW			
01	Upper Grapple	145	\$1,328.63
11	Hoses & Flat Face Fitting Bundle 95"	20	\$193.09
FOR ANY ROCK GRAPPLE YOU MAY ADD THE BUNDLE BELOW			
21	Hydraulic Cylinder Shields - 2 each <i>LP-380-023A</i>	34	\$119.53

AP SERIES ATTACHMENTS

ROCK BUCKETS



Height: 21 1/2"
Number of Teeth: 21, 23, 25
Spacing of Teeth: 3"
Tooth Thickness: 3/8" Working
Length of Teeth: 38"
Tine Material: High Strength Grade 80 Material

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SRB1566	66" Rock Bucket	523	\$1,647.52
AP-SRB1572	72" Rock Bucket	566	\$1,777.71
AP-SRB1578	78" Rock Bucket	612	\$1,885.45

AP SERIES ATTACHMENTS

MANURE GRAPPLES



Closed Height: 33"
 Number of Bottom Spears: 9, 9, 10
 Number of Top Teeth: 4
 Spacing of Spears: 7 1/2", 8 1/4", 8"
 Spear Diameter: 1 3/8"
 Working Length of Spears: 30"
 Hydraulic Cylinder: 2" x 8" x 1 1/4" Rod
 Max. Jaw Opening: 40"

*Does not include hoses or fitting



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SGM1566	66" Manure Grapple	488	\$1,704.69
AP-SGM1572	72" Manure Grapple	514	\$1,840.77
AP-SGM1578	78" Manure Grapple	545	\$2,028.34
	FOR ANY MANURE GRAPPLE YOU MUST ADD THE BUNDLES BELOW		
	01 Upper Grapple	120	\$807.29
	11 Hoses & Flat Face Fitting Bundle 95"	20	\$193.09
	YOU MAY ADD THE FOLLOWING OPTION		
	21 Hydraulic Cylinder Shield LP-380-038A	17	\$45.97

AP SERIES ATTACHMENTS

PALLET FORKS



PFL45 Series Pallet Forks

Fork Dimensions: 48"L x 1 1/2"D x 4"W
 Fork Position Lock: Spring Loaded Toggle
 Frame Size: 46"W x 38 1/2"H
 Fork Size: 1 1/2" x 4" ITA Class II
 Adjustable Fork Width: 8"-44"
 Skid Resistant Step


PFL55 Series Pallet Forks

Fork Dimensions:
 PFL5548: 48"L x 1 3/4"D x 4" W
 PFL5560: 60"L x 1 3/4"D x 4" W
 Fork Position Lock: Spring Loaded Toggle
 Frame Size: 46"W x 37"H
 Fork Size: 1 3/4" x 4" ITA Class II
 Adjustable Fork Width: 8"-44"
 Skid Resistant Step

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-PFL4548	48" Pallet Forks, 4500 lbs Capacity	460	\$1,001.89
	YOU MUST ADD ONE OF THESE TWO TO EVERY ORDER		
	93 Packed in Qty of 3 same size units	ADD	\$0.00
	99 Quantity Less than 3 units, or those not included in multiples of 3	ADD	\$57.01
AP-PFL5548	48" Pallet Forks, 5500 lbs Capacity	448	\$1,299.55
	YOU MUST ADD ONE OF THESE TWO TO EVERY ORDER		
	93 Packed in Qty of 3 same size units	ADD	\$0.00
	99 Quantity Less than 3 units, or those not included in multiples of 3	ADD	\$57.01
AP-PFL5560	60" Pallet Forks, 5500 lbs Capacity	495	\$1,499.06
	YOU MUST ADD ONE OF THESE TWO TO EVERY ORDER		
	93 Packed in Qty of 3 same size units	ADD	\$0.00
	99 Quantity Less than 3 units, or those not included in multiples of 3	ADD	\$57.01

AP SERIES ATTACHMENTS

POWER RAKES



Hydraulic Driven
 Bi-directional
 Material Control Deflector:
 2 each - 1/2" x 5" Hard Urethane
 Roller: 9 3/8" Diameter with 3/4" x 11/2" Carbide
 Tipped Studs
 Roller Bearings at Roller Ends
 Roller Speed: 195 rpm @ 18 gpm
 Drive Chain: #50 Double Continuous Roller Chain
 High Tensile, Enclosed in Oil Bath
 Angle Adjustment: 22 Degrees Left & 18 Degrees
 Right, Forward or Reverse
 Angle Cylinder: 2" x 8"
 End Plates with Storage Pins
 Gauge Wheels: 16.5" x 6.5" Air Tires with Sealant &
 3/4" Roller Bearings and Spacer Height Adjustment
 Replaceable Skid Shoes

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SR2672	72" Power Rake, 12 - 19 GPM Straight Working Width-82-1/2" Angled Working Width-72-1/2" YOU MUST ADD THE ROLLER ASSEMBLY	707	\$8,954.69
21	Stud Roller Assembly for 72" Weldment	INC	\$1,162.21
	YOU MUST CHOOSE ONE OF THE FOLLOWING WIRING HARNESSSES		
61	14 Pin Wiring Harness, DEUTSCH HD30, 10' LP-323-095A	2	\$132.55
62	2 Pin Wiring Harness, DTP LP-323-096A	2	\$180.75
63	Switch and Wiring Harness LP-323-097A	K100A74 2	\$132.55
	YOU MUST ADD THIS ORDER CODE AFTER THE WIRIING HARNESS		
90	3500 PSI Hyd Hoses & Valve		\$0.00

AP SERIES ATTACHMENTS

POWER RAKES *(continued)*

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SR2690	90" Power Rake, 15 - 23 GPM Straight Working Width-100" Angled Working Width-90"	707	\$9,304.09
	YOU MUST ADD THE ROLLER ASSEMBLY		
21	Stud Roller Assembly for 90" Weldment		\$1,430.69
	YOU MUST CHOOSE ONE OF THE FOLLOWING WIRING HARNESSSES		
61	14 Pin Wiring Harness, DEUTSCH HD30, 10' LP-323-095A	2	\$132.55
62	2 Pin Wiring Harness, DTP LP-323-096A	2	\$180.75
63	Switch and Wiring Harness LP-323-097A	2	\$132.55
	YOU MUST ADD THIS ORDER CODE AFTER THE WIRIING HARNESS		
90	3500 PSI Hyd Hoses & Valve		\$0.00

AP SERIES ATTACHMENTS

ROTARY CUTTERS



Cutting Height: 1.5" to 18" infinitely variable
 Cutting Width: 60" or 72"
 Overall Width: 60: 65-1/2" 72: 78"
 Overall Length: 60: 73" 72: 91"
 Cutting Capacity: 2" Diameter
 Blade Rotation: Clockwise
 Blades & Blade Carrier: 1/2"x 4" Updraft,
 Heavy Duty Round Pan Stump Jumper
 Hitch: Skid Steer
 Adjustable to Center or 8 1/2" Right Offset
 Deck Design Construction: Deck: 10 Gauge
 Side Skirt Construction: 1/4" Steel


Rear Deck Protection: Double Row Chain Guard,
 Standard Eq.
 Deck Lift Height Protection: Safety Chain Limiter Deck
 Wear Protection: Optional Four Corner Mounted
 Skid Shoes
 Cutting Height Gauging: Optional Pivoting & Adjustable
 Front Mounted Gauge Wheel w/ Laminated Tire
 Maximum Operating Pressure: 3000 psi
 Low Volume Drive Motors: For hyd. systems with
 17-25 GPM flow at 1500-3000 PSI; (60" only)
 Medium Volume Drive Motors: For hyd. systems with
 26-32 GPM flow at 1500-3000 PSI;
 High Volume Drive Motors: For hyd. systems with
 33-42 GPM flow at 1500-3000 PSI;
 Low Volume Motor Blade Tip Speed @25GPM
 AP-SC2560: 17587 FPM; AP-SC2572: 17157 FPM
 Med. Volume Motor Blade Tip Speed @ 32 GPM
 AP-SC2560: 17797 FPM; AP-SC2572: 17356 FPM
 High Volume Motor Blade Tip Speed @ 42 GPM
 AP-SC2560: 17666 FPM; AP-SC2572: 17655 FPM
 Hydraulic Hose Length: 80" Standard

UNIT MUST BE EQUIPPED WITH FRONT DOOR TO PROTECT OPERATOR

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SC2560	Rotary Cutter, 60" Width YOU MUST CHOOSE ONE HYDRAULIC DRIVE MOTOR Single Front Chain Guard Double Rear chain Guard	K3K002A56	1084	\$3,950.74
AP-SC2572	Rotary Cutter, 72" Width Single Front Chain Guard Double Rear chain Guard YOU MAY CHOOSE A GAUGE WHEEL	S3K257A19	1427	\$4,285.78
	01 Single Gauge Wheel - Front Mounted LP-326-004A	K392A56	129	\$516.53
	YOU MUST CHOOSE A HYDRAULIC MOTOR ASSEMBLY			
	14 Hydraulic Motor, 17-25 GPM	K0812A0	INC	\$1,068.42
	15 Hydraulic Motor, 26-32 GPM	K0812A0	INC	\$1,068.42
	16 Hydraulic Motor, 33-42 GPM	K0812A0	INC	\$1,068.42
	YOU MAY CHOOSE A SKID SHOE OPTION			
	41 Skid Shoes - Four Corners 1/4" x 2 LP-326-827A	K0024A75	10	\$32.57
	42 Heavy Duty Skid Shoes - Four Corners - 3/8"x3" LP-326-828A	K0038A20	21	\$50.26

AP SERIES ATTACHMENTS

ROTARY TILLERS



Color: Black
 Tilling Depth: 5.5", 4", and 2"
 Rotor Diameter: 18.3"

Rotor Speed:

- SRT62 LOW flow motor 143-245 RPM
- SRT62 HIGH flow motor 133-244 RPM
- SRT76 HIGH flow motor 133-244 RPM

Recommended Hydraulic Pressure

- SRT62 LOW flow motor
 - 14-23 gpm: minimum 2800 psi / max of 4500 psi
- SRT62 HIGH flow motor
 - 23-42 gpm: minimum 2000 psi / max of 4500 psi
- SRT76 HIGH flow motor
 - 23-42 gpm: minimum 2300 psi / max of 4500 psi
 - 133-244 Rotor RPM

Tines: Forged, Hardened, Bi-Directional, "C"-Shape, 4 per Flange

Shanks: 3/4" x 2.5" x 16" Steel; Standard

62: 5 Shanks with retaining clips, Standard

76: 6 Shanks with retaining clips, Standard

Patent Pending Level Indicator

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SRT62	62" Rotary Tiller	850	\$2,693.33
	YOU MUST CHOOSE ONE HYDRAULIC DRIVE MOTOR		
	10 Low Flow Motor, 14-23 gpm	included	\$1,762.41
	11 High Flow Motor, 23-42 gpm	included	\$1,902.50
	YOU MUST ADD THE 1/2" COUPLERS		
	20 1/2" Flat Faced Couplers	2	\$114.93
	21 3/4" Flat Faced Couplers	2	\$176.54
	YOU MUST ADD THIS ORDER CODE AFTER THE COUPLERS		
	50 Shanks w/clips 62" BNDL	included	\$117.50
AP-SRT76	76" Rotary Tiller, 6 Shanks, 23-42 gpm HIGH FLOW ONLY	921	\$5,400.03
	YOU MUST CHOOSE ONE COUPLER SIZE		
	20 1/2" Flat Faced Couplers	2	\$114.93
	21 3/4" Flat Faced Couplers	2	\$176.54
	YOU MUST ADD THIS ORDER CODE AFTER THE COUPLERS		
	50 Shanks w/clips 76" BNDL	included	\$139.76

AP SERIES ATTACHMENTS

SNOW BLADES



Moldboard Construction: Steel
 Moldboard Thickness: 10 Gauge
 Moldboard Height: 32"
 Cut Width @ 30 Deg Maximum Angle: 96: 83"; 108: 93"
 Hydraulic Angling: Double-Acting Cylinder & Hoses
 Adjustable Spring-loaded Trip Edge Protection
 Blade Depth: 41" Approx
 Mounting Steps: Serrated
 Skid Shoes
 Carrier Lift Capacity: Less than 5,000 lbs.
 Carrier Max Operating Weight: Less than 8,000 lbs.
 Carrier Max Hyd. Output Pressure: 3500 psi max.
 Rated Max. Pressure Rating-Hoses & Fittings: 4,000 psi
 Replaceable Bottom Wear Edge: 1/2" x 6" Steel or Poly
 Optional Blade Marker
 Optional Top Mounted Rubber Deflector



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-TB2596	96" Trip Edge Blade Straight Working Width-96" Angled Working Width-83 1/4" YOU MUST CHOOSE ONE WEAR EDGE	555	\$3,837.30
	01 Steel Wear Edge <i>LP-301-274A</i>	70	\$197.62
	02 Poly Wear Edge <i>LP-301-275A</i>	10	\$145.89
	YOU MAY CHOOSE ANY OF THE FOLLOWING OPTIONS		
	11 Blade Marker <i>LP-323-026A</i>	5	\$43.18
	21 Top Rubber Deflector Shield <i>LP-301-306A</i>	7	\$58.49
AP-TB25108	108" Trip Edge Blade Straight Working Width-108" Angled Working Width-93 1/2" YOU MUST CHOOSE ONE WEAR EDGE	555	\$3,840.38
	01 Steel Wear Edge <i>LP-301-271A</i>	78	\$227.70
	02 Poly Wear Edge <i>LP-301-272A</i>	11	\$151.50
	YOU MAY CHOOSE ANY OF THE FOLLOWING OPTIONS		
	11 Blade Marker <i>LP-323-026A</i>	5	\$43.18
	21 Top Rubber Deflector Shield <i>LP-301-305A</i>	5	\$60.70

AP SERIES ATTACHMENTS

SNOW BLOWERS



Working Width : 66", 74", 84"
 Hitch: Skid/Loader Plate
 Main Housing Material: 10 Gauge
 Side Plate Material: 3/16"
 Impeller: 24" Diameter
 Impeller Housing Depth: 66 & 74: 8", 84: 10"
 Impeller Blades: 4
 Auger: 16" Diameter
 Auger Paddles: 4
 Chute Opening at Base: 66 & 74: 10", 84: 12"
 Chute Rotation: Sprocket Type; Hydraulic
 Chute Deflector Operation: Hydraulic
 Optional Motors: Low, Med., or High Flow
 Skid Shoes: Outer, Bolt-on, Adjustable & Replaceable

ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SBL2566	66" Snow Blower	863	\$4,622.16
AP-SBL2574	74" Snow Blower	894	\$4,860.30
AP-SBL2584	84" Snow Blower	940	\$5,462.56
<i>FOR EACH SNOW BLOWER:</i>			
YOU MUST CHOOSE A HYDRAULIC MOTOR			
10	HYDRAULIC MOTOR 12-19 GPM	20	\$1,172.32
11	HYDRAULIC MOTOR 20-26 GPM (AP-SBL2584 ONLY)	20	\$1,351.62
12	HYDRAULIC MOTOR 27-33 GPM	20	\$1,452.76
YOU MUST CHOOSE COUPLERS			
20	1/2" Flat Face Couplers	1	\$110.34
21	3/4" Flat Face Couplers (AP-SBL2584 ONLY)	1	\$176.54
YOU MUST CHOOSE A WIRE HARNESS			
32	14 Pin Wiring Harness	3	\$133.32
35	2 Pin Wiring Harness (includes control box)	3	\$271.24
YOU MUST CHOOSE THE CASE DRAIN			
40	Flat Face Fitting Package	10	\$42.81

AP SERIES ATTACHMENTS

SNOW BLOWERS *(continued)*


ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
YOU MUST CHOOSE A SKID SHOE			
50	Outer Skid Shoes AP-SBL2566 <i>LP-370-451K</i>	8	\$113.09
50	Outer Skid Shoes AP-SBL2574 / AP-SBL84 <i>LP-370-438K</i>	8	\$113.09
51	Inner Skid Shoes <i>LP-370-440K</i>	15	\$149.87

AP SERIES ATTACHMENTS

SNOW PUSHERS



Working Width: 72", 84", 96"
 Carrier Lift Capacity: Less than 2,000 lbs
 Carrier Max Operating Width: Less than 5,000 lbs
 Moldboard Height: 30"
 Moldboard Thickness: 10 Gauge
 Side Panels w/Supports: 1/4" Plate
 Blade Depth: 29"
 Replaceable Bottom Wear Edge:
 1" x 8" Rubber w/Slotted Hole or
 1/2" x 6" 1045 Steel
 Mounting Steps: Serrated, on hitch
 Skid Shoe: AR400, 1/2" x 4" Reversible, Adjustable
 Optional Pull Back Blade with 1" x 8" Rubber Wear Edge



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SSP1572	72" Snow Pusher	558	\$1,795.72
	YOU MUST CHOOSE ONE WEAR EDGE		
	01 Rubber Wear Edge LP-303-354A	48	\$275.84
	02 Steel Wear Edge LP-303-349A	62	\$99.30
	YOU MAY CHOOSE A BACK-DRAG OPTION		
	10 72" Pull Back Blade LP-303-380A	198	\$680.41
AP-SSP1584	84" Snow Pusher	603	\$1,963.06
	YOU MUST CHOOSE ONE WEAR EDGE		
	01 Rubber Wear Edge LP-303-355A	56	\$321.81
	02 Steel Wear Edge LP-303-350A	73	\$115.85
	YOU MAY CHOOSE A BACK-DRAG OPTION		
	10 84" Pull Back Blade LP-303-379A	221	\$749.37
AP-SSP1596	96" Snow Pusher	645	\$2,211.25
	YOU MUST CHOOSE ONE WEAR EDGE		
	01 Rubber Wear Edge LP-303-356A	65	\$381.58
	02 Steel Wear Edge LP-303-351A	83	\$137.37
	YOU MAY CHOOSE A BACK-DRAG OPTION		
	10 96" Pull Back Blade LP-303-378A	245	\$849.01

KUBOTA

AP SERIES ATTACHMENTS

SNOW PUSHERS *(continued)*


ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SSP2596	96" Snow Pusher, Heavy Duty	887	\$2,448.78
	YOU MUST CHOOSE ONE WEAR EDGE		
	01 Rubber Wear Edge <i>LP-303-357A</i>	77	\$462.66
	02 Steel Wear Edge <i>LP-303-351A</i>	83	\$137.37
	YOU MAY CHOOSE ONE OF THE FOLLOWING OPTIONS		
	10 96" Pull Back Blade <i>LP-303-386A</i>	300	\$891.94
	11 End Panel Braces <i>LP-303-408A</i>		\$143.09

AP SERIES ATTACHMENTS

STUMP GRINDER



Overall Mounting Width: 48"
 Overall Length (w/o Shielding): 60"
 Drive System: Hydraulic Motor w/Electric over Hydraulics
 Hydraulic Requirements: 17-32 gpm
 Angle & Lift Cylinders: 3" x 6" Stroke
 w/1-1/4" Rod Diameter
 Hydraulic Lines & Hoses: 3/4"
 Cutting Wheel: 1/2" Thick x 24" Diameter
 w/Carbide Teeth
 Number of Carbide Teeth: 32
 Cutting Wheel Speed: 640 rpm @ 18 gpm
 Cutting Arc: 55 Degrees
 Max Cutting Depth: 8"
 Greasable Hinge Points: Yes
 Main Frame: 6" x 6" x 1/4" Tube



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SSG2524	24" Stump Grinder, 17 - 32 GPM	650	\$6,159.33
	YOU MUST CHOOSE COUPLER SIZE		
20	1/2" Flat Face Couplers		\$116.86
	YOU MUST CHOOSE ONE WIRING HARNESS		
31	Control Harness <i>LP-370-134A</i>		\$360.54
32	14 Pin Wiring Harness <i>LP-370-336A</i>		\$131.74
35	2 Pin Wiring Harness <i>LP-370-434A</i>		\$319.09
	YOU MUST ADD THIS ORDER CODE AFTER WIRIING HARNESS		
90	Flat Face Case Drain Fitting		\$44.96


AP SERIES ATTACHMENTS

TREE PULLER



Color: Black
Cylinder: 2"x8"x1" Welded
Stout Square Tube Frame
Pincher: 16" x 2 3/4" x 5/8"
Pivot Pin: 2 1/2" Solid, Greasable
Mouth Opening: 10"
Cylinder Guard: 3/16", Included
Small Flat Faced Couplers Included

FOR USE ON SSV65 MODELS ONLY



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-STP15	Tree Puller with 1/2" Flat Faced Couplers	290	\$1,490.36

AP SERIES ATTACHMENTS

SKID STEER HITCH



Color: Black
Adjusts for Cat. 1 or 2 non-PTO implements
Adjustable Top Hook
Automatic Lock on Lower 3-Point
Class II Receiver and Storage Rack for Ball Hitch
Width: 46 3/8"
Height: 25"



ORDER CODE	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
AP-SH35	Skid Hitch	278	\$1,069.34

AP SERIES ATTACHMENTS

This page intentionally left blank.