

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: _____
 Contact Person: **John Deere Construction Retail Sales**
 Street Address: **1515 Fifth Avenue**
 P.O. Box: **P.O. Box 8806**
 City, State, Zip: **Moline, IL 61265-8806**
 Phone #: **(309) 765-0294**
 Toll Free #: **(800) 3193757**
 Fax #: **(309) 765-3358**
 Email Address: **DeakyneMarkR@John.Deere.com**

1.0 MANUFACTURER:	John Deere Model 318E Skid Steer, Wheel
Warranty	12 months, unlimited hours
Discount to be applied to Price List	26%
Date & I.D. of Price List	1/7/15, 318E Skid Steer

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



JOHN DEERE

Current Date 07Jan2015

318E SKID STEER

318E SKID STEER

Equipment for Base Machine	Configuration Codes	Tipping Load 3,900 lbs.
Engine:	Indicator Warning Lights:	(1,771 kg)
Electronic Injection System	Battery Not Charging	Bucket Breakout Force
Auto Idle	Hydraulics Locked Out	6,000lbs. (2,724 kg)
Glow Plugs	Park Brake Illumination	Boom Breakout Force
Automatic Engine Shutdown	Hydraulic Oil Over Temp	3,500lbs. (1,589 kg)
with Alarm	2-Speed Engaged	Axle Torque 4,701 lbs-ft
V-Plenum Cooling	Air Filter Restriction	(6,374 Nm)
Hydraulic Cool-on-	Hydraulic Oil Filter	Operator
Demand Variable Speed Fan	Restriction	Protection/Comfort:
Dual Element Air Cleaner	Lap Bar Switch	FOPS / ROPS Roll-Guard with
Fan Belt Tensioner	Seat Switch	Side Screens
John Deere "Cool Gard II"	Door Open Switch	In-Cab Boom Lockout
Extended Life Anti-Freeze	Engine Preheat	System
John Deere Plus 50 10w30	Low Engine Oil Pressure	Adjustable Lap Bar
engine oil	Automatic Engine Preheat	Operator Presence System
5 Micron fuel filter with	Electrical:	Interlocking Lap Bar and
Water Separator	12-Volt Electrical Battery	Retractable Seat Belt system
100 Micron secondary fuel	750cca	Seat Switch & Lap Bar
filter	Alternator 70 Amp	Interlocks for Loader Arm,
21 Gallon (79 L) Fuel Tank	Halogen Work Lights, 2 Front	Bucket, & Auxiliary Circuits
Final Drive System and	and 1 Rear	Deluxe Headliner
Brakes:	Programmable courtesy	12V power port
Four Wheel Drive	lighting shutoff system	Cell Phone cargo net storage
Hydrostatic-Manual Pumps	Hydraulics:	Interior Dome Lighting
Four 80 HD continuous loop	3-Spool Open Center Valve	Cup Holder
chain drive	18 gpm (68 L/m) Pump	Grab Handles for Easy
Integral Automatic Wet-Disk	5 Micron Hydraulic Filter	Entry / Exit
Brake Spring	10w30 Engine Oil	Top and Rear Windows
Applied Hydraulic Release	John Deere Boom and	Water Shedding Deluxe
Gauges and Instruments:	Bucket Cylinders with	Seating
Fuel Gauge	Cushioned Boom	Convenient Tie Downs
Engine Coolant Temperature		Attachment Coupler:
Operator Selectable LCD	Connect-under-pressure	John Deere patented Quik-
Digital Readout:	auxiliary hydraulic couplers	Tatch system (no grease
Hourmeter	Loader Arm, Bucket, &	required)
Engine RPM	Auxiliary Hydraulic Lockout	Warranty (US and Canada):
Battery Voltage	System	John Deere Standard
Engine Coolant Temp.		Warranty 1 Year Unlimited
Hydraulic Oil Temp.	Auxiliary Hydraulics Lock-out	Hours
Job Clock	Override	
Service Codes	Boom Float	
Diagnostic Codes	Performance Characteristics:	
	Rated Operating Capacity	
	1,950 lbs. (885 kg)	

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
318E SKID STEER	8201T	\$37,100.00

▼ SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
318E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0845	(\$182.00)
------------------------------------	------	------------

Package includes:
 Foot Controls (0900)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 10x16.5 8 PR Galaxy ""Beefy Baby II"" HD (2040)
 Standard Base Hydraulics (3000)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Manual Quik-Tatch (5000)
 Canopy - ROPS / FOPS (5200)
 Seat (Vinyl) (6000)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)

Utility Package with ISO Pattern EH Joystick Controls	0850	(\$547.00)
---	------	------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 10x16.5 8 PR Galaxy ""Beefy Baby II"" HD (2040)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Manual Quik-Tatch (5000)
 Canopy - ROPS / FOPS (5200)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with Switchable EH Joystick Controls	0855	(\$888.00)
--	------	------------

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 10x16.5 8 PR Galaxy "Beefy Baby II" HD (2040)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Manual Quik-Tatch (5000)
 Canopy - ROPS / FOPS (5200)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls 0860 (\$798.00)

Package includes:
 Foot Controls (0900)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 10x16.5 8 PR Galaxy ""Beefy Baby II"" HD (2040)
 Standard Base Hydraulics (3000)
 Less Ride Control (3101)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls 0865 (\$1,544.00)

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 10x16.5 8 PR Galaxy ""Beefy Baby II"" HD (2040)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls 0870 (\$1,846.00)

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 10x16.5 8 PR Galaxy ""Beefy Baby II"" HD (2040)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)

Backup Alarm (8040)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,613.00
Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.		
Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 63 Gross hp (47.1 kW) 60 Net hp (44.8 kW)		
Engine - Naturally Aspirated	1305	\$1,475.00
Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.		
Yanmar 4TNV98C 3.3L 4 Cylinder Naturally Aspirated 63 Gross hp (47.1 kW) 60 Net hp (44.8 kW)		

▼ OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
Polycarbonate Front Door w/ Wiper and Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		

▼ SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	\$452.00
For use with Cab Enclosure/Severe Duty Door (5204 & 5205).		
Vinyl, Air-Ride Seat	6003	\$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
3-Inch Seat Belt	4002	\$164.00
Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt For use with Canopy - ROPS / FOPS (5200)		
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	\$796.00
E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
EH (H Pattern) Joystick Controls	0975	\$2,778.00
High Spring Efforts		
EH Foot and Joystick Controls	0980	\$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$5,585.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)		
Selectable propel aggressiveness		
Creeper Mode		
Boom and Bucket speed settings		
12V 3 Pin and 14 Pin Attachment Control Harness		
Less EH Joystick Performance Package	7101	In Base Price

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

Two-Speed	1050	\$2,508.00
-----------	------	------------

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 18 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
--	------	----------

Pump Flow = 18 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	\$1,830.00
----------------------	------	------------

Pump Flow = 27 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
---	------	------------

Pump Flow = 27 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price
-------------------	------	---------------

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	\$834.00
------------------	------	----------

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price

Reversing Fan Drive	6501	\$830.00
---------------------	------	----------

▼ HORN

Description	Code	Price
Horn	6800	\$140.00

Less Horn	6801	In Base Price
-----------	------	---------------

▼ WHEELS AND TIRES

Description	Code	Price
10x16.5 8 PR SKS Extra-Wall Heavy Duty For use primarily in dirt applications Gives 62.9 in. Skid Steer width at narrow setting Gives 69.0 in. Skid Steer width at wide setting	2280	\$1,321.00
10x16.5 8 PR SKS Hauler Heavy Duty * Gives 63.2 in. Skid Steer width at narrow setting * Gives 69.2 in. Skid Steer width at wide setting	2270	\$1,561.00
10x16.5 8 PR Galaxy "Beefy Baby II" HD Gives 62.4 in. Skid Steer width at narrow setting Gives 68.4 in. Skid Steer width at wide setting	2040	\$1,826.00
10x16.5 Brawler Treaded SolidFlex Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks	2400	\$4,957.00

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1516	No Charge

Optional - Select as desired

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Battery, Heavy Duty, 925cca	8045	\$55.00
NOTE: Not for use with Cold Start Package (8050)		

Cold Start Package	8050	\$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM/WB with Aux Input	8340	\$540.00
For use with enclosed cab only: codes 5204 & 5205		
Rear View Mirror (Interior cab mount)	8350	\$90.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package		
Foot Rest with Floormat	8380	\$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Floormat	8390	\$122.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Switchable Accelerator / Decelerator	8392	\$237.00
Turns existing foot throttle in to a decelerating pedal. Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).		
Keyless Start (Sealed Switch Module)	8395	\$399.00
Includes: programmable machine security code system		

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	\$997.00

66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	\$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	\$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	\$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	\$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	\$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	\$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS: See Attachments for Multi-Purpose Buckets		
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	\$997.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	\$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	\$1,048.00

66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	\$1,099.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	\$1,128.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
<u>Buckets:</u>		
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	\$813.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	\$1,076.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	\$1,139.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	\$889.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	\$963.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00
Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
<u>Cutting Edges:</u>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
<u>Kits and Accessories:</u>		
12 Volt Demonstration Kit	KV21995	\$305.00
3-pin connector		
Attachment Control	AT427986	\$406.00

For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.

Attachment Control Kit	AT427985	\$721.00
------------------------	----------	----------

For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.

Backup Alarm	AT348451	\$204.00
--------------	----------	----------

For use with EH Controls (0950) or (0975)

Backup Alarm (Foot, Hand Controls)	AT348456	\$204.00
------------------------------------	----------	----------

For use with Foot Controls (0900) or Hand Controls (0925)

Beacon Warning Light	AT431920	\$320.00
----------------------	----------	----------

Block Heater Kit	AT427686	\$110.00
------------------	----------	----------

Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
---------------------------------------	----------	----------

Must have the 14 pin attachment connector already installed

Cold Start Package	AT432105	\$355.00
--------------------	----------	----------

Counterweight, Stackable (Single Set)	AT348835	\$352.00
---------------------------------------	----------	----------

Includes 2 - 86 lb weights (39 Kg)

EH Joystick Performance Package	AT427988	\$593.00
---------------------------------	----------	----------

Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package

Enables the following features:
 Switchable control patterns between ISO and H
 Selectable propel aggressiveness
 Creeper Mode
 Boom and Bucket speed settings

Engine Air Pre-Cleaner Kit	AT425360	\$457.00
----------------------------	----------	----------

For use with FT4 Naturally Aspirated Engine (Order code 1305)

Engine Air Pre-Cleaner Kit	AT425361	\$457.00
----------------------------	----------	----------

For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310

Foot Throttle Removal Kit	AT374642	\$51.00
---------------------------	----------	---------

HD Rear Grille	AT398389	\$593.00
----------------	----------	----------

Provides protection to cooling package

Hazard Warning Lights	AT431921	\$127.00
-----------------------	----------	----------

High Spring Effort Joysticks	AT433683	\$766.00
------------------------------	----------	----------

Horn	AT348484	\$152.00
------	----------	----------

For use with Foot Controls (0900) or Hand Controls (0925)

Horn	AT339797	\$115.00
<i>For use with EH Controls (0950) or (0975)</i>		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
<i>Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.</i>		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
<i>For Serial numbers 269402 -</i>		
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
<i>Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.</i>		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
<u>Miscellaneous:</u>		
66 in. Bolt-On Cutting Edge	U16748	View Price
<i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)</i>		
72 in. Bolt-On Cutting Edge	T32742	View Price
<u>Operator Environment:</u>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<u>Tooth Bars:</u>		
66 in. Tooth Bar - 7 Teeth	KV12294	\$470.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	\$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
<u>Wheels and Tires, Single (Left Hand Only):</u>		
10x16.5 Treaded GPX Brawler SolidFlex, Left	SW10165527L	View Price

Wheels and Tires, Single (Right Hand Only):

10x16.5 8 PR Galaxy "Beefy Baby II" HD	AT336800	\$371.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	\$322.00
10x16.5 Treaded GPX Brawler SolidFlex, Right	SW10165527R	View Price

▼ REFERRAL ATTACHMENTS

Description	Code	Price
		
Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT406620	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT437325	\$320.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Grille Guard w/o Side Bumpers	AT437324	\$980.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: _____
 Contact Person: **John Deere Construction Retail Sales**
 Street Address: **1515 Fifth Avenue**
 P.O. Box: **P.O. Box 8806**
 City, State, Zip: **Moline, IL 61265-8806**
 Phone #: **(309) 765-0294**
 Toll Free #: **(800) 3193757**
 Fax #: **(309) 765-3358**
 Email Address: **DeakyneMarkR@John.Deere.com**

1.0 MANUFACTURER:	John Deere Model 319E Skid Steer, Track
Warranty	12 months, unlimited hours
Discount to be applied to Price List	24%
Date & I.D. of Price List	1/7/15, 319E Compact Track Loader

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



Current Date 07Jan2015

319E COMPACT TRACK LOADER

319E Compact Track Loader	Hourmeter	Boom Float
Equipment for Base Machine	Engine RPM	Performance Characteristics:
Engine:	Battery Voltage	
Electronic Injection System	Engine Coolant Temp.	Rated Operating Capacity
Auto Idle	Hydraulic Oil Temp.	2,150 lbs. (976 kg)
Glow Plugs	Job Clock	Tipping Load 6,143 lbs.
Automatic Engine Shutdown	Service Codes	(2,789 kg)
with Alarm	Diagnostic Codes	Bucket Breakout Force
V-Plenum Cooling	Configuration Codes	6,000lbs. (2,724 kg)
Hydraulic Cool-on-Demand	Indicator Warning Lights:	Boom Breakout Force
Variable Speed Fan	Battery Not Charging	3,500lbs. (1,589 kg)
Dual Element Air Cleaner	Hydraulics Locked Out	Operator
Fan Belt Tensioner	Park Brake Illumination	Protection/Comfort:
John Deere "Cool Gard II"	Hydraulic Oil Over Temp	FOPS / ROPS Roll-Guard with
Extended Life Anti-Freeze	2-Speed Engaged	Side Screens
John Deere Plus 50 10w30	Air Filter Restriction	In-Cab Boom Lockout
engine oil	Hydraulic Oil Filter	System
5 Micron fuel filter with	Restriction	Adjustable Lap Bar
Water Separator	Lap Bar Switch	Operator Presence System
100 Micron secondary fuel	Seat Switch	Interlocking Lap Bar and
filter	Door Open Switch	Retractable Seat Belt system
21 Gallon (79 L) Fuel Tank	Engine Preheat	
Final Drive System and	Low Engine Oil Pressure	Seat Switch & Lap Bar
Brakes:	Automatic Engine Preheat	Interlocks for Loader Arm,
Four Wheel Drive	Electrical:	Bucket, & Auxiliary Circuits
Axial Piston Hydrostatic	12-Volt Electrical Battery	Deluxe Headliner
Pump & Motor	750cca	12V power port
High Drive Double Planetary	Alternator 70 Amp	Cell Phone cargo net storage
Reduction Gear Box	Halogen Work Lights, 2 Front	
Integral Automatic Wet-Disk	and 1 Rear	Interior Dome Lighting
Brake Spring Applied	Programmable courtesy	Cup Holder
Hydraulic Release	lighting shutoff system	Grab Handles for Easy
Grease Cylinder	Hydraulics:	Entry / Exit
Undercarriage Track	3-Spool Open Center Valve	Top and Rear Windows
Tensioner	15 gpm (57 L/m) Pump	Water Shedding Deluxe
Patented Smooth Ride	5 Micron Hydraulic Filter	Seating
Undercarriage:	10w30 Engine Oil	Convenient Tie Downs
4 triple flanged rollers	John Deere Boom and	Attachment Coupler:
2 duel flanged idlers	Bucket Cylinders with	John Deere patented Quik-
12.6in (320 mm) Rubber	Cushioned Boom	Tatch system (no grease
Tracks	Connect-under-pressure	required)
	auxiliary hydraulic couplers	Warranty (US and Canada):
Gauges and Instruments:	Loader Arm, Bucket, &	John Deere Standard
Fuel Gauge	Auxiliary Hydraulic Lockout	Warranty 1 Year Unlimited
Engine Coolant Temperature	System	Hours
Operator Selectable LCD		

Digital Readout: Auxiliary Hydraulics Lock-out
Override

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
319E COMPACT TRACK LOADER	8301T	\$51,420.00

▼ COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
319E Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0845	(\$8.00)
------------------------------------	------	----------

Package includes:
Foot Controls (0900)
Single-Speed (1025)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics (3000)
Less Ride Control (3101)
3 in. Seat Belt (4002)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Seat (Vinyl) (6000)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0850	(\$364.00)
---	------	------------

Package includes:
EH (ISO Pattern) Joystick Controls (0950)
Single-Speed (1025)
Naturally Aspirated Engine (1305)
English Operator's Manual & Decals (1501)
Narrow Rubber Tracks (2500)
Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
Less Ride Control (3101)
3 in. Seat Belt (4002)
Manual Quik-Tatch (5000)
Canopy - ROPS / FOPS (5200)
Mechanical Suspension Seat (Vinyl) (6001)
Standard Fan Drive (6500)
Horn (6800)
Less EH Joystick Performance Package (7101)
Backup Alarm (8040)
Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with Switchable EH Joystick Controls	0855	(\$706.00)
--	------	------------

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Manual Quik-Tatch (5000)
 Canopy - ROPS / FOPS (5200)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls	0860	(\$616.00)
---------------------------------------	------	------------

Package includes:
 Foot Controls (0900)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Less Ride Control (3101)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls	0865	(\$1,111.00)
--	------	--------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls	0870	(\$1,413.00)
---	------	--------------

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Single-Speed (1025)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Ride Control (3100)

3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,678.00

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
 4 Cylinder Naturally Aspirated
 69 Gross hp (51.7 kW)
 66 Net hp (49.4 kW)

Engine - Naturally Aspirated	1305	\$1,512.00
------------------------------	------	------------

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L
 4 Cylinder Naturally Aspirated
 69 Gross hp (51.7 kW)
 66 Net hp (49.4 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
--	------	------------

Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
---	------	------------

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
--	------	------------

Polycarbonate Front Door w/ Wiper and Glass Side Windows.
 Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$421.00)

Mechanical Suspension Seat (Vinyl)	6001	In Base Price
------------------------------------	------	---------------

Air Suspension Seat (Cloth)	6002	\$452.00
-----------------------------	------	----------

Vinyl, Air-Ride Seat	6003	\$452.00
----------------------	------	----------

▼ SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)		
3-Inch Seat Belt	4002	\$164.00
Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt For use with Canopy - ROPS / FOPS (5200)		
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

▼ CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	\$796.00
E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
EH (H Pattern) Joystick Controls	0975	\$2,778.00
High Spring Efforts		
EH Foot and Joystick Controls	0980	\$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$5,585.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		

▼ JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Switchable control patterns between ISO and H (If ordered with code 0950 or 0975) Selectable propel aggressiveness Creep Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
Less EH Joystick Performance Package	7101	In Base Price

▼ TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
HYDRAULIC OPTIONS		
Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 15 gpm.		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
Pump Flow = 15 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
RIDE CONTROL		
Description	Code	Price
Ride Control	3100	\$995.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Less Ride Control	3101	In Base Price
QUIK-TATCH		
Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	\$834.00
COOLING FAN		
Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	\$830.00
HORN		
Description	Code	Price
Horn	6800	\$140.00
Less Horn	6801	In Base Price
TRACKS		
Description	Code	Price
Narrow Rubber Tracks - 12.6 in.	2500	In Base Price
Gives 71.5 in. CTL width		
OPERATOR MANUAL & DECALS		
Description	Code	Price

English Operator's Manual & Decals	1501	No Charge
<i>For use with FT4 Engine</i>		
English Operator's Manual & No Text Decals	1503	No Charge
<i>Not for Canada For use with IT4/Stage IIIB Engine</i>		
French Operator's Manual & Decals	1510	No Charge
<i>For use with FT4 Engine</i>		
French Operator's Manual & No Text Decals	1512	No Charge
<i>Not for Canada For use with IT4/Stage IIIB Engine</i>		
Spanish Operator's Manual & Decals	1515	No Charge
<i>For use with FT4 Engine</i>		
Spanish Operator's Manual & No Text Decals	1516	No Charge
<i>Not for Canada For use with IT4/Stage IIIB Engine</i>		

Optional - *Select as desired*
 KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Battery, Heavy Duty, 925cca	8045	\$55.00
<i>Not for use with Cold Start Package (8050)</i>		
Cold Start Package	8050	\$303.00
<i>Includes Battery, Heavy Duty, 925cca (8045), Block Heater, and Hydraulic Pump Unloader. (110 volt)</i>		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set)	8300	\$349.00
<i>Includes 2 - 86 lb weights (39 Kg)</i>		
Counterweight, Stackable (Second Set)	8305	\$349.00
<i>Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)</i>		
Counterweight, Stackable (Third Set)	8310	\$349.00
<i>Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)</i>		
Radio, AM/FM/WB with Aux Input	8340	\$540.00

For use with enclosed cab only: codes 5204 & 5205

Rear View Mirror (Interior cab mount)	8350	\$90.00
---------------------------------------	------	---------

HD Rear Grille	8370	\$486.00
----------------	------	----------

Provides protection to cooling package.

Foot Rest with Floormat	8380	\$144.00
-------------------------	------	----------

For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only

Floormat	8390	\$122.00
----------	------	----------

For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only

Switchable Accelerator / Decelerator	8392	\$237.00
--------------------------------------	------	----------

Turns existing foot throttle in to a decelerating pedal.

Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).

Keyless Start (Sealed Switch Module)	8395	\$399.00
--------------------------------------	------	----------

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
<u>BUCKETS:</u>		
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
<u>Buckets:</u>		
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00
Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
<u>Cutting Edges:</u>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
<u>Kits and Accessories:</u>		
12 Volt Demonstration Kit	KV21995	\$305.00
3-pin connector		
Attachment Control	AT427986	\$406.00
For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Attachment Control Kit	AT427985	\$721.00
For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980,		

and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.

Backup Alarm	AT348451	\$204.00
For use with EH Controls (0950) or (0975)		
Backup Alarm (Foot, Hand Controls)	AT348456	\$204.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$110.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed		
Cold Start Package	AT432105	\$355.00
Counterweight, Stackable (Single Set)	AT348835	\$352.00
Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	\$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package		
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT425360	\$457.00
For use with FT4 Naturally Aspirated Engine (Order code 1305)		
Engine Air Pre-Cleaner Kit	AT425361	\$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Foot Throttle Removal Kit	AT374642	\$51.00
HD Rear Grille	AT398389	\$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT348484	\$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	\$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$152.00

Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
Miscellaneous:		
72 in. Bolt-On Cutting Edge	T32742	View Price
Operator Environment:		
Trim Elbow Pad Field Kit	AT417600	\$28.00
Tooth Bars:		
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00

REFERRAL ATTACHMENTS

Description	Code	Price
Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00

Guard, Bucket Cylinder Rod	AT406620	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT437325	\$320.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Grille Guard w/o Side Bumpers	AT437324	\$980.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: **John Deere Construction Retail Sales**
 Contact Person: **1515 Fifth Avenue**
 Street Address: **P.O. Box 8806**
 P.O. Box: **Moline, IL 61265-8806**
 City, State, Zip: **(309) 765-0294**
 Phone #: **(800) 3193757**
 Toll Free #: **(309) 765-3358**
 Fax #: **DeakyneMarkR@John.Deere.com**
 Email Address:

1.0 MANUFACTURER:	John Deere Model 320E Skid Steer, Wheel
Warranty	12 months, unlimited hours
Discount to be applied to Price List	26%
Date & I.D. of Price List	1/7/15, 320E Skid Steer

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



JOHN DEERE

Current Date 07Jan2015

320E SKID STEER

320E SKID STEER

Equipment for Base Machine	Configuration Codes	Tipping Load 4,380 lbs.
Engine:	Indicator Warning Lights:	(1,989 kg)
Electronic Injection System	Battery Not Charging	Bucket Breakout Force
Auto Idle	Hydraulics Locked Out	6,000lbs. (2,724 kg)
Glow Plugs	Park Brake Illumination	Boom Breakout Force
Automatic Engine Shutdown	Hydraulic Oil Over Temp	3,500lbs. (1,589 kg)
with Alarm	2-Speed Engaged	Axle Torque 4,994 lbs-ft
V-Plenum Cooling	Air Filter Restriction	(6,771 Nm)
Hydraulic Cool-on-Demand	Hydraulic Oil Filter	Operator
Variable Speed Fan	Restriction	Protection/Comfort:
Dual Element Air Cleaner	Lap Bar Switch	FOPS / ROPS Roll-Guard with
Fan Belt Tensioner	Seat Switch	Side Screens
John Deere "Cool Gard II"	Door Open Switch	In-Cab Boom Lockout
Extended Life Anti-Freeze	Engine Preheat	System
John Deere Plus 50 10w30	Low Engine Oil Pressure	Adjustable Lap Bar
engine oil	Automatic Engine Preheat	Operator Presence System
5 Micron fuel filter with	Electrical:	Interlocking Lap Bar and
Water Separator	12-Volt Electrical Battery	Retractable Seat Belt system
100 Micron secondary fuel	750cca	
filter	Alternator 70 Amp	Seat Switch & Lap Bar
21 Gallon (79 L) Fuel Tank	Halogen Work Lights, 2 Front	Interlocks for Loader Arm,
Final Drive System and	and 1 Rear	Bucket, & Auxiliary Circuits
Brakes:	Programmable courtesy	Deluxe Headliner
Four Wheel Drive	lighting shutoff system	12V power port
Hydrostatic-Manual Pumps	Hydraulics:	Cell Phone cargo net storage
Four 80 HD continuous loop	3-Spool Open Center Valve	
chain drive	20 gpm (76 L/m) Pump	Interior Dome Lighting
Integral Automatic Wet-Disk	5 Micron Hydraulic Filter	Cup Holder
Brake Spring Applied	10w30 Engine Oil	Grab Handles for Easy
Hydraulic Release	John Deere Boom and	Entry / Exit
Gauges and Instruments:	Bucket Cylinders with	Top and Rear Windows
Fuel Gauge	Cushioned Boom	Water Shedding Deluxe
Engine Coolant Temperature	Connect-under-pressure	Seating
Operator Selectable LCD	auxiliary hydraulic couplers	Convenient Tie Downs
Digital Readout:	Loader Arm, Bucket, &	Attachment Coupler:
Hourmeter	Auxiliary Hydraulic Lockout	John Deere patented Quik-
Engine RPM	System	Tatch system (no grease
Battery Voltage	Auxiliary Hydraulics Lock-out	required)
Engine Coolant Temp.	Override	Warranty (US and Canada):
Hydraulic Oil Temp.	Boom Float	John Deere Standard
Job Clock	Performance Characteristics:	Warranty 1 Year Unlimited
Service Codes		Hours
Diagnostic Codes	Rated Operating Capacity	
	2,190 lbs. (994 kg)	

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
320E SKID STEER	8311T	\$38,465.00

▼ SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
320E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0845	(\$656.00)
------------------------------------	------	------------

Package includes:
 Foot Controls (0900)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0850	(\$1,241.00)
---	------	--------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Vinyl Air-Ride Seat (6003)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)
 Foot Rest with Floormat (8380)
 Switchable Accelerator/Decelerator (8392)
 Keyless Start (Sealed Switch Module) (8395)

Utility Package with Switchable EH Joystick Controls	0855	(\$1,505.00)
--	------	--------------

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)

Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Vinyl Air-Ride Seat (6003)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls 0860 (\$1,271.00)

Package includes:
 Foot Controls (0900)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls 0865 (\$1,810.00)

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Foot Rest with Floor mat (8380)
 Switchable Accelerator/Decelerator (8392)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls 0870 (\$2,074.00)

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Two-Speed (1050)
 Naturally Aspirated Engine (1305)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)

Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,613.00
Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.		
Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)		
Engine - Naturally Aspirated	1305	\$1,475.00
Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.		
Yanmar 4TNV98C 3.3L 4 Cylinder Naturally Aspirated 69 Gross hp (51.7 kW) 66 Net hp (49.4 kW)		

▼ OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
Polycarbonate Front Door w/ Wiper and Glass Side Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		

▼ SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)

Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	\$452.00
For use with Cab Enclosure/Severe Duty Door (5204 & 5205).		
Vinyl, Air-Ride Seat	6003	\$452.00

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
3-Inch Seat Belt	4002	\$164.00
Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt For use with Canopy - ROPS / FOPS (5200)		
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price
Hands Only Controls	0925	\$796.00
E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
EH (H Pattern) Joystick Controls	0975	\$2,778.00
High Spring Efforts		
EH Foot and Joystick Controls	0980	\$3,894.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$5,585.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)		
Selectable propel aggressiveness		
Creeper Mode		
Boom and Bucket speed settings		

12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price
--------------------------------------	------	---------------

▼ TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	\$2,508.00

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 20 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
--	------	----------

Pump Flow = 20 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	\$1,830.00
----------------------	------	------------

Pump Flow = 30 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
---	------	------------

Pump Flow = 30 gpm

Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price
-------------------	------	---------------

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	\$834.00

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price

Reversing Fan Drive	6501	\$830.00
---------------------	------	----------

▼ HORN

Description	Code	Price
Horn	6800	\$140.00
Less Horn	6801	In Base Price

▼ WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR SKS Extra-Wall <small>Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting</small>	2310	\$1,636.00
12x16.5 10 PR SKS Hauler HD <small>Gives 70.1 in. Skid Steer width at narrow setting Gives 73.4 in. Skid Steer width at wide setting</small>	2300	\$2,087.00
12x16.5 10 PR Titan HD2000-III <small>Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting</small>	2070	\$2,147.00
10x16.5 Brawler Treaded SolidFlex <small>Gives 67.4 in. Skid Steer width at wide setting Not Compatible with Tracks</small>	2400	\$4,957.00
12x16.5 Treaded Brawler SolidFlex <small>Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks</small>	2410	\$5,775.00
10x16.5 8 PR SKS Extra-Wall Heavy Duty <small>For use primarily in dirt applications Gives 62.9 in. Skid Steer width at narrow setting Gives 69.0 in. Skid Steer width at wide setting</small>	2280	\$1,321.00
10x16.5 8 PR SKS Hauler Heavy Duty <small>Gives 63.2 in. Skid Steer width at narrow setting Gives 69.2 in. Skid Steer width at wide setting</small>	2270	\$1,561.00
10x16.5 8 PR Galaxy "Beefy Baby II" HD <small>Gives 62.4 in. Skid Steer width at narrow setting Gives 68.4 in. Skid Steer width at wide setting</small>	2040	\$1,826.00

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals <small>For use with FT4 Engine</small>	1501	No Charge
English Operator's Manual & No Text Decals <small>Not for Canada</small>	1503	No Charge

For use with IT4/Stage IIIB Engine

French Operator's Manual & Decals	1510	No Charge
-----------------------------------	------	-----------

For use with FT4 Engine

French Operator's Manual & No Text Decals	1512	No Charge
---	------	-----------

Not for Canada

For use with IT4/Stage IIIB Engine

Spanish Operator's Manual & Decals	1515	No Charge
------------------------------------	------	-----------

For use with FT4 Engine

Spanish Operator's Manual & No Text Decals	1516	No Charge
--	------	-----------

Not for Canada

For use with IT4/Stage IIIB Engine

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Battery, Heavy Duty, 925cca	8045	\$55.00
NOTE: Not for use with Cold Start Package (8050)		
Cold Start Package	8050	\$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt)		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM/WB with Aux Input	8340	\$540.00
For use with enclosed cab only: codes 5204 & 5205		
Rear View Mirror (Interior cab mount)	8350	\$90.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package		

Foot Rest with Floormat	8380	\$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Floormat	8390	\$122.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Switchable Accelerator / Decelerator	8392	\$237.00
Turns existing foot throttle in to a decelerating pedal.		
Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).		
Keyless Start (Sealed Switch Module)	8395	\$399.00
Includes: programmable machine security code system		

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	\$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	\$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	\$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	\$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	\$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	\$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	\$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS

Description	Code	Price
-------------	------	-------

BUCKETS:

See Attachments for Multi-Purpose Buckets

66 in. Construction Bucket (16.2 cu. ft.)	KV11630	\$997.00
---	---------	----------

66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	\$870.00
-----------------------------------	----------	----------

66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	\$1,082.00
---	----------	------------

66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	\$1,048.00
--	----------	------------

66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	\$1,099.00
------------------------------------	---------	------------

66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	\$1,128.00
--	---------	------------

76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
--	----------	------------

76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
--	----------	------------

76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
---------------------------------------	----------	------------

Buckets:

60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	\$813.00
-----------------------------------	----------	----------

60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	\$1,007.00
---	----------	------------

60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	\$1,076.00
--	----------	------------

66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	\$1,139.00
---	---------	------------

66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	\$889.00
--------------------------------------	---------	----------

66 in. Utility Bucket (20.6 cu. ft.)	KV22801	\$963.00
--------------------------------------	---------	----------

72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
---	----------	------------

72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
---	----------	------------

72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
--------------------------------------	---------	----------

72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
------------------------------------	----------	------------

72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00
Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
<u>Cutting Edges:</u>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
<u>Kits and Accessories:</u>		
12 Volt Demonstration Kit	KV21995	\$305.00
3-pin connector		
Attachment Control	AT427986	\$406.00
For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Attachment Control Kit	AT427985	\$721.00
For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Backup Alarm	AT348451	\$204.00
For use with EH Controls (0950) or (0975)		
Backup Alarm (Foot, Hand Controls)	AT348456	\$204.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$110.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed		
Cold Start Package	AT432105	\$355.00
Counterweight, Stackable (Single Set)	AT348835	\$352.00
Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	\$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package		

Enables the following features:
 Switchable control patterns between ISO and H
 Selectable propel aggressiveness
 Creeper Mode
 Boom and Bucket speed settings

Engine Air Pre-Cleaner Kit	AT425360	\$457.00
For use with FT4 Naturally Aspirated Engine (Order code 1305)		
Engine Air Pre-Cleaner Kit	AT425361	\$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Foot Throttle Removal Kit	AT374642	\$51.00
HD Rear Grille	AT398389	\$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT348484	\$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Horn	AT339797	\$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
For Serial numbers 269402 -		
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
Miscellaneous:		
66 in. Bolt-On Cutting Edge	U16748	View Price

Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)

72 in. Bolt-On Cutting Edge	T32742	View Price
-----------------------------	--------	------------

Operator Environment:

Trim Elbow Pad Field Kit	AT417600	\$28.00
--------------------------	----------	---------

Tooth Bars:

66 in. Tooth Bar - 7 Teeth	KV12294	\$470.00
----------------------------	---------	----------

66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	\$714.00
-------------------------------------	----------	----------

72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
----------------------------	---------	----------

72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
-------------------------------------	----------	----------

76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
----------------------------	----------	----------

76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
-------------------------------------	----------	----------

Wheels and Tires, Four:

12x16.5 10 PR SKS Extra-Wall	KV21876	\$1,577.00
------------------------------	---------	------------

12x16.5 10 PR Titan HD2000-III	KV14674	\$1,817.00
--------------------------------	---------	------------

Wheels and Tires, Single (Right Hand Only):

10x16.5 8 PR Galaxy "Beefy Baby II" HD	AT336800	\$371.00
--	----------	----------

10x16.5 8 PR SKS Extra-Wall Heavy Duty	AT332906	\$322.00
--	----------	----------

12x16.5 10 PR SKS Extra-Wall	KV23687	\$396.00
------------------------------	---------	----------

12x16.5 10 PR Titan HD2000-III	KV23689	\$468.00
--------------------------------	---------	----------

▼ REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
--	----------	----------

Front Work Lights and Rear Light Guards	AT432854	\$218.00
---	----------	----------

Guard, Bucket Cylinder Rod	AT406620	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT437325	\$320.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Grille Guard w/o Side Bumpers	AT437324	\$980.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: _____
 Contact Person: **John Deere Construction Retail Sales**
 Street Address: **1515 Fifth Avenue**
 P.O. Box: **P.O. Box 8806**
 City, State, Zip: **Moline, IL 61265-8806**
 Phone #: **(309) 765-0294**
 Toll Free #: **(800) 3193757**
 Fax #: **(309) 765-3358**
 Email Address: **DeakyneMarkR@John.Deere.com**

1.0 MANUFACTURER:	John Deere Model 323E Skid Steer, Track
Warranty	12 months, unlimited hours
Discount to be applied to Price List	24%
Date & I.D. of Price List	1/7/15, 323E Compact Track Loader

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



Current Date 07Jan2015

323E COMPACT TRACK LOADER

323E Compact Track Loader

Equipment for Base Machine

Engine:

Electronic Injection System

Auto Idle

Glow Plugs

Automatic Engine Shutdown
with Alarm

V-Plenum Cooling

Hydraulic Cool-on-Demand

Variable Speed Fan

Dual Element Air Cleaner

Fan Belt Tensioner

John Deere "Cool Gard II"

Extended Life Anti-Freeze

John Deere Plus 50 10w30
engine oil

5 Micron fuel filter with

Water Separator

100 Micron secondary fuel
filter

21 Gallon (79 L) Fuel Tank

Final Drive System and

Brakes:

Four Wheel Drive

Axial Piston Hydrostatic

Pump & Motor

High Drive Double Planetary

Reduction Gear Box

Integral Automatic Wet-Disk

Brake Spring Applied

Hydraulic Release

Grease Cylinder

Undercarriage Track

Tensioner

Patented Smooth Ride

Undercarriage:

4 triple flanged rollers

2 duel flanged idlers

12.6in (320 mm) Rubber

Tracks

Gauges and Instruments:

Fuel Gauge

Engine Coolant Temperature

Operator Selectable LCD

Digital Readout:

Hourmeter

Engine RPM

Battery Voltage

Engine Coolant Temp.

Hydraulic Oil Temp.

Job Clock

Service Codes

Diagnostic Codes

Configuration Codes

Indicator Warning Lights:

Battery Not Charging

Hydraulics Locked Out

Park Brake Illumination

Hydraulic Oil Over Temp

2-Speed Engaged

Air Filter Restriction

Hydraulic Oil Filter

Restriction

Lap Bar Switch

Seat Switch

Door Open Switch

Engine Preheat

Low Engine Oil Pressure

Automatic Engine Preheat

Electrical:

12-Volt Electrical Battery

750cca

Alternator 70 Amp

Halogen Work Lights, 2 Front

and 1 Rear

Programmable courtesy

lighting shutoff system

Hydraulics:

3-Spool Open Center Valve

18 gpm (68 L/m) Pump

5 Micron Hydraulic Filter

10w30 Engine Oil

John Deere Boom and

Bucket Cylinders with

Cushioned Boom

Connect-under-pressure

auxiliary hydraulic couplers

Loader Arm, Bucket, &

Auxiliary Hydraulic Lockout

System

Boom Float

Performance Characteristics:

Rated Operating Capacity

2,590 lbs. (1176 kg)

Tipping Load 7,400 lbs.

(3,360 kg)

Bucket Breakout Force

7,000lbs. (3,178 kg)

Boom Breakout Force

4,300lbs. (1,952 kg)

Operator

Protection/Comfort:

FOPS / ROPS Roll-Guard with

Side Screens

In-Cab Boom Lockout

System

Adjustable Lap Bar

Operator Presence System

Interlocking Lap Bar and

Retractable Seat Belt system

Seat Switch & Lap Bar

Interlocks for Loader Arm,

Bucket, & Auxiliary Circuits

Deluxe Headliner

12V power port

Cell Phone cargo net storage

Interior Dome Lighting

Cup Holder

Grab Handles for Easy

Entry / Exit

Top and Rear Windows

Water Shedding Deluxe

Seating

Convenient Tie Downs

Attachment Coupler:

John Deere patented Quik-

Tatch system (no grease

required)

Warranty (US and Canada):

John Deere Standard

Warranty 1 Year Unlimited

Hours

Auxiliary Hydraulics Lock-out Override

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
323E COMPACT TRACK LOADER	8321T	\$55,375.00

▼ COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
323E Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package with Foot Controls	0845	(\$442.00)
------------------------------------	------	------------

Package includes:
 Foot Controls (0900)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)

Utility Package with ISO Pattern EH Joystick Controls	0850	(\$1,024.00)
---	------	--------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Vinyl, Air-Ride Seat (6003)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Rear View Mirror (Interior Cab Mount) (8350)
 Foot Rest with Floormat (8380)
 Switchable Accelerator/Decelerator (8392)
 Keyless Start (Sealed Switch Module) (8395)

Utility Package with Switchable EH Joystick Controls 0855 (\$1,285.00)

Package includes:
 Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Vinyl Air-Ride Seat (6003)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with Foot Controls 0860 (\$1,056.00)

Package includes:
 Foot Controls (0900)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics and Hydraulic Self-Leveling Up (3001)
 Less Ride Control (3101)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (Interior Cab Mount) (8350)

Deluxe Cab Package with ISO Pattern EH Joystick Controls 0865 (\$1,592.00)

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Foot Rest with Floor Mat (8380)
 Switchable Accelerator/Decelerator (8392)
 Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with EH Switchable Joystick Controls 0870 (\$1,854.00)

Package includes:

Switchable EH (Foot-H-ISO Pattern) Joystick Controls (0990)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 Narrow Rubber Tracks (2500)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt with Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure with Air-Conditioning, Heat and Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB with Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (Sealed Switch Module) (8395)

▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,678.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
 4 Cylinder Turbo-Charged
 74 Gross hp (54.8 kW)
 70 Net hp (52.5 kW)

▼ OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00

Polycarbonate Front Door w/ Wiper and Glass Side Windows.
 Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

▼ SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	\$452.00
Vinyl, Air-Ride Seat	6003	\$452.00

▼ SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
--	------	----------

For use with Cab Enclosure with Heat and Defrost and Cab Enclosure with Heat, Defrost, and Air-Conditioning (5204)

3-Inch Seat Belt	4002	\$164.00
------------------	------	----------

Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt
For use with Canopy - ROPS / FOPS (5200)

3-Inch Seat Belt with Shoulder Harness	4003	\$379.00
--	------	----------

CONTROLS

Description	Code	Price
Foot Controls	0900	In Base Price

Hands Only Controls	0925	\$796.00
---------------------	------	----------

E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
-------------------------------------	------	------------

EH (H Pattern) Joystick Controls	0975	\$2,778.00
----------------------------------	------	------------

High Spring Efforts

EH Foot and Joystick Controls	0980	\$3,894.00
-------------------------------	------	------------

Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$5,585.00
--	------	------------

Code 8395 Keyless Start (Sealed Switch Module) is required.

Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)

Selectable propel aggressiveness

Creeper Mode

Boom and Bucket speed settings

12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price
--------------------------------------	------	---------------

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

Two-Speed	1050	\$2,508.00
-----------	------	------------

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 18 gpm.		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
Pump Flow = 18 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
High Flow Hydraulics	3002	\$1,830.00
Pump Flow = 27 gpm		
Includes 1/2 in Auxiliary coupler sizes.		
High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
Pump Flow = 27 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
Includes 1/2 in Auxiliary coupler sizes.		

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Less Ride Control	3101	In Base Price

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	\$834.00

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	\$830.00

▼ HORN

Description	Code	Price
Horn	6800	\$140.00
Less Horn	6801	In Base Price

▼ TRACKS

Description	Code	Price
Narrow Rubber Tracks - 12.6 in. Gives 71.5 in. CTL width	2500	In Base Price
Wide Rubber Tracks - 15.8 in. Gives 74.7 in. CTL width	2600	\$1,430.00

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge
Spanish Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1516	No Charge

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Battery, Heavy Duty, 925cca Not for use with Cold Start Package (8050)	8045	\$55.00
Cold Start Package Includes Battery, Heavy Duty, 925cca (8045), Block Heater, and Hydraulic Pump Unloader. (110 volt)	8050	\$303.00
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	8300	\$349.00

Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM/WB with Aux Input	8340	\$540.00
For use with enclosed cab only: codes 5204 & 5205		
Rear View Mirror (Interior cab mount)	8350	\$90.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package.		
Foot Rest with Floormat	8380	\$144.00
For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only		
Floormat	8390	\$122.00
For use with Hand Controls (0925), E-H Joystick Controls (0950), or E-H Joystick Controls with Attachment Control and E-H Performance Package (0975) only		
Switchable Accelerator / Decelerator	8392	\$237.00
Turns existing foot throttle in to a decelerating pedal. Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).		
Keyless Start (Sealed Switch Module)	8395	\$399.00

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS

Description	Code	Price
-------------	------	-------

BUCKETS:

76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00

Buckets:

72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00

Includes 66", 72", 76", and 78" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
---	----------	------------

Includes 72", 76", 78", and 84" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Cutting Edges:

76 in. Bolt-On Cutting Edge	T223081	View Price
-----------------------------	---------	------------

Requires additional hardware; see Parts.

Kits and Accessories:

12 Volt Demonstration Kit	KV21995	\$305.00
---------------------------	---------	----------

3-pin connector		
Attachment Control	AT427986	\$406.00
For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Attachment Control Kit	AT427985	\$721.00
For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		
Backup Alarm	AT348451	\$204.00
For use with EH Controls (0950) or (0975)		
Backup Alarm (Foot, Hand Controls)	AT348456	\$204.00
For use with Foot Controls (0900) or Hand Controls (0925)		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$110.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed		
Cold Start Package	AT432105	\$355.00
Counterweight, Stackable (Single Set)	AT348835	\$352.00
Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	\$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package		
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT425361	\$457.00
For Turbo Engines (FT4 and Non-Reg); Order codes 1301 or 1310		
Foot Throttle Removal Kit	AT374642	\$51.00
HD Rear Grille	AT398389	\$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT348484	\$152.00
For use with Foot Controls (0900) or Hand Controls (0925)		

Horn	AT339797	\$115.00
<i>For use with EH Controls (0950) or (0975)</i>		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
<i>Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.</i>		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
<i>Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.</i>		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
<u>Miscellaneous:</u>		
72 in. Bolt-On Cutting Edge	T32742	View Price
<u>Operator Environment:</u>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<u>Tooth Bars:</u>		
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00

▼ REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT406620	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT437325	\$320.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Grille Guard w/o Side Bumpers	AT437324	\$980.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: _____
 Contact Person: **John Deere Construction Retail Sales**
 Street Address: **1515 Fifth Avenue**
 P.O. Box: **P.O. Box 8806**
 City, State, Zip: **Moline, IL 61265-8806**
 Phone #: **(309) 765-0294**
 Toll Free #: **(800) 3193757**
 Fax #: **(309) 765-3358**
 Email Address: **DeakyneMarkR@John.Deere.com**

1.0 MANUFACTURER:	John Deere Model 326E Skid Steer, Wheel
Warranty	12 months, unlimited hours
Discount to be applied to Price List	27%
Date & I.D. of Price List	1/7/15, 326E Skid Steer

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



JOHN DEERE

Current Date 07Jan2015

326E SKID STEER

326E SKID STEER

Equipment for Base Machine	Indicator Warning Lights:	Tipping Load 5,400 lbs.
Engine:	Battery Not Charging	(2,449 kg)
Electronic Injection System	Hydraulics Locked Out	Bucket Breakout Force
Auto Idle	Park Brake Illumination	7,750lbs. (3,519 kg)
Glow Plugs	Hydraulic Oil Over Temp	Boom Breakout Force
Automatic Engine Shutdown	2-Speed Engaged	5,000lbs. (2,270 kg)
with Alarm	Air Filter Restriction	Axle Torque 5,680 lbs-ft
V-Plenum Cooling	Hydraulic Oil Filter	(7,725 Nm)
Hydraulic Cool-on-Demand	Restriction	Operator
Variable Speed Fan	Lap Bar Switch	Protection/Comfort:
Dual Element Air Cleaner	Seat Switch	FOPS / ROPS Roll-Guard with
Automatic Fan Belt Tensioner	Door Open Switch	Side Screens
John Deere "Cool Gard II"	Engine Preheat	In-Cab Boom Lockout
Extended Life Anti-Freeze	Low Engine Oil Pressure	System
John Deere Plus 50 10w30	Automatic Engine Preheat	Adjustable Lap Bar
engine oil	Electrical:	Operator Presence System
5 Micron Primary Fuel Filter	12-Volt Electrical Battery	Interlocking Lap Bar and
25 Gallon (96.1 L) Fuel Tank	925cca	Retractable Seat Belt system
Final Drive System and	Alternator 70 Amp	Seat Switch & Lap Bar
Brakes:	Halogen Work Lights, Front	Interlocks for Loader Arm,
Four Wheel Drive	and Rear	Bucket, & Auxiliary Circuits
Servo Hydrostatic Pumps	Programmable courtesy	Deluxe Headliner
Four 100 HD continuous loop	lighting shutoff system	12V power port
chain drive	Hydraulics:	Cell Phone cargo net storage
Integral Automatic Wet-Disk	3-Spool Open Center Valve	Interior Dome Lighting
Brake Spring Applied	21 gpm (80 L/m) Pump	Cup Holder
Hydraulic Release	3 Micron Hydraulic Filter	Grab Handles for Easy
Gauges and Instruments:	10w30 Engine Oil	Entry / Exit
Fuel Gauge	John Deere Boom and	Top and Rear Windows
Engine Coolant Temperature	Bucket Cylinders with	Water Shedding Deluxe
Operator Selectable LCD	Cushioned Boom	Seating
Digital Readout:	Connect-under-pressure	Convenient Tie Downs
Hourmeter	auxiliary hydraulic couplers	Attachment Coupler:
Engine RPM	Loader Arm, Bucket, &	John Deere patented Quik-
Battery Voltage	Auxiliary Hydraulic Lockout	Tatch system (no grease
Engine Coolant Temp.	System	required)
Hydraulic Oil Temp.	Auxiliary Hydraulics Lock-out	Warranty (US and Canada):
Job Clock	Override	John Deere Standard
Service Codes	Boom Float	Warranty 1 Year Unlimited
Diagnostic Codes	Performance Characteristics:	Hours
Configuration Codes	Rated Operating Capacity	
	2,700 lbs. (1,225 kg)	

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
326E SKID STEER	8331T	\$44,221.00

▼ SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
326E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0815	(\$388.00)
--	------	------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Single-Speed (1025)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Base Hydraulics (3000)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy - ROPS / FOPS (5200)
 Mechanical Suspension Seat (Vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls	0820	(\$1,530.00)
---	------	--------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Base Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt w/ Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure w/ A/C, Heat, Defrost (5204)
 Air Suspension Seat (Cloth) (6002)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB w/ Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Foot Rest w/ Floormat (8380)
 Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls & Hi-Flow	0825	(\$1,809.00)
---	------	--------------

Package includes:
 EH (ISO Pattern) Joystick Controls (0950)

Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 High Flow Hydraulics (3002)
 Ride Control (3100)
 3 in. Seat Belt w/ Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure w/ A/C, Heat, Defrost (5204)
 Vinyl, Air-Ride Seat (6003)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Engine Air Precleaner (8060)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB w/ Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 HD Louvered Grille (8370)
 Foot Rest w/ Floor mat (8380)
 Keyless Start (8395)

Utility Package With Switchable Joystick Controls	0830	(\$690.00)
---	------	------------

Package includes:
 Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
 Single-Speed (1025)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics (3000)
 Less Ride Control (3101)
 3 in. Seat Belt (4002)
 Power Quik-Tatch (5001)
 Canopy ROPS/FOPS (5200)
 Mechanical Suspension Seat (vinyl) (6001)
 Standard Fan Drive (6500)
 Horn (6800)
 Less EH Joystick Performance Package (7101)
 Backup Alarm (8040)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls	0835	(\$1,817.00)
--	------	--------------

Package includes:
 Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
 Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 Standard Hydraulics (3000)
 Ride Control (3100)
 3 in. Seat Belt w/ Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure w/ A/C, Heat, Defrost (5204)
 Air Suspension Seat (cloth) (6002)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB w/ Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls & Hi-Flow	0840	(\$2,094.00)
--	------	--------------

Package includes:
 Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)

Two-Speed (1050)
 Turbocharged Engine (1301)
 English Operator's Manual & Decals (1501)
 12x16.5 10 PR Titan HD2000-III (2070)
 High Flow Hydraulics (3002)
 Ride Control (3100)
 3 in. Seat Belt w/ Shoulder Harness (4003)
 Power Quik-Tatch (5001)
 Cab Enclosure w/ A/C, Heat, Defrost (5204)
 Vinyl, Air-Ride Seat (6003)
 Reversing Fan Drive (6501)
 Horn (6800)
 EH Joystick Performance Package (7100)
 Backup Alarm (8040)
 Engine Air Precleaner (8060)
 Chrome Exhaust (8225)
 Radio, AM/FM/WB w/ Aux Input (8340)
 Rear View Mirror (interior cab mount) (8350)
 HD Louvered Grille (8370)
 Keyless Start (8395)

ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,613.00

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yamnar 4TNV98CT 3.3L
 4 Cylinder Turbo-Charged
 72 Gross hp (53.7 kW)
 69 Net hp (51.4 kW)

OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
--	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
---	------	------------

Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
--	------	------------

Polycarbonate Front Door w/ Wiper and Glass Side Windows.
 Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)

Mechanical Suspension Seat (Vinyl)	6001	In Base Price
------------------------------------	------	---------------

Air Suspension Seat (Cloth)	6002	\$452.00
-----------------------------	------	----------

For use with Cab Enclosure/Severe Duty Door (5204 & 5205).

Vinyl, Air-Ride Seat	6003	\$452.00
----------------------	------	----------

SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
--	------	----------

3-Inch Seat Belt	4002	\$164.00
------------------	------	----------

Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt
For use with Canopy - ROPS / FOPS (5200)

3-Inch Seat Belt with Shoulder Harness	4003	\$379.00
--	------	----------

CONTROLS

Description	Code	Price
Foot Controls	0900	(\$2,681.00)

Hands Only Controls	0925	(\$1,842.00)
---------------------	------	--------------

E-H (ISO Pattern) Joystick Controls	0950	In Base Price
-------------------------------------	------	---------------

EH (H Pattern) Joystick Controls	0975	\$212.00
----------------------------------	------	----------

High Spring Efforts

EH Foot and Joystick Controls	0980	\$1,328.00
-------------------------------	------	------------

Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$3,020.00
--	------	------------

Code 8395 Keyless Start (Sealed Switch Module) is required.

Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)

Selectable propel aggressiveness
Creeper Mode

Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price
--------------------------------------	------	---------------

▼ TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	\$2,508.00

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 21 gpm		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
Pump Flow = 21 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
High Flow Hydraulics	3002	\$1,830.00
Pump Flow = 29 gpm		
Includes 1/2 in Auxiliary coupler sizes.		
High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
Pump Flow = 29 gpm		
Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
Includes 1/2 in Auxiliary coupler sizes.		

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Less Ride Control	3101	In Base Price

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	\$834.00

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	\$830.00

▼ HORN

Description	Code	Price
Horn	6800	\$140.00
Less Horn	6801	In Base Price

▼ WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR Titan HD2000-III Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting	2070	\$2,147.00
12x16.5 10 PR SKS Hauler HD Gives 70.1 in. Skid Steer width at narrow setting Gives 73.4 in. Skid Steer width at wide setting	2300	\$2,087.00
12x16.5 10 PR SKS Extra-Wall Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting	2310	\$1,636.00
14x17.5 14 PR Titan HD2000-II No narrow setting possible	2320	\$3,362.00
14x17.5 12 PR SKS Extra-Wall For use primarily in dirt applications No narrow setting possible	2330	\$2,887.00
12x16.5 Treaded Brawler SolidFlex Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks	2410	\$5,775.00
14x17.5 Treaded Brawler SolidFlex Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Tracks	2420	\$7,322.00

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
English Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1503	No Charge
French Operator's Manual & Decals For use with FT4 Engine	1510	No Charge
French Operator's Manual & No Text Decals Not for Canada For use with IT4/Stage IIIB Engine	1512	No Charge
Spanish Operator's Manual & Decals	1515	No Charge

For use with FT4 Engine

Spanish Operator's Manual & No Text Decals	1516	No Charge
--	------	-----------

Not for Canada

For use with IT4/Stage IIIB Engine

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Cold Start Package	8050	\$303.00
<i>Includes Hydraulic Bypass, and Block Heater. (110 volt)</i>		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Single Set)	8300	\$349.00
<i>Includes 2 - 86 lb weights (39 Kg)</i>		
Counterweight, Stackable (Second Set)	8305	\$349.00
<i>Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)</i>		
Counterweight, Stackable (Third Set)	8310	\$349.00
<i>Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)</i>		
Radio, AM/FM/WB with Aux Input	8340	\$540.00
<i>For use with enclosed cab only: codes 5204 & 5205</i>		
Rear View Mirror (Interior cab mount)	8350	\$90.00
HD Rear Grille	8370	\$486.00
<i>Provides protection to cooling package</i>		
Foot Rest with Floormat	8380	\$144.00
<i>For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).</i>		
Floormat	8390	\$122.00
<i>For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).</i>		
Switchable Accelerator / Decelerator	8392	\$237.00
<i>Turns existing foot throttle in to a decelerating pedal.</i>		

Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).

Keyless Start (Sealed Switch Module)	8395	\$399.00
--------------------------------------	------	----------

Includes: programmable machine security code system

BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
BUCKETS: 76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00

76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00

Buckets:

72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00

Includes 66", 72", 76", and 78" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
---	----------	------------

Includes 72", 76", 78", and 84" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Cutting Edges:

76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
78 in. Bolt-On Cutting Edge	KV12758	View Price

Requires additional hardware; see Parts.

84 in. Bolt-On Cutting Edge	KV12471	View Price
-----------------------------	---------	----------------------------

Requires additional hardware; see Parts.

Kits and Accessories:

12 Volt Demonstration Kit	KV21995	\$305.00
---------------------------	---------	----------

3-pin connector

Attachment Control	AT427986	\$406.00
--------------------	----------	----------

For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.

Attachment Control Kit	AT427985	\$721.00
------------------------	----------	----------

For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.

Backup Alarm	AT348451	\$204.00
--------------	----------	----------

For use with EH Controls (0950) or (0975)

Beacon Warning Light	AT431920	\$320.00
----------------------	----------	----------

Block Heater Kit	AT427686	\$110.00
------------------	----------	----------

Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
---------------------------------------	----------	----------

Must have the 14 pin attachment connector already installed

Counterweight, Stackable (Single Set)	AT348835	\$352.00
---------------------------------------	----------	----------

Includes 2 - 86 lb weights (39 Kg)

EH Joystick Performance Package	AT427988	\$593.00
---------------------------------	----------	----------

Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package

Enables the following features:
 Switchable control patterns between ISO and H
 Selectable propel aggressiveness
 Creeper Mode
 Boom and Bucket speed settings

Engine Air Pre-Cleaner Kit	AT425357	\$457.00
----------------------------	----------	----------

Foot Throttle Removal Kit	AT410246	\$51.00
---------------------------	----------	---------

HD Rear Grille	AT398389	\$593.00
----------------	----------	----------

Provides protection to cooling package

Hazard Warning Lights	AT431921	\$127.00
-----------------------	----------	----------

High Spring Effort Joysticks	AT433683	\$766.00
------------------------------	----------	----------

Horn	AT339797	\$115.00
------	----------	----------

For use with EH Controls (0950) or (0975)

Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
-------------------------------------	----------	----------

Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.

Joystick Pod Mounted Throttle	AT419446	\$152.00
-------------------------------	----------	----------

Keyless Start (Sealed Switch Module)	AT427990	\$401.00
--------------------------------------	----------	----------

Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
--------------------------------	----------	----------

Reversing Fan Kit	AT448244	\$834.00
-------------------	----------	----------

For Serial numbers 269402 -

SMV Sign	AT427982	\$77.00
----------	----------	---------

Severe Duty Door	AT446334	\$3,031.00
------------------	----------	------------

Includes windshield wiper.
For ROPS Canopy units also order AT440395.
Required to meet ISO 8084 Forestry Applications.

Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
---	----------	----------

Single Point Lift System	AT417891	\$1,523.00
--------------------------	----------	------------

Standard Door, Field Kit	AT446335	\$1,015.00
--------------------------	----------	------------

Miscellaneous:

72 in. Bolt-On Cutting Edge	T32742	View Price
-----------------------------	--------	------------

Operator Environment:

Trim Elbow Pad Field Kit	AT417600	\$28.00
--------------------------	----------	---------

Tooth Bars:

72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
----------------------------	---------	----------

72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
-------------------------------------	----------	----------

76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
----------------------------	----------	----------

76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
-------------------------------------	----------	----------

78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
----------------------------	---------	----------

78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
-------------------------------------	----------	----------

84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
----------------------------	---------	----------

84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00
-------------------------------------	----------	----------

Wheels and Tires, Four:

12x16.5 10 PR SKS Extra-Wall	KV21876	\$1,577.00
------------------------------	---------	------------

12x16.5 10 PR Titan HD2000-III	KV14674	\$1,817.00
--------------------------------	---------	------------

14x17.5 12 PR SKS Extra-Wall	KV21887	\$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	\$2,959.00
<u>Wheels and Tires, Single (Right Hand Only):</u>		
12x16.5 10 PR SKS Extra-Wall	KV23687	\$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	\$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	\$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	\$753.00

▼ REFERRAL ATTACHMENTS

Description	Code	Price
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	\$220.00
Bottom Opening Cover Plates	AT432853	\$350.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT406619	\$320.00
Guard, Bucket Cylinder Rod	AT406618	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT372956	\$420.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Deflector and Bumper	AT432858	\$1,962.00
Rear Grille Guard w/o Side Bumpers	AT432857	\$1,220.00
Rear Hydraulic Circuit	AT432860	\$3,200.00
Standard Flow Only - 25 gpm maximum.		

Will not work on Hand Control Units.

Rubber Boom Pocket Debris Guards	AT388938	\$340.00
----------------------------------	----------	----------

Severe Duty Package	AT433164	\$5,052.00
---------------------	----------	------------

Package Includes: Rear Deflector/Bumper, Exh Hood Opening Gd., FOPS, Lift Cyl Hose Gds., Aux.Hyd Line Quick Gd., Oper Rear & Side Screens, Toe Gd., Bottom Gds., Front & Rear Wrk Light Gds., Rubber Boom Pocket Gd.

Toe Guard and Door Upgrade Kit	AT372950	\$492.00
--------------------------------	----------	----------

Required to meet ISO 8084 Forestry Applications

Winch, Rear Mounted	AT432859	\$9,120.00
---------------------	----------	------------

Requires Rear Deflector/Bumper Kit.
 Will not work on Hand Control Units.
 Not for use with Ride Control or Hydraulic Self-Level.
 Includes Rear Hydraulic Circuit Kit.

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: **John Deere Construction Retail Sales**
 Contact Person: **1515 Fifth Avenue**
 Street Address: **P.O. Box 8806**
 P.O. Box: **Moline, IL 61265-8806**
 City, State, Zip: **(309) 765-0294**
 Phone #: **(800) 3193757**
 Toll Free #: **(309) 765-3358**
 Fax #: **DeakyneMarkR@John.Deere.com**
 Email Address:

1.0 MANUFACTURER:	John Deere Model 328E Skid Steer, Wheel
Warranty	12 months, unlimited hours
Discount to be applied to Price List	27%
Date & I.D. of Price List	1/7/15, 328E Skid Steer

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



Current Date 07Jan2015

328E SKID STEER

Equipment for Base Machine

Engine:

Yanmar 4TNV94CHT 3.1L
meets Interim Tier 4
emissions
4 Cylinder Turbo-Charged
86 Gross H.P.
83 Net H.P.
Electronic Injection System
Auto Idle
Glow Plugs
Hydraulic Cool-on-Demand
Variable Speed Fan
V-Plenum Cooling
Dual Element Air Cleaner
Automatic Fan Belt
Tensioner
John Deere "Cool Gard II"
Extended Life Anti-Freeze
John Deere Plus 50 10w30
Engine Oil
5 Micron Primary Fuel Filter
26 Gallon (98.4 L) Fuel
Tank
Final Drive System and
Brake:
Servo Hydrostatic Pumps
Four Wheel Drive
Two 100 HD Endless Chain
Integral Automatic Wet-Disk

Brake Spring Applied
Hydraulic Release
Gauges and Instruments:
Fuel Gauge
Engine Coolant Temperature
Gauge
Operator Selectable LCD
Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp.
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Automatic Engine Shutdown
with Alarm

Electrical:
12-Volt Electrical Battery
925 cca
Alternator 70 Amp
Halogen Work Lights, Front
and Rear
Time delayed courtesy
lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
21 gpm (80 L/m) Pump
3 Micron Hydraulic Filter
10w30 Engine Oil
John Deere Boom and
Bucket Cylinders with
Cushioned Boom Cylinders
Auxiliary Hydraulics with
Flat Faced Connect-under-
pressure Couplers
Loader Arm, Bucket, &
Auxiliary Hydraulic Lockout
System
Auxiliary Hydraulics Lock-
out Override
Boom Float

Performance Characteristics:

Rated Operating Capacity
2,800 lb. (1,271 kg)
Tipping Load 5,600 lb.
(2,542 kg)
Bucket Breakout Force
10,300 lb. (4,763 kg)
Boom Breakout Force 5,000
lbs. (2,270 kg)
Axle Torque 6,235 lbs-ft
(8,480 Nm)

Operator

Protection/Comfort:
FOPS / ROPS Roll-Guard
with Side Screens
In-Cab Boom Lockout
System
Interlocking Lap Bar and
Retractable Seat Belt system
Adjustable Lap Bar
Operator Presence System
Seat Switch & Lap Bar
Interlocks for Loader Arm,
Bucket, & Auxiliary
Circuits
Deluxe Headliner
12V power port
Cell Phone cargo net
storage
Interior Dome Lighting
Cup Holder
Grab Handles for Easy
Entry / Exit
Top and Rear Windows
Water Shedding Deluxe
Vinyl Seat
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-
Tatch system (no grease
required)

Warranty (US and Canada):

Diagnostic Codes

John Deere Standard
Warranty 1 Year Unlimited
Hours

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
328E SKID STEER	8390T	\$48,561.00

▼ SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
328E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0815	(\$609.00)
--	------	------------

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * Single-Speed (1025)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tatch (5001)
- * Canopy - ROPS / FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls	0820	(\$1,568.00)
---	------	--------------

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * Foot Rest with Floormat (8380)

* Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls & Hi-Flow	0825	(\$1,928.00)
---	------	--------------

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * High Flow Hydraulics (3002)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Vinyl) (6003)
- * Reversing Fan Drive (6501)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Engine Air Precleaner (8060)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * HD Rear Grille (8370)
- * Foot Rest with Floormat (8380)
- * Keyless Start (8395)

Utility Package With Switchable Joystick Controls	0830	(\$911.00)
---	------	------------

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Single-Speed (1025)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tatch (5001)
- * Canopy - ROPS/FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls	0835	(\$1,856.00)
--	------	--------------

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls & Hi-	0840	(\$2,216.00)
--	------	--------------

Flow

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * High Flow Hydraulics (3002)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Vinyl) (6003)
- * Reversing Fan Drive (6501)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Engine Air Precleaner (8060)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * HD Rear Grille (8370)
- * Keyless Start (8395)

 ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,169.00

 OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		
Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)		

 SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	\$452.00
For use with Cab Enclosure/Severe Duty Door (5204 & 5205).		
Vinyl, Air-Ride Seat	6003	\$452.00

 SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
--	------	----------

3-Inch Seat Belt	4002	\$164.00
------------------	------	----------

Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt
For use with Canopy - ROPS / FOPS (5200)

3-Inch Seat Belt with Shoulder Harness	4003	\$379.00
--	------	----------

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price

EH (H Pattern) Joystick Controls	0975	\$212.00
----------------------------------	------	----------

High Spring Efforts

EH Foot and Joystick Controls	0980	\$1,328.00
-------------------------------	------	------------

Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$3,020.00
--	------	------------

Code 8395 Keyless Start (Sealed Switch Module) is required.

Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)

Selectable propel aggressiveness

Creeper Mode

Boom and Bucket speed settings

12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price
--------------------------------------	------	---------------

TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

Two-Speed	1050	\$2,508.00
-----------	------	------------

HYDRAULIC OPTIONS

Description	Code	Price
-------------	------	-------

Standard Hydraulics	3000	In Base Price
---------------------	------	---------------

Pump Flow = 21 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
--	------	----------

Pump Flow = 21 gpm

Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	\$1,830.00
----------------------	------	------------

Pump Flow = 35 gpm.

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
---	------	------------

Pump Flow = 35 gpm

Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price
-------------------	------	---------------

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	\$834.00
------------------	------	----------

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price

Reversing Fan Drive	6501	\$830.00
---------------------	------	----------

▼ HORN

Description	Code	Price
Horn	6800	\$140.00

Less Horn	6801	In Base Price
-----------	------	---------------

▼ WHEELS AND TIRES

Description	Code	Price
-------------	------	-------

14x17.5 12 PR SKS Extra-Wall	2330	\$2,887.00
For use primarily in dirt applications No narrow setting possible		
14x17.5 14 PR Titan HD2000-II	2320	\$3,362.00
No narrow setting possible		
14x17.5 Treaded Brawler SolidFlex	2420	\$7,395.00
Gives 73.5 in. Skid Steer width at wide setting Not Compatible with Tracks		
12x16.5 10 PR SKS Extra-Wall	2310	\$1,644.00
Gives 70.0 in. Skid Steer width at narrow setting Gives 73.3 in. Skid Steer width at wide setting		
12x16.5 10 PR SKS Hauler HD	2300	\$2,097.00
Gives 70.1 in. Skid Steer width at narrow setting Gives 73.4 in. Skid Steer width at wide setting		
12x16.5 10 PR Titan HD2000-III	2070	\$2,158.00
Gives 70.3 in. Skid Steer width at narrow setting Gives 73.2 in. Skid Steer width at wide setting		
12x16.5 Treaded Brawler SolidFlex	2410	\$5,804.00
Gives 73.3 in. Skid Steer width at wide setting Not Compatible with Tracks		

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge
For use with FT4 Engine		
French Operator's Manual & Decals	1510	No Charge
For use with FT4 Engine		
Spanish Operator's Manual & Decals	1515	No Charge
For use with FT4 Engine		

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Cold Start Package	8050	\$303.00
Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater		
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00

Counterweight, Stackable (Single Set)	8300	\$349.00
Includes 2 - 86 lb weights (39 Kg)		
Counterweight, Stackable (Second Set)	8305	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300)		
Counterweight, Stackable (Third Set)	8310	\$349.00
Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Single Set) (8300) and Counterweight, Stackable (Second Set) (8305)		
Radio, AM/FM/WB with Aux Input	8340	\$540.00
For use with enclosed cab only: codes 5204 & 5205		
Rear View Mirror (Interior cab mount)	8350	\$90.00
HD Rear Grille	8370	\$486.00
Provides protection to cooling package.		
Foot Rest with Floormat	8380	\$144.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Floormat	8390	\$122.00
For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
Switchable Accelerator / Decelerator	8392	\$237.00
Turns existing foot throttle in to a decelerating pedal. Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).		
Keyless Start (Sealed Switch Module)	8395	\$399.00
Includes: programmable machine security code system		

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,339.00

84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00
<p>Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.</p>		

▼ DEALER-INSTALLED KITS

Description	Code	Price
<u>BUCKETS:</u> See Attachments for Multi-Purpose Buckets		
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00
<u>Buckets:</u>		
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00

Includes 66", 72", 76", and 78" sizes.

Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
---	----------	------------

Includes 72", 76", 78", and 84" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Cutting Edges:

76 in. Bolt-On Cutting Edge	T223081	View Price
-----------------------------	---------	----------------------------

Requires additional hardware; see [Parts](#).

78 in. Bolt-On Cutting Edge	KV12758	View Price
-----------------------------	---------	----------------------------

Requires additional hardware; see [Parts](#).

84 in. Bolt-On Cutting Edge	KV12471	View Price
-----------------------------	---------	----------------------------

Requires additional hardware; see [Parts](#).

Kits and Accessories:

12 Volt Demonstration Kit	KV21995	\$305.00
---------------------------	---------	----------

3-pin connector

Attachment Control	AT427986	\$406.00
--------------------	----------	----------

For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.

Backup Alarm	AT348451	\$204.00
--------------	----------	----------

For use with EH Controls (0950) or (0975)

Beacon Warning Light	AT431920	\$320.00
----------------------	----------	----------

Block Heater Kit	AT427686	\$110.00
------------------	----------	----------

Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
---------------------------------------	----------	----------

Must have the 14 pin attachment connector already installed

Cold Start Package	AT430894	\$355.00
--------------------	----------	----------

Counterweight, Stackable (Single Set)	AT348835	\$352.00
---------------------------------------	----------	----------

Includes 2 - 86 lb weights (39 Kg)

EH Joystick Performance Package	AT427988	\$593.00
---------------------------------	----------	----------

Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package

Engine Air Pre-Cleaner Kit	AT425357	\$457.00
----------------------------	----------	----------

Field Kit, Reversing Fan	AT410782	\$964.00
--------------------------	----------	----------

Foot Throttle Removal Kit	AT410246	\$51.00
---------------------------	----------	---------

HD Rear Grille	AT398389	\$593.00
----------------	----------	----------

<i>Provides protection to cooling package</i>		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT339797	\$115.00
<i>For use with EH Controls (0950) or (0975)</i>		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
<i>Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.</i>		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
<i>For Serial numbers 269402 -</i>		
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
<i>Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.</i>		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
<u>Operator Environment:</u>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<u>Tooth Bars:</u>		
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00

Wheels and Tires, Four:

12x16.5 10 PR SKS Extra-Wall	KV21876	\$1,577.00
12x16.5 10 PR Titan HD2000-III	KV14674	\$1,817.00
14x17.5 12 PR SKS Extra-Wall	KV21887	\$2,418.00
14x17.5 14 PR Titan HD2000-III	KV21892	\$2,959.00

Wheels and Tires, Single (Right Hand Only):

12x16.5 10 PR SKS Extra-Wall	KV23687	\$396.00
12x16.5 10 PR Titan HD2000-III	KV23689	\$468.00
14x17.5 12 PR SKS Extra-Wall	KV23690	\$615.00
14x17.5 14 PR Titan HD2000-III	KV23691	\$753.00



REFERRAL ATTACHMENTS

Description	Code	Price
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	\$220.00
Bottom Opening Cover Plates	AT432853	\$350.00
Exhaust Hood Opening Seal	AT432861	\$120.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT406618	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT372956	\$420.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Deflector and Bumper	AT432858	\$1,962.00

Rear Grille Guard w/o Side Bumpers	AT432857	\$1,220.00
Rear Hydraulic Circuit	AT432860	\$3,200.00
Standard Flow Only - 25 gpm maximum. Will not work on Hand Control Units.		
Rubber Boom Pocket Debris Guards	AT388938	\$340.00
Severe Duty Package	AT433164	\$5,052.00
Package Includes: Rear Deflector/Bumper, Exh Hood Opening Gd., FOPS, Lift Cyl Hose Gds., Aux.Hyd Line Quick Gd., Oper Rear & Side Screens, Toe Gd., Bottom Gds., Front & Rear Wrk Light Gds., Rubber Boom Pocket Gd.		
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		
Winch, Rear Mounted	AT432859	\$9,120.00
Requires Rear Deflector/Bumper Kit. Will not work on Hand Control Units. Not for use with Ride Control or Hydraulic Self-Level. Includes Rear Hydraulic Circuit Kit.		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: _____
 Contact Person: **John Deere Construction Retail Sales**
 Street Address: **1515 Fifth Avenue**
 P.O. Box: **P.O. Box 8806**
 City, State, Zip: **Moline, IL 61265-8806**
 Phone #: **(309) 765-0294**
 Toll Free #: **(800) 3193757**
 Fax #: **(309) 765-3358**
 Email Address: **DeakyneMarkR@John.Deere.com**

1.0 MANUFACTURER:	John Deere Model 329E Skid Steer, Track
Warranty	12 months, unlimited hours
Discount to be applied to Price List	24%
Date & I.D. of Price List	1/7/15, 329E Compact Track Loader

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



JOHN DEERE

Current Date 07Jan2015

329E COMPACT TRACK LOADER

329E Base Equipment

Engine:	Hydraulic Oil Temp.	Boom Float
Yanmar 4TNV94CHT 3.1L	Job Clock	Performance Characteristics:
meets Interim Tier 4	Service Codes	Rated Operating Capacity
emissions	Diagnostic Codes	2,900 lb. (1,317 kg)
4 Cylinder Turbo-Charged	Configuration Code	Tipping Load - 8300 lb.
86 Gross H.P.	Indicator Warning Lights:	(3,768 kg)
83 Net H.P.	Battery Not Charging	Bucket Breakout Force
Electronic Injection System	Hydraulics Locked Out	10,325 lb. (4,688 kg)
Auto Idle	Stop	Boom Breakout Force 4,600
Glow Plugs	Park Brake Illumination	lbs. (2,088 kg)
Hydraulic Cool-on-Demand	Hydraulic Oil Over Temp.	Tractive Effort - 11500 lbf
Variable Speed Fan	2-Speed Engaged	(5227 kgf)
V-Plenum Cooling	Air Filter Restriction	Operator
Dual Element Air Cleaner	Hydraulic Oil Filter	Protection/Comfort:
Automatic Fan Belt	Restriction	FOPS / ROPS Roll-Guard
Tensioner	Lap Bar Switch	with Side Screens
John Deere "Cool Gard II"	Seat Switch	In-Cab Boom Lockout
Extended Life Anti-Freeze	Door Open Switch	System
John Deere Plus 50 10w30	Engine Preheat	Interlocking Lap Bar and
Engine Oil	Low Engine Oil Pressure	Retractable Seat Belt system
5 Micron Primary Fuel Filter	Automatic Engine Preheat	Adjustable Lap Bar
26 Gallon (98.4 L) Fuel	Automatic Engine Shutdown	Operator Presence System
Tank	with Alarm	Seat Switch & Lap Bar
Final Drive System and	Electrical:	Interlocks for Loader Arm,
Brake:	12-Volt Electrical Battery	Bucket, & Auxiliary
Servo Axial Piston Hydro-	925 cca	Circuits
static Pumps	Alternator 70 Amp	Deluxe Headliner
Radial Piston Hydrostatic	Halogen Work Lights, Front	12V power port
Motors	and Rear	Cell Phone cargo net
Integral Automatic Wet-Disk	Time delayed courtesy	storage
	lighting shutoff system	Interior Dome Lighting
Brake Spring Applied		Cup Holder
Hydraulic Release	Hydraulics:	Grab Handles for Easy
High Drive Planetary	3-Spool Open Center Valve	Entry / Exit
Reduction Gear Box	21 gpm (80 L/m) Pump	Top and Rear Windows
Grease Cylinder Track	3 Micron Hydraulic Filter	Water Shedding Deluxe
Tensioner	10w30 Engine Oil	Vinyl Seat
Patented Smooth Ride	John Deere Boom and	Convenient Tie Downs
Undercarriage	Bucket Cylinders with	
5 triple flanged rollers and	Cushioned Boom Cylinders	Attachment Coupler:
2 duel flanged idlers	Auxiliary Hydraulics with	John Deere patented Quik-
Gauges and Instruments:	Flat Faced Connect-under-	Tatch system (no grease
Fuel Gauge	pressure Couplers	required)
Engine Coolant Temperature	Loader Arm, Bucket, &	Rubber Tracks:
Gauge	Auxiliary Hydraulic Lockout	15.8-in. (400 mm)

Operator Selectable LCD
 Digital Readout:
 Hourmeter
 Engine RPM
 Battery Voltage
 Engine Coolant Temp.

System
 Auxiliary Hydraulics Lock-
 out Override

Warranty (US and Canada):
 John Deere Standard
 Warranty 1 Year Unlimited
 Hours

Required - *You must select one from each category*

▼ BASE MACHINE

Description	Code	Price
329E COMPACT TRACK LOADER	8401T	\$67,809.00

▼ COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
329E Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0815	(\$300.00)
--	------	------------

Package includes:

- * EH (ISO Pattern) Joystick Controls-Low Speed Efforts (0950)
- * Single-Speed (1025)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tach (5001)
- * Canopy - ROPS / FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls	0820	(\$1,260.00)
---	------	--------------

Package includes:

- * EH (ISO Pattern) Joystick Controls-Low Speed Efforts (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)

- * Chrome Exhaust (8225)
- * Radio AM/FM/WB with Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * Foot Rest With Floormat (8380)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls & Hi-Flow	0825	(\$1,612.00)
---	------	--------------

- Package includes:
- * EH (ISO Pattern) Joystick Controls-Low Speed Efforts (0950)
 - * Two Speed (1050)
 - * English Operator's Manual & Decals (1501)
 - * Wide Rubber Tracks (2600)
 - * High Flow Hydraulics (3002)
 - * Ride Control (3100)
 - * 3 in. Seat Belt with Shoulder Harness (4003)
 - * Power Quik-Tatch (5001)
 - * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
 - * Air Suspension Seat (Vinyl) (6003)
 - * Reversing Fan Drive (6501)
 - * Horn (6800)
 - * EH Joystick Performance Package (7100)
 - * Backup Alarm (8040)
 - * Engine Air Precleaner (8060)
 - * Chrome Exhaust (8225)
 - * Radio AM/FM/WB with Aux Input (8340)
 - * Rear View Mirror (interior cab mount) (8350)
 - * HD Rear Grille (8370)
 - * Foot Rest With Floormat (8380)
 - * Keyless Start (8395)

Utility Package With Switchable Joystick Controls	0830	(\$602.00)
---	------	------------

- Package includes:
- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
 - * Single-Speed (1025)
 - * English Operator's Manual & Decals (1501)
 - * Wide Rubber Tracks (2600)
 - * Standard Base Hydraulics (3000)
 - * Ride Control (3100)
 - * 3 in. Seat Belt (4002)
 - * Power Quik-Tatch (5001)
 - * Canopy - ROPS / FOPS (5200)
 - * Mechanical Suspension Seat (Vinyl) (6001)
 - * Standard Fan Drive (6500)
 - * Horn (6800)
 - * Less EH Joystick Performance Package (7101)
 - * Backup Alarm (8040)
 - * Rear View Mirror (interior cab mount) (8350)
 - * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls	0835	(\$1,547.00)
--	------	--------------

- Package includes:
- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
 - * Two Speed (1050)
 - * English Operator's Manual & Decals (1501)
 - * Wide Rubber Tracks (2600)
 - * Standard Base Hydraulics (3000)
 - * Ride Control (3100)
 - * 3 in. Seat Belt with Shoulder Harness (4003)
 - * Power Quik-Tatch (5001)
 - * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
 - * Air Suspension Seat (Cloth) (6002)
 - * Standard Fan Drive (6500)
 - * Horn (6800)
 - * EH Joystick Performance Package (7100)
 - * Backup Alarm (8040)
 - * Chrome Exhaust (8225)
 - * Radio AM/FM/WB with Aux Input (8340)

- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls & Hi-Flow	0840	(\$1,907.00)
--	------	--------------

- Package includes:
- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
 - * Two Speed (1050)
 - * English Operator's Manual & Decals (1501)
 - * Wide Rubber Tracks (2600)
 - * High Flow Hydraulics (3002)
 - * Ride Control (3100)
 - * 3 in. Seat Belt with Shoulder Harness (4003)
 - * Power Quik-Tatch (5001)
 - * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
 - * Air Suspension Seat (Vinyl) (6003)
 - * Reversing Fan Drive (6501)
 - * Horn (6800)
 - * EH Joystick Performance Package (7100)
 - * Backup Alarm (8040)
 - * Engine Air Precleaner (8060)
 - * Chrome Exhaust (8225)
 - * Radio AM/FM/WB with Aux Input (8340)
 - * Rear View Mirror (interior cab mount) (8350)
 - * HD Rear Grille (8370)
 - * Keyless Start (8395)
-

▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,733.00

▼ OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
---	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
--	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

▼ SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price

Air Suspension Seat (Cloth)	6002	\$452.00
-----------------------------	------	----------

For use with Cab Enclosure/Severe Duty Door (5204 & 5205)

Vinyl, Air-Ride Seat	6003	\$452.00
----------------------	------	----------

▼ SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
<i>For use with Canopy - ROPS / FOPS (5200)</i>		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
3-Inch Seat Belt	4002	\$164.00
<i>Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt For use with Canopy - ROPS / FOPS (5200)</i>		
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

▼ CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
EH (H Pattern) Joystick Controls	0975	\$212.00
<i>High Spring Efforts</i>		
EH Foot and Joystick Controls	0980	\$1,328.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$3,020.00
<i>Code 8395 Keyless Start (Sealed Switch Module) is required.</i>		
<i>Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.</i>		
<i>Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.</i>		

▼ JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00
<i>Code 8395 Keyless Start (Sealed Switch Module) is required.</i>		
<i>Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)</i>		
<i>Selectable propel aggressiveness</i>		
<i>Creeper Mode</i>		
<i>Boom and Bucket speed settings</i>		
<i>12V 3 Pin and 14 Pin Attachment Control Harness</i>		
Less EH Joystick Performance Package	7101	In Base Price

▼ TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price
Two-Speed	1050	\$2,508.00

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price
Pump Flow = 21 gpm		
Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
Pump Flow = 21 gpm		
Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
High Flow Hydraulics	3002	\$1,830.00
Pump Flow = 35 gpm		
Includes 1/2 in Auxiliary coupler sizes.		
High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
Pump Flow = 35 gpm		
Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.		
Includes 1/2 in Auxiliary coupler sizes.		
▼ RIDE CONTROL		
Description	Code	Price
Ride Control	3100	\$995.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Less Ride Control	3101	In Base Price
▼ QUIK-TATCH		
Description	Code	Price
Manual Quik-Tatch	5000	In Base Price
Power Quik-Tatch	5001	\$834.00
▼ COOLING FAN		
Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	\$830.00
▼ HORN		
Description	Code	Price
Horn	6800	\$140.00
Less Horn	6801	In Base Price
▼ TRACKS		
Description	Code	Price

Narrow Rubber Tracks - 15.8 in.	2500	In Base Price
<i>Gives 78.9 inch CTL width</i>		

Wide Rubber Tracks - 17.7 in.	2600	\$277.00
<i>Gives 80.7 inch CTL width</i>		

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge

For use with FT4 Engine

French Operator's Manual & Decals	1510	No Charge
-----------------------------------	------	-----------

For use with FT4 Engine

Spanish Operator's Manual & Decals	1515	No Charge
------------------------------------	------	-----------

For use with FT4 Engine

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00

Cold Start Package	8050	\$303.00
--------------------	------	----------

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.

Engine Air Precleaner	8060	\$455.00
-----------------------	------	----------

Hazard Warning Lights	8075	\$159.00
-----------------------	------	----------

Chrome Exhaust	8225	\$328.00
----------------	------	----------

Counterweight, Stackable (Single Set)	8300	\$349.00
---------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Second Set)	8305	\$349.00
---------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	\$349.00
--------------------------------------	------	----------

*Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)*

Radio, AM/FM/WB with Aux Input	8340	\$540.00
--------------------------------	------	----------

For use with enclosed cab only: codes 5204 & 5205

Rear View Mirror (Interior cab mount)	8350	\$90.00
---------------------------------------	------	---------

HD Rear Grille	8370	\$486.00
----------------	------	----------

Provides protection to cooling package.

Foot Rest with Floormat	8380	\$144.00
-------------------------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

Floormat	8390	\$122.00
----------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975)

Switchable Accelerator / Decelerator	8392	\$237.00
--------------------------------------	------	----------

Turns existing foot throttle in to a decelerating pedal.

Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).

Keyless Start (Sealed Switch Module)	8395	\$399.00
--------------------------------------	------	----------

Includes: programmable machine security code system

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS

Description	Code	Price
<u>BUCKETS:</u> See Attachments for Multi-Purpose Buckets		
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00

76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00
<u>Buckets:</u>		
78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00
Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
<u>Cutting Edges:</u>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
78 in. Bolt-On Cutting Edge	KV12758	View Price
Requires additional hardware; see Parts.		
84 in. Bolt-On Cutting Edge	KV12471	View Price
Requires additional hardware; see Parts.		
<u>Kits and Accessories:</u>		
12 Volt Demonstration Kit	KV21995	\$305.00
3-pin connector		
Attachment Control	AT427986	\$406.00
For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		

Backup Alarm	AT348451	\$204.00
<i>For use with EH Controls (0950) or (0975)</i>		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$110.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
<i>Must have the 14 pin attachment connector already installed</i>		
Cold Start Package	AT430899	\$355.00
Counterweight, Stackable (Single Set)	AT348835	\$352.00
<i>Includes 2 - 86 lb weights (39 Kg)</i>		
EH Joystick Performance Package	AT427988	\$593.00
<i>Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package</i>		
Engine Air Pre-Cleaner Kit	AT425357	\$457.00
Field Kit, Reversing Fan	AT410782	\$964.00
Foot Throttle Removal Kit	AT410246	\$51.00
HD Rear Grille	AT398389	\$593.00
<i>Provides protection to cooling package</i>		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT339797	\$115.00
<i>For use with EH Controls (0950) or (0975)</i>		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
<i>Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.</i>		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
<i>Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.</i>		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00

Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
<u>Operator Environment:</u>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<u>Tooth Bars:</u>		
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00

▼ REFERRAL ATTACHMENTS

Description	Code	Price
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	\$220.00
Bottom Opening Cover Plates	AT432853	\$350.00
Exhaust Hood Opening Seal	AT432861	\$120.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT397454	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Deflector and Bumper	AT432858	\$1,962.00

Rear Grille Guard w/o Side Bumpers	AT432857	\$1,220.00
Rear Hydraulic Circuit	AT432860	\$3,200.00
Standard Flow Only - 25 gpm maximum. Will not work on Hand Control Units.		
Rubber Boom Pocket Debris Guards	AT388938	\$340.00
Severe Duty Package	AT433164	\$5,052.00
Package Includes: Rear Deflector/Bumper, Exh Hood Opening Gd., FOPS, Lift Cyl Hose Gds., Aux.Hyd Line Quick Gd., Oper Rear & Side Screens, Toe Gd., Bottom Gds., Front & Rear Wrk Light Gds., Rubber Boom Pocket Gd.		
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		
Winch, Rear Mounted	AT432859	\$9,120.00
Requires Rear Deflector/Bumper Kit. Will not work on Hand Control Units. Not for use with Ride Control or Hydraulic Self-Level.		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: **John Deere Construction Retail Sales**
 Contact Person: **1515 Fifth Avenue**
 Street Address: **P.O. Box 8806**
 P.O. Box: **Moline, IL 61265-8806**
 City, State, Zip: **(309) 765-0294**
 Phone #: **(800) 3193757**
 Toll Free #: **(309) 765-3358**
 Fax #: **DeakyneMarkR@John.Deere.com**
 Email Address:

1.0 MANUFACTURER:	John Deere Model 332E Skid Steer, Wheel
Warranty	12 months, unlimited hours
Discount to be applied to Price List	26%
Date & I.D. of Price List	1/7/15, 332E Skid Steer

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	Price Included
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip **Designated Dealer**

PRICE PER LOADED MILE **\$4.00/loaded mile**

MINIMUM DELIVERY CHARGE (if any) **\$50.00**



Current Date 07Jan2015

332E SKID STEER

Equipment for Base Machine

Engine:

Yanmar 4TNV94CHT 3.1L
meets Interim Tier 4
emissions
4 Cylinder Turbo-Charged
100 Gross H.P.
97 Net H.P.
Electronic Injection System
Auto Idle
Glow Plugs
Hydraulic Cool-on-Demand
Variable Speed Fan
V-Plenum Cooling
Dual Element Air Cleaner
Automatic Fan Belt
Tensioner
John Deere "Cool Gard II"
Extended Life Anti-Freeze
John Deere Plus 50 10w30
Engine Oil
5 Micron Primary Fuel Filter
26 Gallon (98.4 L) Fuel
Tank
Final Drive System and
Brake:
Servo Hydrostatic Pumps
Four Wheel Drive
Two 100 HD Endless Chain
Integral Automatic Wet-Disk

Brake Spring Applied
Hydraulic Release
Gauges and Instruments:
Fuel Gauge
Engine Coolant Temperature
Gauge
Operator Selectable LCD
Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes

Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp.
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Automatic Engine Shutdown
with Alarm

Electrical:
12-Volt Electrical Battery
925 cca
Alternator 70 Amp
Halogen Work Lights, Front
and Rear
Time delayed courtesy
lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
25 gpm (95 L/m) Pump
3 Micron Hydraulic Filter
10w30 Engine Oil
John Deere Boom and
Bucket Cylinders with
Cushioned Boom Cylinders
Auxiliary Hydraulics with
Flat Faced Connect-under-
pressure Couplers
Loader Arm, Bucket, &
Auxiliary Hydraulic Lockout
System
Auxiliary Hydraulics Lock-
out Override
Boom Float

Performance Characteristics:

Rated Operating Capacity
3,200 lb. (1,453 kg)
Tipping Load 6,400 lb.
(2,906 kg)
Bucket Breakout Force
13,875 lb. (6,299 kg)
Boom Breakout Force 6,600
lbs. (2,270 kg)
Axle Torque 6,830 lbs-ft
(9,289 Nm)
Operator
Protection/Comfort:
FOPS / ROPS Roll-Guard
with Side Screens
In-Cab Boom Lockout
System
Interlocking Lap Bar and
Retractable Seat Belt system
Adjustable Lap Bar
Operator Presence System
Seat Switch & Lap Bar
Interlocks for Loader Arm,
Bucket, & Auxiliary
Circuits
Deluxe Headliner
12V power port
Cell Phone cargo net
storage
Interior Dome Lighting
Cup Holder
Grab Handles for Easy
Entry / Exit
Top and Rear Windows
Water Shedding Deluxe
Vinyl Seat
Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-
Tatch system (no grease
required)
Warranty (US and Canada):
John Deere Standard
Warranty 1 Year Unlimited

Diagnostic Codes

Hours

Required - You must select one from each category
 BASE MACHINE

Description	Code	Price
332E SKID STEER	8411T	\$52,417.00

 SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
332E Standard Skid Steer	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0815	(\$609.00)
--	------	------------

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * Single-Speed (1025)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tatch (5001)
- * Canopy - ROPS / FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls	0820	(\$1,568.00)
---	------	--------------

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * Foot Rest with Floormat (8380)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls &	0825	(\$1,928.00)
---	------	--------------

Hi-Flow

Package includes:

- * EH (ISO Pattern) Joystick Controls (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * High Flow Hydraulics (3002)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Vinyl) (6003)
- * Reversing Fan Drive (6501)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Engine Air Precleaner (8060)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * HD Rear Grille (8370)
- * Foot Rest with Floormat (8380)
- * Keyless Start (8395)

Utility Package With Switchable Joystick Controls	0830	(\$911.00)
---	------	------------

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Single-Speed (1025)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tatch (5001)
- * Canopy - ROPS/FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls	0835	(\$1,856.00)
--	------	--------------

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls & Hi-Flow	0840	(\$2,216.00)
--	------	--------------

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * 14x17.5 14 PR Titan HD2000-II (2320)
- * High Flow Hydraulics (3002)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- * Air Suspension Seat (Vinyl) (6003)
- * Reversing Fan Drive (6501)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Engine Air Precleaner (8060)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB W/ Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * HD Rear Grille (8370)
- * Keyless Start (8395)

▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,339.00

▼ OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price

Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00
--	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).

Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
---	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
--	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

▼ SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)

Mechanical Suspension Seat (Vinyl)	6001	In Base Price
------------------------------------	------	---------------

Air Suspension Seat (Cloth)	6002	\$452.00
-----------------------------	------	----------

For use with Cab Enclosure/Severe Duty Door (5204 & 5205).

Vinyl, Air-Ride Seat	6003	\$452.00
----------------------	------	----------

▼ SEAT BELTS

Description	Code	Price
-------------	------	-------

2-Inch Seat Belt	4000	In Base Price
------------------	------	---------------

For use with Canopy - ROPS / FOPS (5200)

2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
--	------	----------

3-Inch Seat Belt	4002	\$164.00
------------------	------	----------

Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt
For use with Canopy - ROPS / FOPS (5200)

3-Inch Seat Belt with Shoulder Harness	4003	\$379.00
--	------	----------

▼ CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price

EH (H Pattern) Joystick Controls	0975	\$212.00
----------------------------------	------	----------

High Spring Efforts

EH Foot and Joystick Controls	0980	\$1,328.00
-------------------------------	------	------------

Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$3,020.00
--	------	------------

Code 8395 Keyless Start (Sealed Switch Module) is required.

Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

▼ JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)

Selectable propel aggressiveness

Creeper Mode

Boom and Bucket speed settings

12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price
--------------------------------------	------	---------------

▼ TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

Two-Speed	1050	\$2,508.00
-----------	------	------------

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 25 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
--	------	----------

Pump Flow = 25 gpm

Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	\$1,830.00
----------------------	------	------------

Pump Flow = 38 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
---	------	------------

Pump Flow = 38 gpm

Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price
-------------------	------	---------------

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	\$834.00
------------------	------	----------

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price

Reversing Fan Drive	6501	\$830.00
---------------------	------	----------

▼ HORN

Description	Code	Price
Horn	6800	\$140.00

Less Horn	6801	In Base Price
-----------	------	---------------

▼ WHEELS AND TIRES

Description	Code	Price
14x17.5 14 PR Titan HD2000-II	2320	\$3,362.00

Gives 78.5 in. Skid Steer width at wide setting

14x17.5 Treaded Brawler SolidFlex	2420	\$7,395.00
-----------------------------------	------	------------

Gives 73.5 in. Skid Steer width at wide setting
Not Compatible with Tracks

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals	1501	No Charge

For use with FT4 Engine

French Operator's Manual & Decals	1510	No Charge
-----------------------------------	------	-----------

For use with FT4 Engine

Spanish Operator's Manual & Decals	1515	No Charge
------------------------------------	------	-----------

For use with FT4 Engine

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00

Cold Start Package	8050	\$303.00
--------------------	------	----------

Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater

Engine Air Precleaner	8060	\$455.00
-----------------------	------	----------

Hazard Warning Lights	8075	\$159.00
-----------------------	------	----------

Chrome Exhaust	8225	\$328.00
----------------	------	----------

Counterweight, Stackable (Second Set)	8305	\$349.00
---------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	\$349.00
--------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

Radio, AM/FM/WB with Aux Input	8340	\$540.00
--------------------------------	------	----------

For use with enclosed cab only: codes 5204 & 5205

Rear View Mirror (Interior cab mount)	8350	\$90.00
---------------------------------------	------	---------

HD Rear Grille	8370	\$486.00
----------------	------	----------

Provides protection to cooling package.

Foot Rest with Floormat	8380	\$144.00
-------------------------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

Floormat	8390	\$122.00
----------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

Switchable Accelerator / Decelerator	8392	\$237.00
--------------------------------------	------	----------

Turns existing foot throttle in to a decelerating pedal.

Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).

Keyless Start (Sealed Switch Module)	8395	\$399.00
--------------------------------------	------	----------

Includes: programmable machine security code system

▼ BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00

▼ EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00
<p>Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.</p>		

▼ DEALER-INSTALLED KITS

Description	Code	Price
-------------	------	-------

BUCKETS:

See Attachments for Multi-Purpose Buckets

78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00

Buckets:

78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00
Includes 66", 72", 76", and 78" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		
Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
Includes 72", 76", 78", and 84" sizes. Different bucket sizes fit different machine sizes. Price includes a 5% discount from individual buckets' prices.		

Cutting Edges:

76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
78 in. Bolt-On Cutting Edge	KV12758	View Price
Requires additional hardware; see Parts.		
84 in. Bolt-On Cutting Edge	KV12471	View Price
Requires additional hardware; see Parts.		

Kits and Accessories:

12 Volt Demonstration Kit	KV21995	\$305.00
3-pin connector		
Attachment Control	AT427986	\$406.00
For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing		

handles.		
Backup Alarm	AT348451	\$204.00
For use with EH Controls (0950) or (0975)		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$110.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed		
Cold Start Package	AT430894	\$355.00
Counterweight, Stackable (Single Set)	AT348835	\$352.00
Includes 2 - 86 lb weights (39 Kg)		
EH Joystick Performance Package	AT427988	\$593.00
Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package		
Engine Air Pre-Cleaner Kit	AT425357	\$457.00
Field Kit, Reversing Fan	AT410782	\$964.00
Foot Throttle Removal Kit	AT410246	\$51.00
HD Rear Grille	AT398389	\$593.00
Provides protection to cooling package		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT339797	\$115.00
For use with EH Controls (0950) or (0975)		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
For Serial numbers 269402 -		
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.		

Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
<u>Operator Environment:</u>		
Trim Elbow Pad Field Kit	AT417600	\$28.00
<u>Tooth Bars:</u>		
78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00
<u>Wheels and Tires, Four:</u>		
14x17.5 14 PR Titan HD2000-III	KV21892	\$2,959.00
<u>Wheels and Tires, Single (Right Hand Only):</u>		
14x17.5 14 PR Titan HD2000-III	KV23691	\$753.00

▼ REFERRAL ATTACHMENTS

Description	Code	Price
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	\$220.00
Bottom Opening Cover Plates	AT432853	\$350.00
Exhaust Hood Opening Seal	AT432861	\$120.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT397454	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		

Lift Cylinder Hose Guards	AT372947	\$420.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Deflector and Bumper	AT432858	\$1,962.00
Rear Grille Guard w/o Side Bumpers	AT432857	\$1,220.00
Rear Hydraulic Circuit	AT432860	\$3,200.00
Standard Flow Only - 25 gpm maximum. Will not work on Hand Control Units.		
Rubber Boom Pocket Debris Guards	AT388938	\$340.00
Severe Duty Package	AT432870	\$5,052.00
Package Includes: Rear Deflector/Bumper, Exh Hood Opening Gd., FOPS, Lift Cyl Hose Gds., Aux.Hyd Line Quick Gd., Oper Rear & Side Screens, Toe Gd., Bottom Gds., Front & Rear Wrk Light Gds., Rubber Boom Pocket Gd.		
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		
Winch, Rear Mounted	AT432859	\$9,120.00
Requires Rear Deflector/Bumper Kit. Will not work on Hand Control Units. Not for use with Ride Control or Hydraulic Self-Level. Includes Rear Hydraulic Circuit Kit.		

State of Minnesota
PRICING PAGE -
METHOD # 2
TRACTOR SKID STEERS

Price Quote for:

DISCOUNT OFF BASE UNIT

Vendor Name: _____
 Contact Person: **John Deere Construction Retail Sales**
 Street Address: **1515 Fifth Avenue**
 P.O. Box: **P.O. Box 8806**
 City, State, Zip: **Moline, IL 61265-8806**
 Phone #: **(309) 765-0294**
 Toll Free #: **(800) 3193757**
 Fax #: **(309) 765-3358**
 Email Address: **DeakyneMarkR@John.Deere.com**

1.0 MANUFACTURER:	John Deere Model 333E Skid Steer, Track
Warranty	12 months, unlimited hours
Discount to be applied to Price List	24%
Date & I.D. of Price List	1/7/15, 333E Compact Track Loader

2.0 PERFORMANCE/WARRANTY OPTIONS:	Price
Use this section to offer performance/warranty options and include cost.	Price Included
2.1 Standard Warranty for New John Deere Construction, Utility, & Forest Products US & Canada	
2.2	
2.3	

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES	
See Special Terms & Conditions: Field, Referral, & Worksite Pro Attachments sold w/ the unit	20%

4.0 INSTALLATION: HOURLY LABOR RATE FOR ATTACHMENT INSTALLATIONS, ETC.:	
(See Special Terms and Conditions)	\$120.00

5.0 OEM EXTENDED WARRANTY OPTIONS	
Use this section to offer performance/warranty options, number these items starting with 1.21A, 1.21B, etc. (Specify years, miles or hours extended term covers.)	
Price:	\$

6.0 NEW EQUIPMENT RENTAL PROGRAM	
If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
<u>Summer Rental Rate</u> - April 1 through Sept 30.	
Summer Hourly Rental Rate:	\$
Summer Weekly Rental Rate:	\$
Summer Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%
<u>Winter Rental Rate</u> - October 1 through March 31	
Winter Hourly Rental Rate:	\$
Winter Weekly Rental Rate:	\$
Winter Monthly Rental Rate:	\$
Percent (%) of Rental Fee applied to purchase price:	%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

7.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM	
See Solicitation Special Terms and Conditions.	
DEDUCT cost per Used Hour from the original Contract Price	\$

8.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	
--	--

DELIVERY STARTING POINT: City/ST/Zip Designated Dealer

PRICE PER LOADED MILE \$4.00/loaded mile

MINIMUM DELIVERY CHARGE (if any) \$50.00



JOHN DEERE

Current Date 07Jan2015

333E COMPACT TRACK LOADER

333E Base Equipment

Engine:	Hydraulic Oil Temp.	Boom Float
Yanmar 4TNV94CHT 3.1L	Job Clock	Performance Characteristics:
meets Interim Tier 4	Service Codes	Rated Operating Capacity
emissions	Diagnostic Codes	3,300 lb. (1,498 kg)
4 Cylinder Turbo-Charged	Configuration Code	Tipping Load 9,425 lb.
100 Gross H.P.	Indicator Warning Lights:	(4,279 kg)
97 Net H.P.	Battery Not Charging	Bucket Breakout Force
Electronic Injection System	Hydraulics Locked Out	13,875 lb. (6,299 kg)
Auto Idle	Stop	Boom Breakout Force 6,600
Glow Plugs	Park Brake Illumination	lbs. (2,996 kg)
Hydraulic Cool-on-Demand	Hydraulic Oil Over Temp.	Tractive Effort - 11500 lbf
Variable Speed Fan	2-Speed Engaged	(5227 kgf)
V-Plenum Cooling	Air Filter Restriction	Operator
Dual Element Air Cleaner	Hydraulic Oil Filter	Protection/Comfort:
Automatic Fan Belt	Restriction	FOPS / ROPS Roll-Guard
Tensioner	Lap Bar Switch	with Side Screens
John Deere "Cool Gard II"	Seat Switch	In-Cab Boom Lockout
Extended Life Anti-Freeze	Door Open Switch	System
John Deere Plus 50 10w30	Engine Preheat	Interlocking Lap Bar and
Engine Oil	Low Engine Oil Pressure	Retractable Seat Belt system
5 Micron Primary Fuel Filter	Automatic Engine Preheat	Adjustable Lap Bar
26 Gallon (98.4 L) Fuel	Automatic Engine Shutdown	Operator Presence System
Tank	with Alarm	Seat Switch & Lap Bar
Final Drive System and	Electrical:	Interlocks for Loader Arm,
Brake:	12-Volt Electrical Battery	Bucket, & Auxiliary
Servo Axial Piston Hydro-	925 cca	Circuits
static Pumps	Alternator 70 Amp	Deluxe Headliner
Radial Piston Hydrostatic	Halogen Work Lights, Front	12V power port
Motors	and Rear	Cell Phone cargo net
Integral Automatic Wet-Disk	Time delayed courtesy	storage
Brake Spring Applied	lighting shutoff system	Interior Dome Lighting
Hydraulic Release	Hydraulics:	Cup Holder
High Drive Planetary	3-Spool Open Center Valve	Grab Handles for Easy
Reduction Gear Box	25 gpm (95 L/m) Pump	Entry / Exit
Grease Cylinder Track	3 Micron Hydraulic Filter	Top and Rear Windows
Tensioner	10w30 Engine Oil	Water Shedding Deluxe
Patented Smooth Ride	John Deere Boom and	Vinyl Seat
Undercarriage	Bucket Cylinders with	Convenient Tie Downs
5 triple flanged rollers and	Cushioned Boom Cylinders	Attachment Coupler:
2 duel flanged idlers	Auxiliary Hydraulics with	John Deere patented Quik-
Gauges and Instruments:	Flat Faced Connect-under-	Tatch system (no grease
Fuel Gauge	pressure Couplers	required)
Engine Coolant Temperature	Loader Arm, Bucket, &	Rubber Tracks:
Gauge	Auxiliary Hydraulic Lockout	17.7-in. (450 mm) Track

Operator Selectable LCD
 Digital Readout:
 Hourmeter
 Engine RPM
 Battery Voltage
 Engine Coolant Temp.

System
 Auxiliary Hydraulics Lock-
 out Override

Warranty (US and Canada):
 John Deere Standard
 Warranty 1 Year Unlimited
 Hours

Required - You must select one from each category

▼ BASE MACHINE

Description	Code	Price
333E COMPACT TRACK LOADER	8421T	\$74,206.00

▼ COMPACT TRACK LOADER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description	Code	Price
333E Standard Compact Track Loader	0800	In Base Price

Note: Includes standard equipment

Utility Package With ISO Pattern Joystick Controls	0815	(\$273.00)
--	------	------------

Package includes:

- * EH (ISO Pattern) Joystick Controls-Low Speed Efforts (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tach (5001)
- * Canopy - ROPS / FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls	0820	(\$981.00)
---	------	------------

Package includes:

- * EH (ISO Pattern) Joystick Controls-Low Speed Efforts (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tach (5001)
- * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)

- * Chrome Exhaust (8225)
- * Radio AM/FM/WB with Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * Foot Rest With Floormat (8380)
- * Keyless Start (8395)

Deluxe Cab Package With ISO Pattern Joystick Controls & Hi-Flow 0825 (\$1,341.00)

Package includes:

- * EH (ISO Pattern) Joystick Controls-Low Speed Efforts (0950)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * High Flow Hydraulics (3002)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
- * Air Suspension Seat (Vinyl) (6003)
- * Reversing Fan Drive (6501)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Engine Air Precleaner (8060)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB with Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * HD Rear Grille (8370)
- * Foot Rest With Floormat (8380)
- * Keyless Start (8395)

Utility Package With Switchable Joystick Controls 0830 (\$575.00)

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt (4002)
- * Power Quik-Tatch (5001)
- * Canopy - ROPS / FOPS (5200)
- * Mechanical Suspension Seat (Vinyl) (6001)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * Less EH Joystick Performance Package (7101)
- * Backup Alarm (8040)
- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls 0835 (\$1,269.00)

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * Standard Base Hydraulics (3000)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
- * Air Suspension Seat (Cloth) (6002)
- * Standard Fan Drive (6500)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB with Aux Input (8340)

- * Rear View Mirror (interior cab mount) (8350)
- * Keyless Start (8395)

Deluxe Cab Package With Switchable Joystick Controls & Hi-Flow 0840 (\$1,629.00)

Package includes:

- * Switchable EH Foot-H-ISO Pattern Joystick Controls (0990)
- * Two Speed (1050)
- * English Operator's Manual & Decals (1501)
- * Wide Rubber Tracks (2600)
- * High Flow Hydraulics (3002)
- * Ride Control (3100)
- * 3 in. Seat Belt with Shoulder Harness (4003)
- * Power Quik-Tatch (5001)
- * Cab Enclosure with Heat, Defrost & Air Conditioning (5204)
- * Air Suspension Seat (Vinyl) (6003)
- * Reversing Fan Drive (6501)
- * Horn (6800)
- * EH Joystick Performance Package (7100)
- * Backup Alarm (8040)
- * Engine Air Precleaner (8060)
- * Chrome Exhaust (8225)
- * Radio AM/FM/WB with Aux Input (8340)
- * Rear View Mirror (interior cab mount) (8350)
- * HD Rear Grille (8370)
- * Keyless Start (8395)

Severe Duty Door Cab Package with ISO Pattern Joystick Controls & Hi-Flow 0842 In Configuration

Package Includes:

- Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door (5205)
- EH (ISO Pattern) Joystick Controls (0950)
- High Flow Hydraulics (3002)
- Two Speed (1050)
- English Operator's Manual & Decals (1501)
- Wide Rubber Tracks (2600)
- Ride Control (3100)
- 3 in. Seat Belt with Shoulder Harness (4003)
- Power Quik-Tatch (5001)
- Air Suspension Seat (Vinyl) (6003)
- Reversing Fan Drive (6501)
- Horn (6800)
- EH Joystick Performance Package (7100)
- Backup Alarm (8040)
- Engine Air Precleaner (8060)
- Radio AM/FM/WB with Aux Input (8340)
- Rear View Mirror (interior cab mount) (8350)
- HD Rear Grille (8370)
- Foot Rest with Floor mat (8380)
- Keyless Start (8395)

▼ ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,978.00

▼ OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Canopy - ROPS / FOPS with Severe Duty Door	5201	\$2,768.00

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,608.00
---	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door	5205	\$6,672.00
--	------	------------

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

▼ SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Air Suspension Seat (Cloth)	6002	\$452.00
For use with Cab Enclosure/Severe Duty Door (5204 & 5205)		
Vinyl, Air-Ride Seat	6003	\$452.00

▼ SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200)		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
3-Inch Seat Belt	4002	\$164.00
Required in British Columbia and California; construction industry safety orders use of 3 inch wide webbing seat belt For use with Canopy - ROPS / FOPS (5200)		
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

▼ CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	In Base Price
EH (H Pattern) Joystick Controls	0975	\$212.00
High Spring Efforts		
EH Foot and Joystick Controls	0980	\$1,328.00
Switchable EH Foot-H-ISO Pattern Joystick Controls	0990	\$3,020.00
Code 8395 Keyless Start (Sealed Switch Module) is required.		
Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick Control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		

▼ JOYSTICK PERFORMANCE

Description	Code	Price
EH Joystick Performance Package	7100	\$798.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Switchable control patterns between ISO and H (If ordered with code 0950 or 0975)

Selectable propel aggressiveness

Creeper Mode

Boom and Bucket speed settings

12V 3 Pin and 14 Pin Attachment Control Harness

Less EH Joystick Performance Package	7101	In Base Price
--------------------------------------	------	---------------

▼ TRANSMISSION

Description	Code	Price
Two-Speed	1050	In Base Price

▼ HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Pump Flow = 25 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
--	------	----------

Pump Flow = 25 gpm

Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

High Flow Hydraulics	3002	\$1,830.00
----------------------	------	------------

Pump Flow = 34 gpm

Includes 1/2 in Auxiliary coupler sizes.

High Flow Hydraulics and Hydraulic Self-Leveling Up	3003	\$2,408.00
---	------	------------

Pump Flow = 34 gpm

Note - Order Code 3101 (Less Ride Control) is required; Order Code 3100 (Ride Control) is NOT available with this option.

Includes 1/2 in Auxiliary coupler sizes.

▼ RIDE CONTROL

Description	Code	Price
Ride Control	3100	\$995.00

Code 8395 Keyless Start (Sealed Switch Module) is required.

Less Ride Control	3101	In Base Price
-------------------	------	---------------

▼ QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	\$834.00
------------------	------	----------

▼ COOLING FAN

Description	Code	Price
Standard Fan Drive	6500	In Base Price
Reversing Fan Drive	6501	\$830.00

▼ HORN

Description	Code	Price
Horn	6800	\$140.00
Less Horn	6801	In Base Price

▼ TRACKS

Description	Code	Price
Narrow Rubber Tracks - 15.8 in. <i>Gives 78.9 inch CTL width</i>	2500	(\$257.00)
Wide Rubber Tracks - 17.7 in. <i>Gives 80.7 inch CTL width</i>	2600	In Base Price

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals <i>For use with FT4 Engine</i>	1501	No Charge
French Operator's Manual & Decals <i>For use with FT4 Engine</i>	1510	No Charge
Spanish Operator's Manual & Decals <i>For use with FT4 Engine</i>	1515	No Charge

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Backup Alarm	8040	\$105.00
Cold Start Package <i>Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater.</i>	8050	\$303.00
Engine Air Precleaner	8060	\$455.00
Hazard Warning Lights	8075	\$159.00
Chrome Exhaust	8225	\$328.00
Counterweight, Stackable (Second Set)	8305	\$349.00

Includes 2 - 86 lb weights (39 Kg)

Counterweight, Stackable (Third Set)	8310	\$349.00
--------------------------------------	------	----------

Includes 2 - 86 lb weights (39 Kg)
Requires Counterweight, Stackable (Second Set) (8305)

Radio, AM/FM/WB with Aux Input	8340	\$540.00
--------------------------------	------	----------

For use with enclosed cab only: codes 5204 & 5205

Rear View Mirror (Interior cab mount)	8350	\$90.00
---------------------------------------	------	---------

HD Rear Grille	8370	\$486.00
----------------	------	----------

Provides protection to cooling package.

Foot Rest with Floormat	8380	\$144.00
-------------------------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).

Floormat	8390	\$122.00
----------	------	----------

For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975)

Switchable Accelerator / Decelerator	8392	\$237.00
--------------------------------------	------	----------

Turns existing foot throttle in to a decelerating pedal.

Requires order code 8395 (Keyless Start) and 0950 (E-H (ISO Pattern) Joystick Controls) or 0975 (EH (H-Pattern) Joystick Controls).

Keyless Start (Sealed Switch Module)	8395	\$399.00
--------------------------------------	------	----------

Includes: programmable machine security code system

BUCKETS: (REFER TO BUCKET COMPATABILITY CHART)

See Attachments for Multi-Purpose Buckets

Description	Code	Price
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,500.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Charge

SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

DEALER-INSTALLED KITS

Description	Code	Price
-------------	------	-------

BUCKETS:

See Attachments for Multi-Purpose Buckets

76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,286.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,422.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,447.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,205.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,500.00

Buckets:

78 in. HD Foundry Bucket (17.8 cu. ft.)	KV22758	\$1,040.00
Construction Buckets with Edge, 66-78" Bundle	AT340103	\$4,801.00

Includes 66", 72", 76", and 78" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Construction Buckets with Edge, 72-84" Bundle	AT340104	\$5,071.00
---	----------	------------

Includes 72", 76", 78", and 84" sizes.
Different bucket sizes fit different machine sizes.
Price includes a 5% discount from individual buckets' prices.

Cutting Edges:

76 in. Bolt-On Cutting Edge	T223081	View Price
-----------------------------	---------	------------

Requires additional hardware; see Parts.

78 in. Bolt-On Cutting Edge	KV12758	View Price
<small>Requires additional hardware; see Parts.</small>		
84 in. Bolt-On Cutting Edge	KV12471	View Price
<small>Requires additional hardware; see Parts.</small>		
<u>Kits and Accessories:</u>		
12 Volt Demonstration Kit	KV21995	\$305.00
<small>3-pin connector</small>		
Attachment Control	AT427986	\$406.00
<small>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</small>		
Backup Alarm	AT348451	\$204.00
<small>For use with EH Controls (0950) or (0975)</small>		
Beacon Warning Light	AT431920	\$320.00
Block Heater Kit	AT427686	\$110.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
<small>Must have the 14 pin attachment connector already installed</small>		
Cold Start Package	AT430899	\$355.00
Counterweight, Stackable (Single Set)	AT348835	\$352.00
<small>Includes 2 - 86 lb weights (39 Kg)</small>		
EH Joystick Performance Package	AT427988	\$593.00
<small>Factory Code 8395 or kit AT427990 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package</small>		
Engine Air Pre-Cleaner Kit	AT425357	\$457.00
Field Kit, Reversing Fan	AT410782	\$964.00
Foot Throttle Removal Kit	AT410246	\$51.00
HD Rear Grille	AT398389	\$593.00
<small>Provides protection to cooling package</small>		
Hazard Warning Lights	AT431921	\$127.00
High Spring Effort Joysticks	AT433683	\$766.00
Horn	AT339797	\$115.00
<small>For use with EH Controls (0950) or (0975)</small>		
Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
<small>Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.</small>		

Joystick Pod Mounted Throttle	AT419446	\$152.00
Keyless Start (Sealed Switch Module)	AT427990	\$401.00
Radio, AM/FM/WB with Aux Input	AT427984	\$510.00
Reversing Fan Kit	AT448244	\$834.00
SMV Sign	AT427982	\$77.00
Severe Duty Door	AT446334	\$3,031.00
Includes windshield wiper. For ROPS Canopy units also order AT440395. Required to meet ISO 8084 Forestry Applications.		
Severe Duty Door Hardware and Washer Bottle Kit	AT440395	\$170.00
Single Point Lift System	AT417891	\$1,523.00
Standard Door, Field Kit	AT446335	\$1,015.00
Operator Environment:		
Trim Elbow Pad Field Kit	AT417600	\$28.00
Tooth Bars:		
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00
78 in. Tooth Bar - 8 Teeth	KV12296	\$559.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$803.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$680.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$827.00

▼ REFERRAL ATTACHMENTS

Description	Code	Price
Auxillary Hydraulic Line Quick Coupler Guard	AT432855	\$220.00

Bottom Opening Cover Plates	AT432853	\$350.00
Exhaust Hood Opening Seal	AT432861	\$120.00
Front Work Lights and Rear Light Guards	AT432854	\$218.00
Guard, Bucket Cylinder Rod	AT397454	\$320.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series		
Lift Cylinder Hose Guards	AT372947	\$420.00
Operator Rear Window / Side Window Guards	AT372949	\$640.00
Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights		
Rear Deflector and Bumper	AT432858	\$1,962.00
Rear Grille Guard w/o Side Bumpers	AT432857	\$1,220.00
Rear Hydraulic Circuit	AT432860	\$3,200.00
Standard Flow Only - 25 gpm maximum. Will not work on Hand Control Units.		
Rubber Boom Pocket Debris Guards	AT388938	\$340.00
Severe Duty Package	AT432870	\$5,052.00
Package Includes: Rear Deflector/Bumper, Exh Hood Opening Gd., FOPS, Lift Cyl Hose Gds., Aux.Hyd Line Quick Gd., Oper Rear & Side Screens, Toe Gd., Bottom Gds., Front & Rear Wrk Light Gds., Rubber Boom Pocket Gd.		
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		
Winch, Rear Mounted	AT432859	\$9,120.00
Requires Rear Deflector/Bumper Kit. Will not work on Hand Control Units. Not for use with Ride Control or Hydraulic Self-Level.		

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

~~WORKSITE PRO AF60 AG FORKS~~

1

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

A0290T		WORKSITE PRO AF60 AG FORKS <i>For use on the following models:</i> 313-315 SS CT315		1,492.00
--------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO AF66 AG FORKS

1

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9360T		WORKSITE PRO AF66 AG FORKS <i>For use on the following models:</i> 313-320 SS 318D-320D SS 318E-320E SS CT315 CTL		1,606.00
-------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO AF72 AG FORKS

1

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9330T		WORKSITE PRO AF72 AG FORKS <i>For use on the following models:</i> 317-328 SS 318D-328D SS 318E-328E SS CT315, CT322 CTLs 319D-323D CTLs 319E-323E CTLs		1,662.00
-------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO AF78 AG FORKS

1

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9340T		WORKSITE PRO AF78 AG FORKS <i>For use on the following models:</i> 317-328 SS 318D-328D SS 318E-328E SS CT322 CTL 319D-323D CTLs 319E-323E CTLs		1,779.00
-------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PA15 PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive: Heavy Duty, All Gear Design Sealed Drive Unit Reverse Rotation Feature Relief Valve Protected	Double-Wrap Flighting Forged Alloy Steel Heat-Treated Bolt-On Teeth Reinforced Boring Head
--	---

Auger Bits:

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1550T		WORKSITE PRO PA15 PLANETARY DRIVE AUGER <i>For use on the following models:</i> 313-315 SS CT315 CTL 17-27 CE		2,213.00
-------	--	---	--	----------

BASE MACHINE TYPE

1002		PA15 PLANETARY AUGER FOR SKID STEER <i>Includes Skid Steer Mounting Bracket</i> <i>Bit is NOT included</i>		401.00
1003		PA15 PLANETARY AUGER FOR COMPACT EXCAVATOR NOTE: * Requires Interface Adapter (9800, 9801) * Interface Adapter NOT included * For 17 and 27 CE * Bit is NOT included		In Base Price

INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:

9800		Interface Adapter for 17 ZTS		367.00
9801		Interface Adapter for 27-35 CE and 110 TLB		367.00

AUGER BITS:

9000		4 in. Heavy Duty Bit		231.00
9001		6 in. Heavy Duty Bit		253.00
9002		8 in. Heavy Duty Bit		354.00
9003		9 in. Heavy Duty Bit		390.00
9017		9 in. HD Difficult Ground Bit		518.00
9004		10 in. Heavy Duty Bit		410.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PA15 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
AUGER BITS: Continued...				
9005		12 in. Heavy Duty Bit		421.00
9018		12 in. HD Difficult Ground Bit		599.00
9006		15 in. Heavy Duty Bit		549.00
9019		15 in. HD Difficult Ground Bit		744.00
9007		18 in. Heavy Duty Bit		686.00
9020		18 in. HD Difficult Ground Bit		881.00
9008		24 in. Heavy Duty Bit		830.00
9021		24 in. HD Difficult Ground Bit		1,266.00
9011		18 in. Tree and Shrub Bit		633.00
9012		24 in. Tree and Shrub Bit		650.00
9015		9 in. Rock Bit		1,257.00
9016		12 in. Rock Bit		1,473.00
 DEALER-INSTALLED KITS				
		AUGER BITS:		
	KV15765	10 in. Heavy Duty Bit		410.00
	AT379607	12 in. HD Difficult Ground Bit		599.00
	KV15766	12 in. Heavy Duty Bit		421.00
	KV15777	12 in. Rock Bit		1,473.00
	AT379608	15 in. HD Difficult Ground Bit		744.00
	KV15767	15 in. Heavy Duty Bit		549.00
	AT379609	18 in. HD Difficult Ground Bit		881.00
	KV15768	18 in. Heavy Duty Bit		686.00
	KV15772	18 in. Tree and Shrub Bit		633.00
	AT379610	24 in. HD Difficult Ground Bit		1,266.00
	KV15769	24 in. Heavy Duty Bit		830.00
	KV15773	24 in. Tree and Shrub Bit		650.00
	KV15761	4 in. Heavy Duty Bit		231.00
	KV15762	6 in. Heavy Duty Bit		253.00
	KV15763	8 in. Heavy Duty Bit		354.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PA15 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT379606	9 in. HD Difficult Ground Bit		518.00
	KV15764	9 in. Heavy Duty Bit		390.00
	KV15776	9 in. Rock Bit		1,257.00
		Adapters and Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Extensions and Adapters:		
	KV15779	12 in. Hex Drive Extension		171.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		224.00
	KV15782	2-9/16 in. Round to 2 in. Hex		136.00
	KV15780	24 in. Hex Drive Extension		191.00
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:		
	AT306925	Interface Adapter for 17 ZTS		367.00
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		367.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Equipment for Base Machine

Planetary Drive: Heavy Duty, All Gear Design Sealed Drive Unit Reverse Rotation Feature Relief Valve Protected	Double-Wrap Flighting Forged Alloy Steel Heat-Treated Bolt-On Teeth Reinforced Boring Head
--	---

Auger Bits:

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0102KV	WORKSITE PRO PA30 PLANETARY DRIVE AUGER <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K,244J, 304K, 324J CWL 110 TLB 35-60 CE * With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required. AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	2,349.00
--------	---	----------

BASE MACHINE TYPE

1002	PA30 PLANETARY AUGER FOR SKID STEERS, CTLs, AND CWL <i>Includes Skid Steer Mounting Bracket</i> <i>Bit is NOT included</i>	401.00
1003	PA30 PLANETARY AUGER FOR COMPACT EXCAVATOR AND 110 TLB <i>Requires Interface Adapter (9801, 9803)</i> <i>Interface Adapter NOT included</i> <i>Bit is NOT included</i> <i>If Compact Excavator is equipped with Long Arm (7120), also requires 2 hydraulic hoses (AT321209) from Parts.</i>	In Base Price

INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:

9801	Interface Adapter for 27-35 CE and 110 TLB	367.00
9803	Interface Adapter for 50-60 CE	367.00

AUGER BITS:

9000	4 in. Heavy Duty Bit	231.00
------	----------------------	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
AUGER BITS: Continued...				
9001		6 in. Heavy Duty Bit		253.00
9002		8 in. Heavy Duty Bit		354.00
9003		9 in. Heavy Duty Bit		390.00
9017		9 in. HD Difficult Ground Bit		518.00
9004		10 in. Heavy Duty Bit		410.00
9005		12 in. Heavy Duty Bit		421.00
9018		12 in. HD Difficult Ground Bit		599.00
9006		15 in. Heavy Duty Bit		549.00
9019		15 in. HD Difficult Ground Bit		744.00
9007		18 in. Heavy Duty Bit		686.00
9020		18 in. HD Difficult Ground Bit		881.00
9008		24 in. Heavy Duty Bit		830.00
9021		24 in. HD Difficult Ground Bit		1,266.00
9009		30 in. Heavy Duty Bit		1,084.00
9010		36 in. Heavy Duty Bit		1,291.00
9011		18 in. Tree and Shrub Bit		633.00
9012		24 in. Tree and Shrub Bit		650.00
9013		30 in. Tree and Shrub Bit		920.00
9014		36 in. Tree and Shrub Bit		1,100.00
9015		9 in. Rock Bit		1,257.00
9016		12 in. Rock Bit		1,473.00
DEALER-INSTALLED KITS				
	KV15765	AUGER BITS: 10 in. Heavy Duty Bit		410.00
	AT379607	12 in. HD Difficult Ground Bit		599.00
	KV15766	12 in. Heavy Duty Bit		421.00
	KV15777	12 in. Rock Bit		1,473.00
	AT379608	15 in. HD Difficult Ground Bit		744.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	KV15767	15 in. Heavy Duty Bit		549.00
	AT379609	18 in. HD Difficult Ground Bit		881.00
	KV15768	18 in. Heavy Duty Bit		686.00
	KV15772	18 in. Tree and Shrub Bit		633.00
	AT379610	24 in. HD Difficult Ground Bit		1,266.00
	KV15769	24 in. Heavy Duty Bit		830.00
	KV15773	24 in. Tree and Shrub Bit		650.00
	KV15770	30 in. Heavy Duty Bit		1,084.00
	KV15774	30 in. Tree and Shrub Bit		920.00
	KV15771	36 in. Heavy Duty Bit		1,291.00
	KV15775	36 in. Tree and Shrub Bit		1,100.00
	KV15761	4 in. Heavy Duty Bit		231.00
	KV15762	6 in. Heavy Duty Bit		253.00
	KV15763	8 in. Heavy Duty Bit		354.00
	AT379606	9 in. HD Difficult Ground Bit		518.00
	KV15764	9 in. Heavy Duty Bit		390.00
	KV15776	9 in. Rock Bit		1,257.00
		Adapters and Mounting Frames		
	AT431624	PA15/PA30 Skid Steer Mounting Kit		563.00
		Extensions and Adapters:		
	KV15779	12 in. Hex Drive Extension		171.00
	KV15781	2 in. Hex to 2-9/16 in. Round Adaptor		224.00
	KV15782	2-9/16 in. Round to 2 in. Hex		136.00
	KV15780	24 in. Hex Drive Extension		191.00
		INTERFACE ADAPTERS FOR COMPACT EXCAVATORS:		
	AT306924	Interface Adapter for 27-35 CE and 110 TLB		367.00
	AT306926	Interface Adapter for 50-60 CE		367.00
		Kits and Accessories:		
	AT357576	ISO Adapter to Quik Tatch Coupler		1,541.00
	AT321209	Hydraulic Hose <i>For use on 35 and 50 CE Long Arm option.</i>		See Parts

WORKSITE PRO PA30 PLANETARY DRIVE AUGER

Continued

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

1

WORKSITE PRO BH7 BACKHOE

Equipment for Base Machine

94 in. (2388 mm) Digging Depth	124 in. (3150 mm) Reach from
Quik-Tatch Mounting	Swing Pivot
180 Degree Swing	180 Degree Bucket Rotation
Arc	
Low-profile Console	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8020T		WORKSITE PRO BH7 BACKHOE <i>For use on the following models:</i> 313-320 SS 318D-320D SS 318E-320E SS CT315, CT322 CTLs 319D-323D CTLs 319E-323E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.		9,423.00
-------	--	--	--	----------

MOUNTING KITS

1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		579.00
1008		Mounting Kit with Tie Down Yokes for 313-315, CT315		579.00
1009		Mounting Kit with Tie Downs <i>For use on the following models:</i> 318D-320D SS 318E-320E SS 319D-323D CTLs 319E-323E CTLs		247.00
1005		Less Mounting Kit		In Base Price

MECHANICAL QUICK COUPLER

3000		Mechanical Quick Coupler		254.00
3001		Less Mechanical Quick Coupler		In Base Price

BUCKETS

9510		9 in. (229 mm) Backhoe Pin-On Bucket - 2 Teeth		318.00
9511		13 in. (330 mm) Backhoe Pin-On Bucket - 3 Teeth		373.00
9512		16 in. (406 mm) Backhoe Pin-On Bucket - 3 Teeth		397.00
9513		9 in. HD Quick Coupler Bucket - 3 Teeth		389.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH7 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...				
<i>NOTE: Required Mechanical Quick Coupler (3000 or AT349192)</i>				
9514		12 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Required Mechanical Quick Coupler (3000 or AT349192)</i>		431.00
9515		16 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Required Mechanical Quick Coupler (3000 or AT349192)</i>		468.00
DEALER-INSTALLED KITS				
Buckets:				
	AT316548B	12 in (305 mm) HD Quick Coupler Bucket - 4 Teeth		439.00
	AT350684	13 in. (330 mm) Backhoe Bucket - 3 Teeth		380.00
	AT316549B	16 in (406 mm) HD Quick Coupler Bucket - 4 Teeth		475.00
	AT350685	16 in. (406 mm) Pin-On Backhoe Bucket - 3 Teeth		402.00
	AT316547B	9 in (229 mm) HD Quick Coupler Bucket - 3 Teeth		396.00
	AT350683	9 in. (229mm) Pin-On Backhoe Bucket - 2 Teeth		324.00
	AT349192	Mechanical Quick Coupler		480.00
Kits and Accessories:				
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00
Miscellaneous:				
	BM19556	Rubber Street Pad Kit		See Parts
Tie Down Yokes and Mounting Kits:				
	AT345659	Mounting Kit for 313-315, CT315		455.00
	KV24551	Mounting Kit for 317-320, CT322		455.00
	AT377726	Mounting Kit with Tie Downs <i>318D-320D SS, 318E-320E SS 319D-323D CTL, 319E-323E CTL</i>		591.00
	KV16198	Tie Down Yoke for 317-320, CT322		354.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BH8 BACKHOE
Equipment for Base Machine

8.5 ft. (2.6 m) Digging Depth	142 in. (3607 mm) Reach from
Quik-Tatch Mounting	Swing Pivot
180 Degree Swing	180 Degree Bucket Rotation
Arc	
Low-profile Console	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7480T		WORKSITE PRO BH8 BACKHOE <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.		9,782.00
-------	--	--	--	----------

MOUNTING KITS

1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		579.00
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		579.00
1009		Mounting Kit with Tie Downs <i>For use on the following models:</i> 318D-320D SS 318E-320E SS 319D-323D CTLs 319E-323E CTLs		247.00
1010		Mounting Kit with Tie Downs <i>For use on the following models:</i> 326D-332D SS 326E-332E SS 329D-333D CTLs 329E-333E CTLs		247.00
1005		Less Mounting Kit		In Base Price

MECHANICAL QUICK COUPLER

3000		Mechanical Quick Coupler		254.00
3001		Less Mechanical Quick Coupler		In Base Price

BUCKETS

9500		14 in. (356 mm) HD Pin-On Bucket - 3 Teeth		594.00
------	--	--	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH8 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...				
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		677.00
9502		24 in. (610 mm) HD Pin-On Bucket - 4 Teeth		732.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		923.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		585.00
9505		18 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		609.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		655.00
DEALER-INSTALLED KITS				
Buckets:				
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		595.00
	KV18239	14 in. (356 mm) HD Bucket - 3 Teeth		614.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		700.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		618.00
	KV18241	24 in. (610 mm) HD Bucket - 4 Teeth		756.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		667.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		953.00
	AT327433	Mechanical Quick Coupler		480.00
Kits and Accessories:				
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00
Miscellaneous:				
	BM19556	Rubber Street Pad Kit		See Parts
Tie Down Yokes and Mounting Kits:				
	KV24551	Mounting Kit for 317-320, CT322		455.00
	KV22699	Mounting Kit for 325-332, CT332		455.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH8 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT377726	Mounting Kit with Tie Downs <i>318D-320D SS, 318E-320E SS 319D-323D CTL, 319E-323E CTL</i>		591.00
	AT414193	Mounting Kit with Tie Downs <i>326D-332D SS, 326E-332E SS 329D-333D CTL, 329E-333E CTL</i>		244.00
	KV16198	Tie Down Yoke for 317-320, CT322		354.00
	KV16199	Tie Down Yoke for 325-332, CT332		354.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BH9 BACKHOE

Equipment for Base Machine

9 ft. Digging Depth
Quik-Tatch Mounting
180 Degree Swing
Arc
Low-profile Console

155 in. (3937 mm) Reach from
Swing Pivot
180 Degree Bucket Rotation

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7490T		WORKSITE PRO BH9 BACKHOE <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.		11,916.00
-------	--	--	--	-----------

MOUNTING KITS

1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		579.00
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		579.00
1009		Mounting Kit with Tie Downs <i>For use on the following models:</i> 318D-320D SS 318E-320E SS 319D-323D CTLs 319E-323E CTLs		247.00
1010		Mounting Kit with Tie Downs <i>For use on the following models:</i> 326D-332D SS 326E-332E SS 329D-333D CTLs 329E-333E CTLs		247.00
1005		Less Mounting Kit		In Base Price

MECHANICAL QUICK COUPLER

3000		Mechanical Quick Coupler		254.00
3001		Less Mechanical Quick Coupler		In Base Price

BUCKETS

9500		14 in. (356 mm) HD Pin-On Bucket - 3 Teeth		594.00
------	--	--	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH9 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...				
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		677.00
9502		24 in. (610 mm) HD Pin-On Bucket - 4 Teeth		732.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		923.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		585.00
9505		18 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		609.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		655.00
DEALER-INSTALLED KITS				
Buckets:				
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		595.00
	KV18239	14 in. (356 mm) HD Bucket - 3 Teeth		614.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		700.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		618.00
	KV18241	24 in. (610 mm) HD Bucket - 4 Teeth		756.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		667.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		953.00
	AT327433	Mechanical Quick Coupler		480.00
Kits and Accessories:				
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00
Miscellaneous:				
	BM19556	Rubber Street Pad Kit		See Parts
Tie Down Yokes and Mounting Kits:				
	KV24551	Mounting Kit for 317-320, CT322		455.00
	KV22699	Mounting Kit for 325-332, CT332		455.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH9 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT377726	Mounting Kit with Tie Downs <i>318D-320D SS, 318E-320E SS 319D-323D CTL, 319E-323E CTL</i>		591.00
	AT414193	Mounting Kit with Tie Downs <i>326D-332D SS, 326E-332E SS 329D-333D CTL, 329E-333E CTL</i>		244.00
	KV16198	Tie Down Yoke for 317-320, CT322		354.00
	KV16199	Tie Down Yoke for 325-332, CT332		354.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BH11 BACKHOE

Equipment for Base Machine

11 ft. Digging Depth
Quik-Tatch Mounting
180 Degree Swing
Arc
Low-profile Console

173 in. (4394 mm) Reach from
Swing Pivot
180 Degree Bucket Rotation

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7500T		WORKSITE PRO BH11 BACKHOE <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.		12,644.00
-------	--	---	--	-----------

MOUNTING KITS

1007		Mounting Kit with Tie Down Yokes for 317-320, CT322		579.00
1006		Mounting Kit with Tie Down Yokes for 325-332, CT332		579.00
1009		Mounting Kit with Tie Downs <i>For use on the following models:</i> 318D-320D SS 318E-320E SS 319D-323D CTLs 319E-323E CTLs		247.00
1010		Mounting Kit with Tie Downs <i>For use on the following models:</i> 326D-332D SS 326E-332E SS 329D-333D CTLs 329E-333E CTLs		247.00
1005		Less Mounting Kit		In Base Price

MECHANICAL QUICK COUPLER

3000		Mechanical Quick Coupler		254.00
3001		Less Mechanical Quick Coupler		In Base Price

BUCKETS

9500		14 in. (356 mm) HD Pin-On Bucket - 3 Teeth		594.00
------	--	--	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH11 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...				
9501		18 in. (457 mm) HD Pin-On Bucket - 4 Teeth		677.00
9502		24 in. (610 mm) HD Pin-On Bucket - 4 Teeth		732.00
9503		36 in. (914 mm) HD Pin-On Bucket - 6 Teeth		923.00
9504		12 in. HD Quick Coupler Bucket - 3 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		585.00
9505		18 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		609.00
9506		24 in. HD Quick Coupler Bucket - 4 Teeth <i>NOTE: Requires Mechanical Quick Coupler (3000 or AT327433)</i>		655.00
DEALER-INSTALLED KITS				
Buckets:				
	AT316552B	12 in. HD Quick Coupler Bucket - 3 Teeth		595.00
	KV18239	14 in. (356 mm) HD Bucket - 3 Teeth		614.00
	KV18240	18 in. (457 mm) HD Bucket - 4 Teeth		700.00
	AT316553B	18 in. HD Quick Coupler Bucket - 4 Teeth		618.00
	KV18241	24 in. (610 mm) HD Bucket - 4 Teeth		756.00
	AT316554B	24 in. HD Quick Coupler Bucket - 4 Teeth		667.00
	KV18242	36 in. (914 mm) HD Bucket - 6 Teeth		953.00
	AT327433	Mechanical Quick Coupler		480.00
Kits and Accessories:				
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00
Miscellaneous:				
	BM19556	Rubber Street Pad Kit		See Parts
Tie Down Yokes and Mounting Kits:				
	KV24551	Mounting Kit for 317-320, CT322		455.00
	KV22699	Mounting Kit for 325-332, CT332		455.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BH11 BACKHOE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT377726	Mounting Kit with Tie Downs <i>318D-320D SS, 318E-320E SS 319D-323D CTL, 319E-323E CTL</i>		591.00
	AT414193	Mounting Kit with Tie Downs <i>326D-332D SS, 326E-332E SS 329D-333D CTL, 329E-333E CTL</i>		244.00
	KV16198	Tie Down Yoke for 317-320, CT322		354.00
	KV16199	Tie Down Yoke for 325-332, CT332		354.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BALE SPEAR, ROUND

Equipment for Base Machine

Center Main Spear:
- 40 in. (1015 mm) Length
- Tapered Design

Square
Tubing Frame
- Reinforced Spear Mountings
- Non-Slip Step Plates
- Integral Quik-Tatch Mounting
Frame

Lower Auxiliary Spears:
- 1.25 in. (32 mm) Square
- 15 in. (383 mm) Length
- Tapered Design

NOTE: Round Bale Size and
Weights Vary. Rear Ballast
may be Required Depending on
Round Bale Weight.

Frame:
- Rugged 3 in. (76.2 mm)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0140KV		WORKSITE PRO BALE SPEAR, ROUND <i>For use on the following models:</i> 313-315 SS CT315 CTL 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL 110 TLB 300CX, 400X/400CX, 522, 542/542SL Loaders * With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.		638.00
--------	--	---	--	--------

DEALER-INSTALLED KITS

Kits and Accessories:				
AT357576		ISO Adapter to Quik Tatch Coupler		1,541.00
AT348835		Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		Yellow 42lb. Quik-Tatch Weight		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BALE SPEAR, SQUARE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9350T		<p>WORKSITE PRO BALE SPEAR, SQUARE <i>For use on the following models:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL</p> <p><i>* With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.</i></p>		945.00
-------	--	--	--	--------

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT357576	ISO Adapter to Quik Tatch Coupler			1,541.00
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>			352.00
KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>			194.00
AT311312	Rear Weight Bracket Kit (325-332)			197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight			60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BA72 ANGLE BROOM

Equipment for Base Machine

Specifications:	Jackstands	Control Kit is Required
10-28 gpm Hydraulic Flow	Rubber Dirt Deflector	
50/50 Poly Wire Brush		
32 in. Diameter Brush	72 in. Straight Sweeping Width	
Angle Control:	62.5 in. Angled Sweeping Width	
Hydraulic Angling	87 in. Overall Straight Width	
Electronically Activated	83 in. Overall Angled Width	
30 Degrees Either		
Direction From Center		
Standard Equipment:	NOTE: Applicable Attachment	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0300KV	WORKSITE PRO BA72 ANGLE BROOM <i>For use on the following models:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	6,516.00
--------	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
KV21995	12 Volt Demonstration Kit <i>3-pin connector</i>	305.00
AT332454	12 Volt Receptacle Kit	202.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) <i>3-pin connector</i>	175.00
AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	406.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>	455.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BA72 ANGLE BROOM

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT348477		Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i>		257.00
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT349599		Broom Spray Bar, 72 in.		654.00
AT323246		Dual Motor Kit <i>For serial #s T0BA72X700101 through 1T0BA72XAB0000143 and T0BA84X700101 through 1T0BA84XCB0000157.</i> <i>For below serial #s T0BA72X700101 and T0BA84X700101, order Dual Motor Kit components from Parts.</i> <i>Installation instructions T216317.</i>		1,076.00
AT435129		Water Tank Kit <i>SSL:</i> <i>318D-332D</i> <i>318E-332E</i> <i>CTL:</i> <i>319D-333D</i> <i>319E-333E</i> <i>For use with spray bar. 30 gallon capacity.</i>		1,811.00
AT345212		Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity.</i>		1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BA84 ANGLE BROOM

Equipment for Base Machine

Specifications: 10-28 gpm Hydraulic Flow 50/50 Poly Wire Brush 32 in. Diameter Brush Angle Control: Hydraulic Angling Electronically Activated 30 Degrees Either Direction From Center	Jackstands Rubber Dirt Deflector 84 in. Straight Sweeping Width 73 in. Angled Sweeping Width 99 in. Overall Straight Width 93.5 in. Overall Angled Width	Control Kit Required
Standard Equipment:		NOTE: Applicable Attachment

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0301KV	WORKSITE PRO BA84 ANGLE BROOM <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	6,947.00
--------	---	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
KV21995	12 Volt Demonstration Kit <i>3-pin connector</i>	305.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) <i>3-pin connector</i>	175.00
AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	406.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>	455.00
AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector</i>	257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BA84 ANGLE BROOM

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT349600		Broom Spray Bar, 84 in.		701.00
AT323246		Dual Motor Kit <i>For serial #s T0BA72X700101 through 1T0BA72XAB0000143 and T0BA84X700101 through 1T0BA84XCB0000157.</i> <i>For below serial #s T0BA72X700101 and T0BA84X700101, order Dual Motor Kit components from Parts.</i> <i>Installation instructions T216317.</i>		1,076.00
AT435129		Water Tank Kit <i>SSL:</i> <i>318D-332D</i> <i>318E-332E</i> <i>CTL:</i> <i>319D-333D</i> <i>319E-333E</i> <i>For use with spray bar. 30 gallon capacity.</i>		1,811.00
AT345212		Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity.</i>		1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BP72 PICK-UP BROOM
Equipment for Base Machine

Specifications:
10-28 gpm Hydraulic Flow
50/50 Poly Wire Brush
25 in. Diameter Brush

Infinite Brush Height

Standard Equipment:
2 Caster Wheels for
Better Stability
Baffle to Material in
Bucket

Specifications:
72 in. Sweeping Width
86 in. Overall Width
88 in. Sweeping Width with
Gutter Brush
14.3 Cubic Feet Hopper
Capacity

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0310KV	WORKSITE PRO BP72 PICK-UP BROOM <i>For use on the following models:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	5,864.00
--------	---	----------

DEALER-INSTALLED KITS

	Kits and Accessories: Broom Spray Bar, 72 in.	654.00
KV23661	Second Gutter Brush * Must also order Single Gutter Brush to complete	1,800.00
KV23660	Single Gutter Brush	1,800.00
AT435129	Water Tank Kit SSL: 318D-332D 318E-332E CTL: 319D-333D 319E-333E For use with spray bar. 30 gallon capacity.	1,811.00
AT345212	Water Tank Kit (317-332, CT322-CT332) For use with spray bar. 30 gallon capacity.	1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BP84 PICK-UP BROOM
Equipment for Base Machine

Specifications:
10-28 gpm Hydraulic Flow
50/50 Poly Wire Brush
25 in. Diameter Brush

Infinite Brush Height

Standard Equipment:
2 Caster Wheels for
Better Stability
Baffle to Material in
Bucket

Specifications:
84 in. Sweeping Width
98 in. Overall Width
100 in. Sweeping Width with
Gutter Brush
16.7 Cubic Feet Hopper
Capacity

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0311KV	WORKSITE PRO BP84 PICK-UP BROOM <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	7,036.00
--------	---	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT349600	Broom Spray Bar, 84 in.	701.00
KV23661	Second Gutter Brush <i>* Must also order Single Gutter Brush to complete</i>	1,800.00
KV23660	Single Gutter Brush	1,800.00
AT435129	Water Tank Kit SSL: 318D-332D 318E-332E CTL: 319D-333D 319E-333E <i>For use with spray bar. 30 gallon capacity.</i>	1,811.00
AT345212	Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity.</i>	1,283.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BR60 RIGID PICK-UP BROOM

Equipment for Base Machine

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7820T		WORKSITE PRO BR60 RIGID PICK-UP BROOM <i>For use on the following models: 313-315 SS CT315 CTL</i>		4,075.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories:	
AT349598		Broom Spray Bar, 60 in.	634.00
KV23661		Second Gutter Brush	1,800.00
KV23660		Single Gutter Brush	1,800.00
AT435129		Water Tank Kit <i>SSL: 318D-332D 318E-332E CTL: 319D-333D 319E-333E For use with spray bar. 30 gallon capacity.</i>	1,811.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BR72 RIGID PICK-UP BROOM

Equipment for Base Machine

Specifications: 10-30 gpm (37.8-113.5 lpm) Hydraulic Flow 50/50 Poly Wire Brush 25 in. (635 mm) Diameter Brush 6.38 in. (162 mm) Core Diameter Forward & Backward Operation 72 in. (1828 mm) Sweeping Width	86.1 in. (2187 mm) Working Width 88 in. (2184 mm) Sweeping Width with Gutter Brush 15.75 cu. ft. (0.45 cu m) Hopper Capacity	Operating Width: 950 lbs. (431 kg)
Dimensions: 29 in. (736 mm) Height 53.3 in. (1354 mm) Length		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1520T	WORKSITE PRO BR72 RIGID PICK-UP BROOM <i>For:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 304K CWL 110 TLB	4,488.00
<i>AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.</i>		

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT349599	Broom Spray Bar, 72 in.	654.00
KV23661	Second Gutter Brush <i>* Must also order Single Gutter Brush to complete</i>	1,800.00
KV23660	Single Gutter Brush	1,800.00
AT435129	Water Tank Kit SSL: 318D-332D 318E-332E CTL: 319D-333D 319E-333E <i>For use with spray bar. 30 gallon capacity.</i>	1,811.00
AT345212	Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity.</i>	1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO BR84 RIGID PICK-UP BROOM

Equipment for Base Machine

Specifications: 10-30 gpm (37.8-113.5 lpm) Hydraulic Flow 50/50 Poly Wire Brush 25 in. (635 mm) Diameter Brush 6.38 in. (162 mm) Core Diameter Forward & Backward Operation 84 in. (2133 mm) Sweeping Width	98.1 in. (2492 mm) Working Width 100 in. (2540 mm) Sweeping Width with Gutter Brush 18.21 cu. ft. (0.52 cu m) Hopper Capacity Dimensions: 29 in. (736 mm) Height 53.3 in. (1354 mm) Length	Operating Width: 1050 lbs. (476 kg)
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1530T	WORKSITE PRO BR84 RIGID PICK-UP BROOM <i>For use on the following models:</i> 317-332 SS 318D-332D 318E-332E CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL * With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required. AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	4,903.00
-------	---	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT357576	ISO Adapter to Quik Tatch Coupler	1,541.00
AT349600	Broom Spray Bar, 84 in.	701.00
KV23661	Second Gutter Brush <i>* Must also order Single Gutter Brush to complete</i>	1,800.00
KV23660	Single Gutter Brush	1,800.00
AT435129	Water Tank Kit SSL: 318D-332D 318E-332E CTL: 319D-333D 319E-333E <i>For use with spray bar. 30 gallon capacity.</i>	1,811.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BR84 RIGID PICK-UP BROOM

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT345212	Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity.</i>		1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO CP12C COLD PLANER

Equipment for Base Machine

Drum Size:	0-5 in. (0-127 mm)
12 in. (305 mm) Cutting Width	Hydraulic Side Shift
	0-19 in. (0-483 mm)
Design Features:	Quantity of pics 37
Standard Flow Hydraulics	Spray Bar with nozzles, less water tank
15-22 gpm (56-83 lpm)	
Planetary Drive	
Manual Tilt of +/- 11 Degrees	NOTE: The eight-button control handle is NOT required.
Manual Depth Control	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7420T	WORKSITE PRO CP12C COLD PLANER <i>For Standard Flow:</i> 315-328 SS 318D-328D 318E-328E CT315, CT322 CTLs 319D-323D CTLs 319E-323E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.	11,202.00
-------	--	-----------

DEALER-INSTALLED KITS

	Kits and Accessories: Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	406.00
AT427986	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>	455.00
AT394637	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	721.00
AT427985	Water Tank Kit <i>For use with spray bar. 30 gallon capacity. Use for D-Series and E-Series.</i>	1,811.00
AT435129	Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity. Use for 300 Series.</i>	1,283.00
AT345212		

WORKSITE PRO CP12C COLD PLANER

Continued

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO CP18C COLD PLANER

Equipment for Base Machine

Drum Size:	Hydraulic Side Shift	
18 in. (457 mm) Cutting Width	-3 - 22 in. (-76 - 559 mm)	
Design Features:	Quantity of pics 45	
High Flow Hydraulics	Spray Bar with nozzles, less water tank	
29-41 gpm (110-155 lpm)		
Planetary Drive		
Tilt of +/- 8 Degrees	NOTE: Hi-Flow Hydraulics and Applicable Attachment Control Kit are Required.	
Depth Control 0-5 in. (0-127 mm)		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7430T		WORKSITE PRO CP18C COLD PLANER <i>For High Flow:</i> 320-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTLs 323D-333D CTLs 323E-333E CTLs		19,324.00
-------	--	--	--	-----------

DEALER-INSTALLED KITS

		Kits and Accessories: Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
	AT427986			
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>		455.00
	AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector</i>		257.00
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925) * Includes 3-pin and 14-pin connector * Replaces existing handles</i>		711.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector * Includes 8-Button Control Handle</i>		808.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO CP18C COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT435129		Water Tank Kit <i>For use with spray bar. 30 gallon capacity. Use for D-Series and E-Series.</i>		1,811.00
AT345212		Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity. Use for 300 Series.</i>		1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO CP24C COLD PLANER

Equipment for Base Machine

Drum Size:	(0-127 mm)
24 in. (610 mm) Cutting Width	Hydraulic Side Shift -3 - 22 in. (-76 - 559 mm)
Design Features:	Quantity of pics 57
High Flow Hydraulics	Spray Bar with nozzles, less water tank
29-41 gpm (110-155 lpm)	
Planetary Drive	NOTE: Hi-Flow Hydraulics and Applicable Attachment Control Kit are Required.
Tilt of +/- 8 Degrees	
Depth Control 0-5 in.	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7440T		WORKSITE PRO CP24C COLD PLANER <i>For High Flow:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs		22,986.00
-------	--	--	--	-----------

DEALER-INSTALLED KITS

		Kits and Accessories: Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
		Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i> <i>Replaces existing handles</i>		455.00
		Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i>		257.00
		Attachment Control (with Foot, Hand Controls) * For use with Foot Controls (0900) or Hand Controls (0925) * Includes 3-pin and 14-pin connector * Replaces existing handles		711.00
		Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) * 14-pin connector * Includes 8-Button Control Handle		808.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO CP24C COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT435129		Water Tank Kit <i>For use with spray bar. 30 gallon capacity. Use for D-Series and E-Series.</i>		1,811.00
AT345212		Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity. Use for 300 Series.</i>		1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO CP30C COLD PLANER

Equipment for Base Machine

Drum Size:	Hydraulic Side Shift	
30 in. (762 mm) Cutting Width	-3 - 22 in. (-76 - 559 mm)	
Design Features:	Quantity of pics 69	
High Flow Hydraulics	Spray Bar with nozzles, less water tank	
29-41 gpm (110-155 lpm)		
Planetary Drive		
Tilt of +/- 8 Degrees	NOTE: Hi-Flow Hydraulics and Applicable Attachment Control Kit are Required.	
Depth Control 0-5 in. (0-127 mm)		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7510T		WORKSITE PRO CP30C COLD PLANER <i>For High Flow:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs		25,616.00
-------	--	--	--	-----------

DEALER-INSTALLED KITS

		Kits and Accessories: Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
	AT427986			
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>		455.00
	AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector</i>		257.00
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925) * Includes 3-pin and 14-pin connector * Replaces existing handles</i>		711.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector * Includes 8-Button Control Handle</i>		808.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO CP30C COLD PLANER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT435129		Water Tank Kit <i>For use with spray bar. 30 gallon capacity. Use for D-Series and E-Series.</i>		1,811.00
AT345212		Water Tank Kit (317-332, CT322-CT332) <i>For use with spray bar. 30 gallon capacity. Use for 300 Series.</i>		1,283.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO DB84 DOZER BLADE
Equipment for Base Machine

Overall width: 84.0 in. (2133 mm)	Degrees of angle: 30, right or left
Length: 31.5 in. (800 mm)	Degrees of tilt: 10, up or down
Blade height: 24.0 in. (610 mm)	Adjustable skid shoe: Standard
Blade width (full angle): 74.1 in. (1882 mm)	Comes Standard with 3 Pin Wire Harness
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9780T		WORKSITE PRO DB84 DOZER BLADE <i>For:</i> 317-325 SS 318D-326D SS 318E-326E SS CT322 CTL 319D, 323D CTLs 319E, 323E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.		5,780.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: 12 Volt Demonstration Kit 3-pin connector		305.00
		12 Volt Receptacle Kit (with Traditional Controls) (300 Series) 3-pin connector		175.00
		14 Pin Wire Harness Adapter (300 Series) For use when equipped with an Attachment Control (with Traditional Controls), AT320590		See Parts
		Attachment Control For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		406.00
		Attachment Control (with E-H Joystick Controls without Joystick Buttons) D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles		455.00
		Attachment Control (with E-H Joystick Controls) D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector		257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO DB84 DOZER BLADE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
T227282		Restrictor Elbow - 0.065 in. <i>For enhanced dozer blade tilt cylinder control</i>		See Parts

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO DB96 DOZER BLADE

Equipment for Base Machine

Overall width: 96.0 in. (2438 mm)	Degrees of angle: 30, right or left
Length: 31.5 in. (800 mm)	Degrees of tilt: 10, up or down
Blade height: 24.0 in. (610 mm)	Adjustable skid shoe: Standard
Blade width (full angle): 84.7 in. (2151 mm)	Comes Standard with 3 Pin Wire Harness
Cutting edge (reversible): 0.625 x 6 in. (16 x 153 mm)	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9790T		WORKSITE PRO DB96 DOZER BLADE <i>For:</i> 328-332 SS 328D-332D SS 328E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs AT428072 hydraulic quick coupler adapter kit is available to adapt all HIGH FLOW E series SSL and CTL machines to standard flow attachment couplers.		6,119.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: 12 Volt Demonstration Kit 3-pin connector		305.00
		12 Volt Receptacle Kit (with Traditional Controls) (300 Series) 3-pin connector		175.00
		14 Pin Wire Harness Adapter (300 Series) For use when equipped with an Attachment Control (with Traditional Controls), AT320590		See Parts
		Attachment Control For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		406.00
		Attachment Control (with E-H Joystick Controls without Joystick Buttons) D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles		455.00
		Attachment Control (with E-H Joystick Controls) D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector		257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO DB96 DOZER BLADE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
T227282		Restrictor Elbow - 0.065 in. <i>For enhanced dozer blade tilt cylinder control</i>		See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GU60 UTILITY AG GRAPPLE

1

Equipment for Base Machine

Equipment for Base Machine:

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7860T		WORKSITE PRO GU60 UTILITY AG GRAPPLE <i>For:</i> 313-315 SS CT315		2,506.00
-------	--	--	--	----------

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GU66 UTILITY AG GRAPPLE
Equipment for Base Machine

Features:

Single Grapple for Better Handling of Hay, Silage, and Manure
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

Height Grapple Opened 45.7 in.
Grapple Opening 36 in. Opening Between Tines 4.5 in.

Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

Dimensions:

Width 66 in.
Height Grapple Closed 27.6 in.

NOTE: Rear Ballast is Not Required. However, Depending on Material

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0220KV		WORKSITE PRO GU66 UTILITY AG GRAPPLE <i>For: 313-320 SS 318D-320D SS 318E-320E SS CT315 CTL 300CX, 400X/400CX, 542/542SL Loaders</i>		2,588.00
--------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories:		
AT348835		Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
AT379709		Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GU72 UTILITY AG GRAPPLE

Equipment for Base Machine

<p>Features:</p> <p>Single Grapple for Better Handling of Hay, Silage, and Manure</p> <p>Pivot Points are 1 in. Hardened</p> <p>Pins Able to Accept Grease Hardened 1 in. Cylinder Rods</p> <p>Dimensions:</p> <p>Width 72 in.</p> <p>Height Grapple Closed 27.6 in.</p>	<p>Height Grapple Opened 45.7 in.</p> <p>Grapple Opening 36 in. Opening Between Tines 4.5 in.</p> <p>Hydraulic Cylinders:</p> <p>2 in. Bore</p> <p>8.1 in. Stroke</p> <p>1 in. Hardened Rod</p> <p>NOTE: Rear Ballast is Not Required. However, Depending on Material</p>	<p>Density Being Handled, Rear Ballast May Enhance Machine's Stability.</p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0221KV	WORKSITE PRO GU72 UTILITY AG GRAPPLE <i>For:</i> 317-328 SS 318D-328D SS 318E-328E SS CT322 CTL 319D, 323D CTLs 319E, 323E CTLs 110 TLB 400X/400CX, 542/542SL Loaders	2,743.00
--------	--	----------

DEALER-INSTALLED KITS

AT348835	Kits and Accessories: Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
AT379709	Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>	388.00
KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>	194.00
AT311312	Rear Weight Bracket Kit (325-332)	197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GU78 UTILITY AG GRAPPLE

Equipment for Base Machine

Features:

Single Grapple for Better Handling of Hay, Silage, and Manure
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

Height Grapple Opened 45.7 in.
Grapple Opening 36 in. Opening Between Tines 4.5 in.

Density Being Handled, Rear Ballast May Enhance Machine's Stability.

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

Dimensions:

Width 78 in.
Height Grapple Closed 27.6 in.

NOTE: Rear Ballast is Not Required. However, Depending on Material

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0222KV		WORKSITE PRO GU78 UTILITY AG GRAPPLE <i>For:</i> 317-328 SS 318D-328D SS 318E-328E SS CT322 CTL 319D, 323D CTLs 319E, 323E CTLs		2,938.00
--------	--	--	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories:		
AT348835		Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
AT379709		Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GT72 BRUSH TINED GRAPPLE

Equipment for Base Machine

<p>Features:</p> <ul style="list-style-type: none"> 2 Independent-Action Grapples With Round Profile to Pull Material Into Bucket Pivot Points are 1 in. Hardened Pins Able to Accept Grease Hardened 1 in. Cylinder Rods <p>Dimensions:</p> <ul style="list-style-type: none"> Width 72 in. Height Grapple Closed 	<ul style="list-style-type: none"> 28.5 in. Height Grapple Opened 45.9 in. Grapple Opening 38.2 in. Opening Between Tines 4 in. <p>Hydraulic Cylinders:</p> <ul style="list-style-type: none"> 2 in. Bore 8.1 in. Stroke 1 in. Hardened Rod <p>NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being</p>	<p>Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires may Also Be Needed Pending Application.</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0290KV	<p>WORKSITE PRO GT72 BRUSH TINED GRAPPLE</p> <p><i>For:</i></p> <p>317-328 SS 318D-328D SS 318E-328E SS CT322 CTL 319D, 323D CTLs 319E, 323E CTLs 204K, 244J, 304K, 324J CWL 400X/400CX, 542/542SL Loaders</p> <p><i>* With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.</i></p>	4,088.00
--------	---	----------

DEALER-INSTALLED KITS

CODE	DESCRIPTION	LIST PRICE USD (\$)
Kits and Accessories:		
AT357576	ISO Adapter to Quik Tatch Coupler	1,541.00
AT366269	2-inch Seat Belt with Shoulder Harness	207.00
AT364722	2-inch Seat Belt with Shoulder Harness for Standard Seat	308.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat	308.00
AT366268	3-inch Seat Belt with Shoulder Harness	371.00
AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat	467.00
AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat	467.00
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GT72 BRUSH TINED GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
KV25488		Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
AT379709		Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GT80 BRUSH TINED GRAPPLE

Equipment for Base Machine

<p>Features:</p> <ul style="list-style-type: none"> 2 Independent-Action Grapples With Round Profile to Pull Material Into Bucket Pivot Points are 1 in. Hardened Pins Able to Accept Grease Hardened 1 in. Cylinder Rods <p>Dimensions:</p> <ul style="list-style-type: none"> Width 80 in. Height Grapple Closed 	<ul style="list-style-type: none"> 28.5 in. Height Grapple Opened 45.9 in. Grapple Opening 38.2 in. Opening Between Tines 4 in. <p>Hydraulic Cylinders:</p> <ul style="list-style-type: none"> 2 in. Bore 8.1 in. Stroke 1 in. Hardened Rod <p>NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being</p>	<p>Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires may Also Be Needed Pending Application.</p>
---	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0291KV		<p>WORKSITE PRO GT80 BRUSH TINED GRAPPLE</p> <p><i>For:</i></p> <p>320-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL</p> <p><i>* With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.</i></p>		4,548.00
--------	--	---	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT357576	ISO Adapter to Quik Tatch Coupler			1,541.00
AT366269	2-inch Seat Belt with Shoulder Harness			207.00
AT364722	2-inch Seat Belt with Shoulder Harness for Standard Seat			308.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat			308.00
AT366268	3-inch Seat Belt with Shoulder Harness			371.00
AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat			467.00
AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat			467.00
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>			352.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GT80 BRUSH TINED GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
KV25488		Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
AT379709		Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		Yellow 42lb. Quik-Tatch Weight		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

~~WORKSITE PRO GS60 SCRAP GRAPPLE BUCKET~~

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7870T		WORKSITE PRO GS60 SCRAP GRAPPLE BUCKET <i>For: 313-315 SS CT315 CTL</i>		3,937.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

KV17819		Cutting Edges: 60 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>		See Parts
AT364722		Kits and Accessories: 2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
AT312692		2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
AT364826		3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
AT316210		3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
KV23054		Bolt on Side Plates for Scrap Grapple		164.00
AT332382		Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GS66 SCRAP GRAPPLE BUCKET

Equipment for Base Machine

Features:

2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

45.9 in.
Grapple Opening 39.3 in.

Cutting Edge:
Predrilled for Optional Bolt-On

Hydraulic Cylinders:
2 in. Bore
8.1 in. Stroke
1 in. Hardened Rod

on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Dimensions:

Width 66 in.
Height Grapple Closed 28.5 in.
Height Grapple Opened

Options:
End Plates

NOTE: Rear Ballast is Not Required. However, Depending

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0280KV		WORKSITE PRO GS66 SCRAP GRAPPLE BUCKET <i>For: 313-320 SS 318D-320D SS 318E-320E SS CT315 CTL 300CX, 400X/400CX, 542/542SL Loaders</i>		4,055.00
--------	--	---	--	----------

DEALER-INSTALLED KITS

Kits and Accessories:

AT366269		2-inch Seat Belt with Shoulder Harness		207.00
AT364722		2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
AT312692		2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
AT366268		3-inch Seat Belt with Shoulder Harness		371.00
AT364826		3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
AT316210		3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
KV23054		Bolt on Side Plates for Scrap Grapple		164.00
PB750225		Box of #3 Grade 8 Plow Bolts and Nuts <i>Quantity of 70 Bolts and Nuts Per Box</i>		See Parts
AT348835		Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GS66 SCRAP GRAPPLE BUCKET

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT332382	Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT379709	Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00
	U16748	Miscellaneous: 66 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)</i>		See Parts

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GS72 SCRAP GRAPPLE

Equipment for Base Machine

Features:

2 Independent-Action Grapples with Round Profile to Pull Material into Bucket
Pivot Points are 1 in. Hardened
Pins Able to Accept Grease
Hardened 1 in. Cylinder Rods

45.9 in. Grapple Opening 39.3 in.
Cutting Edge: Predrilled for Optional Bolt-On
Hydraulic Cylinders: 2 in. Bore 8.1 in. Stroke 1 in. Hardened Rod

on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.

Dimensions:

Width 72 in.
Height Grapple Closed 28.5 in.
Height Grapple Opened

Options:

End Plates

NOTE: Rear Ballast is Not Required. However, Depending

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0281KV		WORKSITE PRO GS72 SCRAP GRAPPLE <i>For:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322 CTL 319D-323D CTLs 319E-323E CTLs 400X/400CX, 542/542SL Loaders		4,174.00
--------	--	--	--	----------

DEALER-INSTALLED KITS

Kits and Accessories:

AT366269		2-inch Seat Belt with Shoulder Harness		207.00
AT364722		2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
AT312692		2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
AT366268		3-inch Seat Belt with Shoulder Harness		371.00
AT364826		3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
AT316210		3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
KV23054		Bolt on Side Plates for Scrap Grapple		164.00
PB750225		Box of #3 Grade 8 Plow Bolts and Nuts <i>Quantity of 70 Bolts and Nuts Per Box</i>		See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GS72 SCRAP GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT379709	Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00
		Miscellaneous:		
	T32742	72 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)</i>		See Parts

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GS78 SCRAP GRAPPLE

Equipment for Base Machine

Features:

2 Independent-Action Grapples with Round Profile to Pull Material into Bucket	45.9 in. Grapple Opening 39.3 in.	on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.
Pivot Points are 1 in. Hardened	Cutting Edge: Predrilled for Optional Bolt-On	
Pins Able to Accept Grease	Hydraulic Cylinders: 2 in. Bore 8.1 in. Stroke 1 in. Hardened Rod	
Hardened 1 in. Cylinder Rods		

Dimensions:

Width 78 in.	Options: End Plates	
Height Grapple Closed 28.5 in.		
Height Grapple Opened	NOTE: Rear Ballast is Not Required. However, Depending	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0282KV		WORKSITE PRO GS78 SCRAP GRAPPLE <i>For:</i> 320-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTL 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL * With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.		4,470.00
--------	--	--	--	----------

DEALER-INSTALLED KITS

		Cutting Edges: KV12758 78 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>		See Parts
		Kits and Accessories: AT357576 ISO Adapter to Quik Tatch Coupler		1,541.00
		AT366269 2-inch Seat Belt with Shoulder Harness		207.00
		AT364722 2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
		AT312692 2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
		AT366268 3-inch Seat Belt with Shoulder Harness		371.00
		AT364826 3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GS78 SCRAP GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
	KV23054	Bolt on Side Plates for Scrap Grapple		164.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts <i>Quantity of 70 Bolts and Nuts Per Box</i>		See Parts
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT379709	Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO GS84 SCRAP GRAPPLE

Equipment for Base Machine

<p>Features:</p> <p>2 Independent-Action Grapples with Round Profile to Pull Material into Bucket</p> <p>Pivot Points are 1 in. Hardened</p> <p>Pins Able to Accept Grease</p> <p>Hardened 1 in. Cylinder Rods</p> <p>Dimensions:</p> <p>Width 84 in.</p> <p>Height Grapple Closed 28.5 in.</p> <p>Height Grapple Opened</p>	<p>45.9 in.</p> <p>Grapple Opening 39.3 in.</p> <p>Cutting Edge: Predrilled for Optional Bolt-On</p> <p>Hydraulic Cylinders: 2 in. Bore 8.1 in. Stroke 1 in. Hardened Rod</p> <p>Options: End Plates</p> <p>NOTE: Rear Ballast is Not Required. However, Depending</p>	<p>on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability. Demolition Door and Non-Pneumatic Tires May Also be Needed Pending Application.</p>
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0283KV	WORKSITE PRO GS84 SCRAP GRAPPLE <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322, CT332 CTLs 319D-323D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL	5,021.00
	* With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.	

DEALER-INSTALLED KITS

	<p>Cutting Edges: 84 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i></p>	See Parts
	<p>Kits and Accessories: ISO Adapter to Quik Tatch Coupler</p>	1,541.00
KV12471	2-inch Seat Belt with Shoulder Harness	207.00
AT357576	2-inch Seat Belt with Shoulder Harness for Standard Seat	308.00
AT366269	2-inch Seat Belt with Shoulder Harness for Suspension Seat	308.00
AT364722	3-inch Seat Belt with Shoulder Harness	371.00
AT312692	3-inch Seat Belt with Shoulder Harness for Standard Seat	467.00
AT366268		
AT364826		

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO GS84 SCRAP GRAPPLE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
	KV23054	Bolt on Side Plates for Scrap Grapple		164.00
	PB750225	Box of #3 Grade 8 Plow Bolts and Nuts <i>Quantity of 70 Bolts and Nuts Per Box</i>		See Parts
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT379709	Hose Guide Kit <i>Required when using GU66-GU78 Utility Grapples, HH15-HH75 Hydraulic Hammers, or HB60 Hydraulic Breaker on 318D-320D SS or 319D-323D CTLs with Power Quik-Tatch (5001)</i>		388.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO HH20 HYDRAULIC HAMMER
Equipment for Base Machine

Performance:	(57 mm) Diameter	Includes Moil Point.
Impact Energy Class:	Quik-Tatch Mounting with	
253 ft./lbs. (34 kg/m)	1/2 in. Couplers and Hoses	
Blows Per Minute: 450-1000		
Flow Requirements:	Note: Units Must be	
7-13 gpm (26-50 lpm)	Equipped with Demolition or	
	Severe Duty Door and	
Operating Pressure:	Shoulder Belt Kits	
1422-2560 psi	or Protection Screens.	
Moil Tool Point 2.24 in.		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

04POT		WORKSITE PRO HH20 HYDRAULIC HAMMER <i>For use on the following models:</i> <i>Skid Steer Loaders: 313, 315, 318D, 320D, 318E, and 320E</i> <i>Compact Track Loaders: CT315, 319D, 323D, 319E, and 323E</i> <i>Compact Excavators: 17D and 27D</i>		4,780.00
-------	--	---	--	----------

MOUNTING BRACKETS

1002		SKID STEER LOADER MOUNTING BRACKET <i>Requires either demolition door (Code 5201, 5203, or AT332382) or severe-duty door installation (Code 5201, 5203, 5205, or AT348784).</i> <i>Recommend installation of non-pneumatic tires for use in breaking concrete with wire or rebar.</i>		1,029.00
1003		COMPACT EXCAVATOR AND BACKHOE LOADER MOUNTING BRACKET <i>Requires Interface Adapter (9800 or 9801)</i> <i>Requires Front Protection Screen for Cab or Canopy available through Referral Attachments / G.R. Manufacturing.</i>		In Base Price

INTERFACE ADAPTERS:

9800		Interface Adapter for 17 ZTS		388.00
9801		Interface Adapter for 27-35 CE and 110 TLB		563.00

DEALER-INSTALLED KITS

		Adapters and Mounting Frames		
	AT346503	Skid Steer Mounting Bracket		1,039.00
		INTERFACE ADAPTERS:		
	AT306179	Interface Adapter for 17 ZTS		388.00
	AT305753	Interface Adapter for 27-35 CE and 110 TLB		563.00
		Kits and Accessories:		
	AT366269	2-inch Seat Belt with Shoulder Harness		207.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO HH20 HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT364722	2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
	AT366268	3-inch Seat Belt with Shoulder Harness		371.00
	AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
	AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i> <i>Replaces existing handles</i>		455.00
	T292301	Bunt Point		See Parts
	T292299	Cross-Cut Point		See Parts
	AT332382	Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT399511	Hydraulic Hammer Recharge Kit		See Parts
	T292300	In-line Point		See Parts
	T292316	Moil Point		See Parts
	AT417602	Severe Duty Door <i>Includes windshield wiper.</i> <i>For ROPS Canopy units also order AT387526.</i> <i>Required to meet ISO 8084 Forestry Applications.</i> <i>Use for D and E Series Models.</i>		3,076.00

REFERRAL ATTACHMENTS

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
REFERRAL ATTACHMENTS Continued...				
	AT318959	Front Protection Screen for Cab (27-60 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Cab</i>		768.00
	AT337084	Front Protection Screen for Canopy (17 CE)		670.00
	AT318960	Front Protection Screen for Canopy (27-50 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Canopy</i>		620.00

10 February 2015
US

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO HH40 HYDRAULIC HAMMER
Equipment for Base Machine

Performance:	(70 mm) Diameter	Includes Moil Point.
Impact Energy Class: 427 ft./lbs. (58 kg/m)	Quik-Tatch Mounting with 1/2 in. Couplers and Hoses	
Blows Per Minute: 300-1000		
Flow Requirements: 9-18 gpm (35-70 lpm)	Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens.	
Operating Pressure: 1565-2987 psi		
Moil Tool Point 2.75 in.		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

04QOT	WORKSITE PRO HH40 HYDRAULIC HAMMER <i>For use on the following models: Skid Steer Loaders: 313, 315, 318D, 320D, 326D, 328D, 318E, 320E, 326E, and 328E Compact Track Loaders: CT315, 319D, 323D, 329D, 319E, 323E, and 329E Compact Excavators: 27D and 35D Backhoe Loader: 110 TLB</i>	6,860.00
-------	---	----------

MOUNTING BRACKETS

1002	SKID STEER LOADER MOUNTING BRACKET <i>Requires either demolition door (Code 5201, 5203, or AT332382) or severe-duty door installation (Code 5201, 5203, 5205, or AT348784). Recommend installation of non-pneumatic tires for use in breaking concrete with wire or rebar.</i>	1,029.00
1003	COMPACT EXCAVATOR AND BACKHOE LOADER MOUNTING BRACKET <i>Requires Interface Adapter (9801) Requires Front Protection Screen for Cab or Canopy available through Referral Attachments / G.R. Manufacturing.</i>	In Base Price

INTERFACE ADAPTERS:

9801	Interface Adapter for 27-35 CE and 110 TLB	563.00
------	--	--------

DEALER-INSTALLED KITS

	Adapters and Mounting Frames AT346503 Skid Steer Mounting Bracket	1,039.00
	INTERFACE ADAPTERS: AT305753 Interface Adapter for 27-35 CE and 110 TLB	563.00
	Kits and Accessories: AT366269 2-inch Seat Belt with Shoulder Harness	207.00
	AT364722 2-inch Seat Belt with Shoulder Harness for Standard Seat	308.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
	AT366268	3-inch Seat Belt with Shoulder Harness		371.00
	AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
	AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
	AT332382	Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT399511	Hydraulic Hammer Recharge Kit		See Parts
	AT417602	Severe Duty Door <i>Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models.</i>		3,076.00
		REFERRAL ATTACHMENTS		768.00
		<i>ZX50U Compact Excavator with a Cab</i>		
	AT318960	Front Protection Screen for Canopy (27-50 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Canopy</i>		620.00
	AT451135	Front Screen, Cab (GR#705753)		582.00
	AT435404	Front Screen, Canopy (GR#705578)		480.00

10 February 2015
US

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO HH60 HYDRAULIC HAMMER
Equipment for Base Machine

Performance:	(75 mm) Diameter	Includes Moil Point.
Impact Energy Class:		
532 ft./lbs. (72 kg/m)	Quik-Tatch Mounting with	
Blows Per Minute: 380-900	1/2 in. Couplers and Hoses	
Flow Requirements:		
10-20 gpm (40-80 lpm)	Note: Units Must be	
	Equipped with Demolition or	
Operating Pressure:	Severe Duty Door and	
1706-3045 psi	Shoulder Belt Kits	
Moil Tool Point 2.95 in.	or Protection Screens.	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

04R0T		WORKSITE PRO HH60 HYDRAULIC HAMMER <i>For use on the following models:</i> Skid Steer Loaders: 313, 315, 318D, 320D, 326D, 328D, 332D, 318E, 320E, 326E, 328E, and 332E Compact Track Loaders: CT315, 319D, 323D, 329D, 333D, 319E, 323E, 329E, and 333E Compact Excavators: 27D, 35D, 50D and 60D Backhoe Loader: 110 TLB		8,575.00
-------	--	---	--	----------

MOUNTING BRACKETS

1002		SKID STEER LOADER MOUNTING BRACKET <i>Requires either demolition door (Code 5201, 5203, or AT332382) or severe-duty door installation (Code 5201, 5203, 5205, or AT348784). Recommend installation of non-pneumatic tires for use in breaking concrete with wire or rebar.</i>		1,029.00
1003		COMPACT EXCAVATOR AND BACKHOE LOADER MOUNTING BRACKET <i>Requires Interface Adapter (9801 or 9803) Requires Front Protection Screen for Cab or Canopy available through Referral Attachments / G.R. Manufacturing.</i>		In Base Price

INTERFACE ADAPTERS:

9801		Interface Adapter for 27-35 CE and 110 TLB		563.00
9803		Interface Adapter for 50-60 CE		610.00

DEALER-INSTALLED KITS

		Adapters and Mounting Frames Skid Steer Mounting Bracket		1,039.00
--	--	--	--	----------

		INTERFACE ADAPTERS: Interface Adapter for 27-35 CE and 110 TLB		563.00
--	--	--	--	--------

		Interface Adapter for 50-60 CE		610.00
--	--	--------------------------------	--	--------

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
DEALER-INSTALLED KITS Continued...				
Kits and Accessories:				
AT366269		2-inch Seat Belt with Shoulder Harness		207.00
AT364722		2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
AT312692		2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
AT366268		3-inch Seat Belt with Shoulder Harness		371.00
AT364826		3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
AT316210		3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
AT332382		Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00
KV25488		Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
AT399511		Hydraulic Hammer Recharge Kit		See Parts
AT417602		Severe Duty Door <i>Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models.</i>		3,076.00
REFERRAL ATTACHMENTS				
AT318959		Front Protection Screen for Cab (27-60 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Cab</i>		768.00
AT318960		Front Protection Screen for Canopy (27-50 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Canopy</i>		620.00
AT451135		Front Screen, Cab (GR#705753)		582.00
AT435404		Front Screen, Canopy (GR#705578)		480.00

10 February 2015
US

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO HH80 HYDRAULIC HAMMER
Equipment for Base Machine

Performance:	(80 mm) Diameter	Includes Moil Point.
Impact Energy Class: 770 ft./lbs. (104 kg/m)	Quik-Tatch Mounting with 1/2 in. Couplers and Hoses	
Blows Per Minute: 400-1100		
Flow Requirements: 12-24 gpm (45-90 lpm)	Note: Units Must be Equipped with Demolition or Severe Duty Door and Shoulder Belt Kits or Protection Screens.	
Operating Pressure: 1991-2987 psi		
Moil Tool Point 3.14 in.		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

04SOT		WORKSITE PRO HH80 HYDRAULIC HAMMER <i>For use on the following models:</i> <i>Skid Steer Loaders: 318D, 320D, 326D, 328D, 332D, 318E, 320E, 326E, 328E, and 332E</i> <i>Compact Track Loaders: 319D, 323D, 329D, 333D, 319E, 323E, 329E, and 333E</i> <i>Compact Excavators: 50D and 60D</i> <i>Backhoe Loaders: 310K EP, 310K, 310SK, 310SK TMC, 315SK, 325K, 410K, 410K TMC</i>		11,468.00
-------	--	--	--	-----------

MOUNTING BRACKETS

1002		SKID STEER LOADER MOUNTING BRACKET <i>Requires severe-duty door installation (Code 5201, 5203, 5205, or AT348784).</i> <i>Recommend installation of non-pneumatic tires for use in breaking concrete with wire or rebar.</i>		1,029.00
1003		COMPACT EXCAVATOR AND BACKHOE LOADER MOUNTING BRACKET <i>Requires Interface Adapter (9803) Compact Excavators</i> <i>Requires Interface Adapter (9804) for Backhoe Loader</i> <i>Requires Front Protection Screen for Cab or Canopy available through Referral Attachments / G.R. Manufacturing.</i>		In Base Price

INTERFACE ADAPTERS:

9803		Interface Adapter for 50-60 CE		610.00
9804		Interface Adapter for Backhoes <i>Requires AT352852 or AT352853 Pins and Bushings Kit</i>		808.00

DEALER-INSTALLED KITS

		Adapters and Mounting Frames Skid Steer Mounting Bracket		1,039.00
--	--	--	--	----------

WORKSITE PRO HH80 HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
		Attachments and Accessories:		
	AT352852	Pins and Bushings for 310G/J/K and K EP Backhoes Less Backhoe Coupler, or with Deere Standard or Multi-Brand Coupler <i>Required for use in addition to code 9804 Interface Adapter or AT371338 Interface Adapter.</i> <i>For Hammer quick connect to the machine, one will need quick connector couplings.</i> <i>Not for use with Top Hook Coupler.</i>		281.00
	AT352853	Pins and Bushings for 310SG/SJ/SK, 315K, 325K, 410G/J/K, K Series TMC Backhoes Less Backhoe Coupler, or with Deere Standard or Multi-Brand Coupler <i>Required for use in addition to code 9804 Interface Adapter or AT371338 Interface Adapter.</i> <i>For Hammer quick connect to the machine, one will need quick connector couplings.</i> <i>Not for use with Top Hook Coupler.</i>		281.00
		INTERFACE ADAPTERS:		
	AT306177	Interface Adapter for 50-60 CE		610.00
	AT371338	Interface Adapter, Hydraulic Hammer <i>Requires AT352852 or AT352853 Pins and Bushings Kit.</i>		788.00
		Kits and Accessories:		
	AT366269	2-inch Seat Belt with Shoulder Harness		207.00
	AT364722	2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
	AT366268	3-inch Seat Belt with Shoulder Harness		371.00
	AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
	AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT399511	Hydraulic Hammer Recharge Kit		See Parts
	AT417602	Severe Duty Door <i>Includes windshield wiper.</i> <i>For ROPS Canopy units also order AT387526.</i> <i>Required to meet ISO 8084 Forestry Applications.</i> <i>Use for D and E Series Models.</i>		3,076.00

REFERRAL ATTACHMENTS

10 February 2015
US

WORKSITE PRO HH80 HYDRAULIC HAMMER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
REFERRAL ATTACHMENTS Continued...				
	AT318959	Front Protection Screen for Cab (27-60 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Cab</i>		768.00
	AT318960	Front Protection Screen for Canopy (27-50 CE) <i>* Required when a Hydraulic Breaker is equipped on a ZX27U, ZX35U, or ZX50U Compact Excavator with a Canopy</i>		620.00

10 February 2015
US

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO LP72 LANDPLANE

Equipment for Base Machine

Features:	50.0 in. Length
Sifting Plate	21.9 in. Height
6 Scarifier Teeth	4.0 in. Working Depth
Pin-on	5/8 x 6 Cutting Edge

Specifications:
72.0 in. Working Width

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7450T		WORKSITE PRO LP72 LANDPLANE <i>For use on the following models:</i> 313-325 SS 318D-326D SS 318E-326E SS CT315, CT322 CTLs 319D, 323D CTLs 319E, 323E CTLs 110 TLB 300CX, 400X/400CX Loaders* *Please refer to A&T Sales Manual for other requirements		2,177.00
-------	--	--	--	----------

HYDRAULIC KIT

1000		Hydraulic Kit		407.00
1001		Less Hydraulic Kit		In Base Price

DEALER-INSTALLED KITS

		Kits and Accessories:	
PB750225		Box of #3 Grade 8 Plow Bolts and Nuts	See Parts
AT377739		Hydraulic Kit	413.00
		Miscellaneous:	
T32742		72 in. Bolt-On Cutting Edge	See Parts

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO LP78 LANDPLANE

Equipment for Base Machine

Features:	50.0 in. Length
Sifting Plate	21.9 in. Height
7 Scarifier Teeth	4.0 in. Working Depth
Pin-on	5/8 x 6 Cutting Edge

Specifications:
78.0 in. Working Width

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7460T		WORKSITE PRO LP78 LANDPLANE <i>For use on the following models:</i> 317-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 110 TLB 300CX, 400X/400CX Loaders* *Please refer to A&T Sales Manual for other requirements		2,489.00
-------	--	--	--	----------

HYDRAULIC KIT

1000		Hydraulic Kit		407.00
1001		Less Hydraulic Kit		In Base Price

DEALER-INSTALLED KITS

	KV12758	Cutting Edges: 78 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>		See Parts
	PB750225	Kits and Accessories: Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
	AT377739	Hydraulic Kit		413.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO LP84 LANDPLANE

Equipment for Base Machine

Features:	50.0 in. Length
Sifting Plate	21.9 in. Height
8 Scarifier Teeth	4.0 in. Working Depth
Pin-on	5/8 x 6 Cutting Edge

Specifications:
84.0 in. Working Width

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7470T		WORKSITE PRO LP84 LANDPLANE <i>For use on the following models:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		2,706.00
-------	--	---	--	----------

HYDRAULIC KIT

1000		Hydraulic Kit		407.00
1001		Less Hydraulic Kit		In Base Price

DEALER-INSTALLED KITS

		Cutting Edges: 84 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>		See Parts
		Kits and Accessories: Box of #3 Grade 8 Plow Bolts and Nuts		See Parts
		Hydraulic Kit		413.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO MS60 MATERIAL / MANURE SCRAPER

1

Equipment for Base Machine

Features:

Units come standard with
the pull back kit installed
Rubber edges are reversible
and replaceable

Applications include but not
limited to:
Manure removal
Flood clean up
Light snow removal
Any place where pushing
material is needed
with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8500T		WORKSITE PRO MS60 MATERIAL / MANURE SCRAPER <i>For use on the following models:</i> 313, 315 SS CT315 CTL 110 TLB 300CX, 400X/400CX Loaders* <i>*Please refer to A&T Sales Manual for other requirements</i>		1,601.00
-------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO MS72 MATERIAL / MANURE SCRAPER

1

Equipment for Base Machine

Features:

Units come standard with
the pull back kit installed
Rubber edges are reversible
and replaceable

Applications include but not
limited to:
Manure removal
Flood clean up
Light snow removal
Any place where pushing
material is needed
with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8510T		WORKSITE PRO MS72 MATERIAL / MANURE SCRAPER <i>For use on the following models:</i> 313-320 SS 318D, 320D SS 318E, 320E SS CT315, 319D CTLs 110 TLB 300CX, 400X/400CX Loaders* *Please refer to A&T Sales Manual for other requirements		1,684.00
-------	--	---	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO MS84 MATERIAL / MANURE SCRAPER

1

Equipment for Base Machine

Features:

Units come standard with
the pull back kit installed
Rubber edges are reversible
and replaceable

Applications include but not
limited to:

Manure removal
Flood clean up
Light snow removal
Any place where pushing
material is needed
with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8520T		WORKSITE PRO MS84 MATERIAL / MANURE SCRAPER <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		1,855.00
-------	--	---	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO MS96 MATERIAL / MANURE SCRAPER

1

Equipment for Base Machine

Features:

Units come standard with
the pull back kit installed
Rubber edges are reversible
and replaceable

Applications include but not
limited to:
Manure removal
Flood clean up
Light snow removal
Any place where pushing
material is needed
with a rubber edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8530T		WORKSITE PRO MS96 MATERIAL / MANURE SCRAPER <i>For use on the following models:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		2,013.00
-------	--	---	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO MH60C MULCHING HEAD

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

06K0T		WORKSITE PRO MH60C MULCHING HEAD <i>For High Flow:</i> 328-332 SS 328D-332D SS 328E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs Requires Applicable Operator Protection Kits Requires Applicable Severe Duty Door Kit For Optimum Performance use on Non Hydraulic Self-Leveling Machines		29,635.00
-------	--	---	--	-----------

MULCHING DOOR

1001		Front Mulching Trap Door Dealer-Installed Requires Applicable Attachment Control Kit		2,142.00
1000		Less Front Mulching Trap Door		In Base Price

DEALER-INSTALLED KITS

Kits and Accessories:				
AT427986		Attachment Control For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		406.00
AT427985		Attachment Control Kit For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.		721.00
AT415906		Cooler Kit, MH60C 2 SPD		4,926.00
AT364347		Fan Wiring Harness Installation instructions for the fan wiring harness are: T215958 - English T215959 - Spanish T215960 - French		133.00
AT412946		Front Mulching Trap Door Kit		2,323.00
AT433111		Hose Guide kit for MH60C		660.00
AT433505		Knife Tool Kit		199.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO MP66 MULTI-PURPOSE BUCKET

Equipment for Base Machine

Performance: Low Profile Design for Superior Visibility Wear Resistant 1055 H.C. Steel at Key Wear Points - 3/4 x 6 in. at Cutting Edge - 1/2 x 3 in. at Dozer Edge - 3/4 x 4 in. at Clam Back Edge - 3/8 x 3 in. at End Plates - 3 1/2 x 4 in. Bottom Plate Runners Notched Jaws on Clam for Grappling Superior Designed Strength: Triangular Box Section Structure	at Heal Dozer Blade Reinforced Bucket Sides Durability Convertability: Predrilled Cutting Edge for Optional "Bolt-On" Reversible Cutting Edge Predrilled Sides for Optional "Bolt-On" Tooth Bar less auxiliary bolt-on cutting edge Capacities: Heaped 12.0 cu. ft. (0.34 cu. m) Struck 8.6 cu. ft. (0.24 cu. m) Dual Hydraulic Cylinders: 6 in. Stroke	2.75 in. Bore 1.5 in. Rod Diameter Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast is Not Required. However, Depending on Material Density Being Handled, Rear Ballast May Enhance Machine's Stability.
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0201KV	WORKSITE PRO MP66 MULTI-PURPOSE BUCKET <i>For use on the following models: 313-320 SS 318D, 320D SS 318E, 320E SS CT315 CTL</i>	2,867.00
--------	--	----------

DEALER-INSTALLED KITS

Kits and Accessories:		
PB750225	Box of #3 Grade 8 Plow Bolts and Nuts <i>Quantity of 70 Bolts and Nuts Per Box</i>	See Parts
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>	194.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00
Miscellaneous:		
U16748	66 in. Bolt-On Cutting Edge <i>Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)</i>	See Parts
Tooth Bars:		
KV12294	66 in. Tooth Bar - 7 Teeth	470.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO MP66B MULTI-PURPOSE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0AQ0T		WORKSITE PRO MP66B MULTI-PURPOSE BUCKET <i>For use on the following models: 318D, 320D SS 318E, 320E SS</i>		3,892.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

		Cutting Edges:		
AT436470		66 in. Bolt-On Cutting Edge for MP66B		474.00
		Kits and Accessories:		
AT436025		Boom Mounted Hose Guide Kit		101.00
AT436525		Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		96.00
AT436718		Spill Guard Assembly, MP66B		192.00
		Tooth Bars:		
AT436521		66 in. Tooth Bar - 7 Teeth, MP66B		817.00
AT436489		MP66 Over BOCE Toothbar, MP66B		876.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

~~WORKSITE PRO MP72B MULTI-PURPOSE BUCKET~~

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0AR0T		WORKSITE PRO MP72B MULTI-PURPOSE BUCKET <i>For use on the following models:</i> 318D-328D SS 318E-328E SS 319D, 323D CTLs 319E, 323E CTLs		4,830.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

		Cutting Edges:		
AT436471		72 in. Bolt-On Cutting Edge for MP72B		481.00
		Kits and Accessories:		
AT436025		Boom Mounted Hose Guide Kit		101.00
AT436525		Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		96.00
AT436719		Spill Guard Assembly, MP72B		197.00
		Tooth Bars:		
AT436522		72 in. Tooth Bar - 7 Teeth, MP72B		896.00
AT436490		MP72 Over BOCE Toothbar, MP72B		995.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

~~WORKSITE PRO MP78B MULTI-PURPOSE BUCKET~~

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0AS0T		WORKSITE PRO MP78B MULTI-PURPOSE BUCKET <i>For use on the following models:</i> 318D-332D SS 318E-332E SS 319D-333D CTLs 319E-333E CTLs		5,034.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

		Cutting Edges:		
AT436472		78 in. Bolt-On Cutting Edge for MP78B		526.00
		Kits and Accessories:		
AT436025		Boom Mounted Hose Guide Kit		101.00
AT436525		Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		96.00
AT436720		Spill Guard Assembly, MP78B		228.00
		Tooth Bars:		
AT436523		78 in. Tooth Bar - 8 Teeth, MP78B		919.00
AT436491		MP78 Over BOCE Toothbar, MP78B		1,266.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

~~WORKSITE PRO MP84B MULTI-PURPOSE BUCKET~~

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0AT0T		WORKSITE PRO MP84B MULTI-PURPOSE BUCKET <i>For use on the following models:</i> 326D-332D SS 326E-332E SS 323D-333D CTLs 323E-333E CTLs		5,233.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

		Cutting Edges:		
AT436473		84 in. Bolt-On Cutting Edge for MP84B		623.00
		Kits and Accessories:		
AT436025		Boom Mounted Hose Guide Kit		101.00
AT436525		Side Cutter Assembly, (MP66B, MP72B, MP78B, MP84B)		96.00
AT436721		Spill Guard Assembly, MP84B		242.00
		Tooth Bars:		
AT436524		84 in. Tooth Bar - 8 Teeth, MP84B		1,068.00
AT436492		MP84 Over BOCE Toothbar, MP84B		1,364.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO 42 IN. RAIL PALLET FORK

Equipment for Base Machine

Robust, Single Piece Backrest Unrestricted Visibility to Fork Tips	Required but May Enhance Machine Stability.
---	--

NOTE: Rear Ballast is not

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0252KV		WORKSITE PRO 42 IN. RAIL PALLET FORK <i>Includes Frame and Two Fork Set</i> For: 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs 110 TLB 300CX, 400X/400CX, 522, 542/542SL Loaders		802.00
--------	--	--	--	--------

DEALER-INSTALLED KITS

		Kits and Accessories: Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
		Rail Fork Mounting Frame and Guard		427.00
		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
		Rear Weight Bracket Kit (325-332)		197.00
		Yellow 42lb. Quik-Tatch Weight		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO 48 IN. RAIL PALLET FORK
Equipment for Base Machine

Rail Fork Mounting Frame and Guard	Required but May Enhance
Unrestricted Visibility to Fork Tips	Machine Stability.

NOTE: Rear Ballast is not

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0253KV	WORKSITE PRO 48 IN. RAIL PALLET FORK <i>Includes Frame and Two Fork Set</i> For: 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs 110 TLB 300CX, 400X/400CX, 522, 542/542SL Loaders	824.00
--------	--	--------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
KV19146	Rail Fork Mounting Frame and Guard	427.00
KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>	194.00
AT311312	Rear Weight Bracket Kit (325-332)	197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO 48 IN. HEAVY DUTY RAIL PALLET FORK
Equipment for Base Machine

<p>Frame has 60 inches of width on the rails 5000 lb. rating on fork (pair of tines) (when both are used) Robust, Single Piece Backrest Unrestricted Visibility to Fork</p>	<p>Tips Rear Ballast is not required but may enhance machine stability.</p>
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1570T	<p>WORKSITE PRO 48 IN. HEAVY DUTY RAIL PALLET FORK <i>Includes Frame and Two Fork Set</i> <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL</p> <p><i>* With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.</i></p>	1,458.00
-------	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT357576	ISO Adapter to Quik Tatch Coupler	1,541.00
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
KV26528	Heavy Duty Rail Fork Mounting Frame and Guard	732.00
AT311312	Rear Weight Bracket Kit (325-332)	197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PR60 ANGLE POWER RAKE

Equipment for Base Machine

NOTE: 12V Receptacle Kit is Required.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7830T		WORKSITE PRO PR60 ANGLE POWER RAKE <i>For: 313-315 SS CT315 CTL</i>		8,694.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories:		
	KV21995	12 Volt Demonstration Kit <i>3-pin connector</i>		305.00
	AT332454	12 Volt Receptacle Kit		202.00
	AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>		455.00
	AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO PR72B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates: Front or Rear	72 in. Rake 72 in. (1827 mm) Raking Width	Control Kit is Required
Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center	81 in. (2056 mm) Operating Width 64 in. (1625 mm) Length 31 in. (787 mm) Height 8.6 in. (22 mm) Tooth	
Bi-Directional Raking Capability	Roller Diameter 11 gpm (42 lpm) Hydraulics	
Specifications:	NOTE: Applicable Attachment	

CODE	ATTACHMENT IDENTIFIER DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0264KV	WORKSITE PRO PR72B ANGLE POWER RAKE <i>For:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315, CT322 CTLs 319D, 323D CTLs 319E, 323E CTLs	9,257.00
--------	---	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
KV21995	12 Volt Demonstration Kit <i>3-pin connector</i>	305.00
AT332454	12 Volt Receptacle Kit	202.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) <i>3-pin connector</i>	175.00
AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	406.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>	455.00
AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector</i>	257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PR72B ANGLE POWER RAKE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
	AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO PR84B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates: Front or Rear	84 in. Rake 84 in. (2134 mm) Raking Width	Control Kit is Required
Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center	93 in. (2362 mm) Operating Width 64 in. (1625 mm) Length 32 in. (812 mm) Height 8.6 in. (220 mm) Tooth	
Bi-Directional Raking Capability	Roller Diameter 18 gpm (68 lpm) Hydraulics	
Specifications:	NOTE: Applicable Attachment	

CODE	ATTACHMENT IDENTIFIER DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1580T	WORKSITE PRO PR84B ANGLE POWER RAKE <i>For:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs	9,952.00
-------	---	----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
KV21995	12 Volt Demonstration Kit <i>3-pin connector</i>	305.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) <i>3-pin connector</i>	175.00
AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	406.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>	455.00
AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector</i>	257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PR84B ANGLE POWER RAKE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
	AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO PR96B ANGLE POWER RAKE

Equipment for Base Machine

Box End Plates: Front or Rear	96 in. Rake 90 in. (2284 mm) Raking Width	Control Kit is Required
Angle Control: 12V Electric Actuator Rotate 20 Degrees Either Direction From Center	99 in. (2513 mm) Operating Width 64 in. (1625 mm) Length 32 in. (812 mm) Height 8.6 in. (22 mm) Tooth	
Bi-Directional Raking Capability	Roller Diameter 15 gpm (57 lpm) Hydraulics	
Specifications:	NOTE: Applicable Attachment	

CODE	ATTACHMENT IDENTIFIER DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0265KV	WORKSITE PRO PR96B ANGLE POWER RAKE <i>For:</i> 320-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs	10,912.00
--------	---	-----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
KV21995	12 Volt Demonstration Kit <i>3-pin connector</i>	305.00
KV25224	12 Volt Receptacle Kit (with Traditional Controls) (300 Series) <i>3-pin connector</i>	175.00
AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>	406.00
AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above) For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles</i>	455.00
AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above) For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector</i>	257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO PR96B ANGLE POWER RAKE

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
	AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO R66 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

to each other to add strength.

The tine tips are fully gusseted on both sides for added durability and dependability.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

The tine tips are also connected

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7950T		WORKSITE PRO R66 ROCK BUCKET <i>For:</i> 313-320 SS 318D, 320D SS 318E, 320E SS CT315 CTL		1,718.00
-------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO R75 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

to each other to add strength.

The tine tips are fully gusseted on both sides for added durability and dependability.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

The tine tips are also connected

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7960T		WORKSITE PRO R75 ROCK BUCKET <i>For:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 110 TLB		1,837.00
-------	--	---	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO R84 ROCK BUCKET

Equipment for Base Machine

3" Tine Spacing

to each other to add strength.

The tine tips are fully gusseted on both sides for added durability and dependability.

These buckets also incorporate a feature to hold rocks and debris in the bucket while digging.

The tine tips are also connected

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7970T		WORKSITE PRO R84 ROCK BUCKET <i>For:</i> 320-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		1,957.00
-------	--	--	--	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RL84 ROLLER LEVEL

Equipment for Base Machine

<p>Features:</p> <ul style="list-style-type: none"> 2 Std Greaseable Bearings Front & Rear Bolt-on Cutting Edges <p>Specifications:</p> <ul style="list-style-type: none"> 93.3 in. (2367 mm) Overall Width 	<ul style="list-style-type: none"> 66.7 in. (1694 mm) Length 25.6 in. (650 mm) Height 84 in. (2133 mm) Box Width 0.5 x 6 x 84 in. Front Cutting Edge 0.5 x 6 x 84 in. Rear Cutting Edge
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7070T	<p>WORKSITE PRO RL84 ROLLER LEVEL</p> <p><i>For:</i></p> <ul style="list-style-type: none"> 325-332 SS 326D-332D SS 326E-332E SS CT322-CT332 CTLs 319D-333D CTLs 319E-333E CTLs 	6,782.00
-------	---	----------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RC60B ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8281T		WORKSITE PRO RC60B ROTARY CUTTER <i>Requires a demolition door (Code 5201, 5203, or AT332382) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).</i> For: 318D-320D 318E-320E		5,944.00
-------	--	---	--	----------

WHEEL KIT

1000		FRONT WHEEL KIT <i>NOTE:</i> * Dealer-Installed		825.00
1001		LESS FRONT WHEEL KIT		In Base Price

DEALER-INSTALLED KITS

Kits and Accessories:				
AT366269		2-inch Seat Belt with Shoulder Harness <i>Use for D and E Series</i>		207.00
AT364722		2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
AT312692		2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
AT366268		3-inch Seat Belt with Shoulder Harness <i>Use for D and E Series</i>		371.00
AT364826		3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
AT316210		3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
AT332382		Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00
KV25488		Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
AT442703		Front Wheel Kit		924.00
AT442698		Pressure Gauge Kit <i>Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.</i>		399.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RC60B ROTARY CUTTER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT417602	Severe Duty Door <i>Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models.</i>		3,076.00
	AT408345	Severe-Duty Door Hardware Kit <i>For use with ROPS Canopy units only. Not required for cab units. Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.</i>		172.00
	AT387526	Severe-Duty Door Hardware Kit. <i>For use with ROPS Canopy units only. Not required for cab units. Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.</i>		169.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RC72B ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8341T		WORKSITE PRO RC72B ROTARY CUTTER <i>Requires a demolition door (Code 5201, 5203, or AT332382) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).</i> For: 326D-332D SS 326E-332E SS 329D, 333D CTLs 329E, 333E CTLs		6,565.00
-------	--	---	--	----------

WHEEL KIT

1000		FRONT WHEEL KIT		825.00
		<i>NOTE: * Dealer-Installed</i>		
1001		LESS FRONT WHEEL KIT		In Base Price

DEALER-INSTALLED KITS

Kits and Accessories:

	AT366269	2-inch Seat Belt with Shoulder Harness		207.00
	AT364722	2-inch Seat Belt with Shoulder Harness for Standard Seat		308.00
	AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat		308.00
	AT366268	3-inch Seat Belt with Shoulder Harness <i>Use for D and E Series</i>		371.00
	AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat		467.00
	AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat		467.00
	AT332382	Demolition Door Kit <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		909.00
	KV25488	Demolition Door Kit (317-332, CT322-CT332) <i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
	AT442703	Front Wheel Kit		924.00
	AT442698	Pressure Gauge Kit <i>Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.</i>		399.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RC72B ROTARY CUTTER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT417602	Severe Duty Door <i>Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models.</i>		3,076.00
	AT408345	Severe-Duty Door Hardware Kit <i>For use with ROPS Canopy units only. Not required for cab units. Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.</i>		172.00
	AT387526	Severe-Duty Door Hardware Kit. <i>For use with ROPS Canopy units only. Not required for cab units. Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.</i>		169.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RC78B ROTARY CUTTER

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8351T		WORKSITE PRO RC78B ROTARY CUTTER <i>Requires a demolition door (Code 5201, 5203, or AT332382) or a severe-duty door installation (Code 5201, 5203, 5205, or AT348784).</i> For: 326D-332D SS 326E-332E SS 329D, 333D CTLs 329E, 333E CTLs		7,222.00
-------	--	---	--	----------

WHEEL KIT

1000		FRONT WHEEL KIT		825.00
		<i>NOTE: * Dealer-Installed</i>		
1001		LESS FRONT WHEEL KIT		In Base Price

DEALER-INSTALLED KITS

Kits and Accessories:

AT366269	2-inch Seat Belt with Shoulder Harness	<i>Use for D and E Series</i>		207.00
AT364722	2-inch Seat Belt with Shoulder Harness for Standard Seat			308.00
AT312692	2-inch Seat Belt with Shoulder Harness for Suspension Seat			308.00
AT366268	3-inch Seat Belt with Shoulder Harness	<i>Use for D and E Series</i>		371.00
AT364826	3-inch Seat Belt with Shoulder Harness for Standard Seat			467.00
AT316210	3-inch Seat Belt with Shoulder Harness for Suspension Seat			467.00
KV25488	Demolition Door Kit (317-332, CT322-CT332)	<i>2- or 3-inch Seat Belt with Shoulder Harness required.</i>		826.00
AT442703	Front Wheel Kit			924.00
AT442698	Pressure Gauge Kit	<i>Allows operator to monitor motor inlet pressure resulting in reduced stalling and increased productivity.</i>		399.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT417602	Severe Duty Door <i>Includes windshield wiper. For ROPS Canopy units also order AT387526. Required to meet ISO 8084 Forestry Applications. Use for D and E Series Models.</i>		3,076.00
	AT408345	Severe-Duty Door Hardware Kit <i>For use with ROPS Canopy units only. Not required for cab units. Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle.</i>		172.00
	AT387526	Severe-Duty Door Hardware Kit. <i>For use with ROPS Canopy units only. Not required for cab units. Kit includes mounting hardware for the severe-duty door including the latch & striker, heavy-duty gas-spring cylinder, and windshield washer bottle. Use for D Series Models.</i>		169.00
		REFERRAL ATTACHMENTS		
	AT372948	Auxiliary Hydraulic Line Quick Coupler Guard (326-332 SSLs & 329-333 CTLs High Flow)		220.00
	AT432855	Auxillary Hydraulic Line Quick Coupler Guard		220.00
	AT432853	Bottom Opening Cover Plates		350.00
	AT372953	Bottom Openings Cover Plates <i>For use on 326D, 328D, 329D, 332D, 333D</i>		350.00
	AT372945	Exhaust Hood Opening Seal		120.00
	AT432861	Exhaust Hood Opening Seal		120.00
	AT372955	Front Work Lights and Rear Hood Light Guards		218.00
	AT432854	Front Work Lights and Rear Light Guards		218.00
	AT372946	Level II FOPS Plate <i>Required to meet ISO 8083 Level 2 Forestry Applications For use on D and E Series</i>		432.00
	AT372947	Lift Cylinder Hose Guards		420.00

10 February 2015
US

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO RC78B ROTARY CUTTER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		REFERRAL ATTACHMENTS Continued...		
	AT372956	Lift Cylinder Hose Guards		420.00
	AT388939	Lift Cylinder Hose Guards		420.00
	AT437325	Lift Cylinder Hose Guards		320.00
	AT372949	Operator Rear Window / Side Window Guards <i>Required to meet ISO 8084 Forestry Applications Not recommended for use with Hazard Warning Lights</i>		640.00
	AT432858	Rear Deflector and Bumper		1,962.00
	AT397455	Rear Deflectors with Bumper		1,962.00
	AT397456	Rear Deflectors with Bumper		1,460.00
	AT388938	Rubber Boom Pocket Debris Guards		340.00
	AT372950	Toe Guard and Door Upgrade Kit <i>Required to meet ISO 8084 Forestry Applications</i>		492.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO RT52 ROTARY TILLER

Equipment for Base Machine

Performance:
Tills to a 6 in. (152 mm)
Depth
Standard Offset Left Making
It Useful For All Tilling
Jobs

Maximum System Pressure:
3000 psi (21 Mpa)

NOTE: Optional Scarifier
may improve performance.

Dimensions:
Tilling Width:
52 in. (1.3m)
Overall Width:
62 in. (1.6m)
Overall Length:
48 in. (1.2m)
Overall Height:
35 in. (0.9m)

Hydraulics:
Standard Flow Hydraulics
Minimum Hydraulic Flow:
18 gpm (68 lpm)
Maximum Hydraulic Flow:
28 gpm (106 lpm)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7520T		WORKSITE PRO RT52 ROTARY TILLER <i>For:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		4,998.00
-------	--	---	--	----------

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO RT66 ROTARY TILLER

Equipment for Base Machine

<p>Performance: Tills to a 6 in. (152 mm) Depth Standard Offset Left and Center Position Make It Useful For All Tilling Jobs</p> <p>Hydraulics: Standard Flow Hydraulics Minimum Hydraulic Flow: 18 gpm (60 lpm) Maximum Hydraulic Flow:</p>	<p>28 gpm (106 lpm) Maximum System Pressure: 3000 psi (21 Mpa)</p> <p>Dimensions: Tilling Width: 66 in. (1.7m) Overall Width: 76 in. (1.9m) Overall Length: 48 in. (1.2m) Overall Height: 35 in. (0.9m)</p>	<p>NOTE: Optional Scarifier may improve performance.</p>
--	---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7530T		WORKSITE PRO RT66 ROTARY TILLER <i>For:</i> 317-332 SS 318D-333D SS 318E-333E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		5,248.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

AT340330		Kits and Accessories: Scarifier Kit RT66 <i>Contains 5 teeth</i>		289.00
----------	--	---	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SA60 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9090T		WORKSITE PRO SA60 SIDE DISCHARGE BUCKET <i>For:</i> 315-320 SS 318D-320D SS 318E-320E SS CT315, CT322 CTLs 319D, 323D CTLs 319E, 323E CTLs		5,342.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Cutting Edges: 60 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>		See Parts
		Kits and Accessories: Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
		Yellow 42lb. Quik-Tatch Weight <i>Must be ordered in quantity of 8.</i>		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SA72 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9100T		WORKSITE PRO SA72 SIDE DISCHARGE BUCKET <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs		5,747.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	AT348835			
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight <i>Must be ordered in quantity of 8.</i>		60.00
	T32742	Miscellaneous: 72 in. Bolt-On Cutting Edge		See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SD72 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9110T		WORKSITE PRO SD72 SIDE DISCHARGE BUCKET <i>For:</i> 317-328 SS 318D-328D SS 318E-328E SS CT315, CT322 CTLs 319D, 323D CTLs 319E, 323E CTLs <i>Early model SD72 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.</i> 1TOSD72XLB0000007		7,002.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>			352.00
AT311312	Rear Weight Bracket Kit (325-332)			197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight <i>Must be ordered in quantity of 8.</i>			60.00
	Miscellaneous:			
T32742	72 in. Bolt-On Cutting Edge			See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SD84 SIDE DISCHARGE BUCKET

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9120T		<p>WORKSITE PRO SD84 SIDE DISCHARGE BUCKET</p> <p><i>For:</i> 320-332 SS 320D-332D SS 320E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs</p> <p><i>Early model SD84 (below following s/n's) are not compatible with MF E-Series machines (318, 319, 320, 323E) due to bucket interference with couplers on machine.</i></p> <p>1TOSD84XAB0000008</p>		7,417.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

KV12471		<p>Cutting Edges: 84 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i></p>		See Parts
AT348835		<p>Kits and Accessories: Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i></p>		352.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		<p>Yellow 42lb. Quik-Tatch Weight <i>Must be ordered in quantity of 8.</i></p>		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB60B SNOW BLOWER
Equipment for Base Machine

14-21 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9711T	WORKSITE PRO SB60B SNOW BLOWER <i>For: 313-315 SS Also must order applicable 14-Pin Connector Harness from Attachments below.</i>		7,909.00
-------	--	--	----------

DEALER-INSTALLED KITS

Kits and Accessories:			
AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT361655	Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H This is for units not equipped with an Attachment Control Kit. Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB72B SNOW BLOWER

Equipment for Base Machine

14-21 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9971T		WORKSITE PRO SB72B SNOW BLOWER <i>For:</i> 317-320 SS 318D-320D SS 318E-320E SS CT322 CTL 319D-323D CTL 319E-323E CTL 204K, 304K CWL Also must order applicable 14-Pin Connector Harness from Attachments below.		8,117.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: 14-Pin Connector Harness (For 300-series with Traditional Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>For 300-series with 8-button handle.</i> Also order applicable Attachment Control Kit if base unit not equipped with it. Installation Instructions T249659.		210.00
AT361652		14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.</i> Also order applicable Attachment Control Kit if not equipped in base unit. Installation Instructions T250796.		268.00
AT427986		Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
AT394637		Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> Includes 3-pin and 14-pin connector Replaces existing handles		455.00
AT348477		Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> Includes 3-pin and 14-pin connector		257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB72B SNOW BLOWER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector</i> <i>* Includes 8-Button Control Handle</i>		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
	AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
	AT361655	Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>This is for units not equipped with an Attachment Control Kit.</i> <i>Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB78B SNOW BLOWER

Equipment for Base Machine

18-27 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

6980T		WORKSITE PRO SB78B SNOW BLOWER <i>For:</i> 320-332 SS 320D-332D SS 320E-332E SS CT322-CT332 CTL 319D-333D CTL 319E-333E CTL 244J CWL (must be equipped with high flow option or kit) Also must order applicable 14-Pin Connector Harness from Attachments below.		8,533.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: 14-Pin Connector Harness (For 300-series with Traditional Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>For 300-series with 8-button handle.</i> Also order applicable Attachment Control Kit if base unit not equipped with it. Installation Instructions T249659.		210.00
	AT361654	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.</i> Also order applicable Attachment Control Kit if not equipped in base unit. Installation Instructions T250796.		268.00
	AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> Includes 3-pin and 14-pin connector Replaces existing handles		455.00
	AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> Includes 3-pin and 14-pin connector		257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB78B SNOW BLOWER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT320590		Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector</i> <i>* Includes 8-Button Control Handle</i>		808.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT361655		Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>This is for units not equipped with an Attachment Control Kit.</i> <i>Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB84B SNOW BLOWER

Equipment for Base Machine

18-27 GPM

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

7090T		WORKSITE PRO SB84B SNOW BLOWER <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322-CT332CTL 323D-333D CTL 323E-333E CTL 244J CWL (must be equipped with high flow option or kit) 324J CWL Also must order applicable 14-Pin Connector Harness from Attachments below.		8,742.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: 14-Pin Connector Harness (For 300-series with Traditional Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>For 300-series with 8-button handle.</i> Also order applicable Attachment Control Kit if base unit not equipped with it. Installation Instructions T249659.		210.00
	AT361652	14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.</i> Also order applicable Attachment Control Kit if not equipped in base unit. Installation Instructions T250796.		268.00
	AT427986	Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
	AT394637	Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> For use with E-H Controls without Joystick Buttons For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector Replaces existing handles		455.00
	AT348477	Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> For use with E-H Joystick Controls (0950) Includes 3-pin and 14-pin connector		257.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB84B SNOW BLOWER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348475	Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
	AT320590	Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector</i> <i>* Includes 8-Button Control Handle</i>		808.00
	AT339786	Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
	AT427985	Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990).Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
	AT361655	Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>This is for units not equipped with an Attachment Control Kit.</i> <i>Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB72H SNOW BLOWER - HIGH FLOW

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9550T		WORKSITE PRO SB72H SNOW BLOWER - HIGH FLOW <i>For:</i> 315-320 SS 318D-320D SS 318E-320E SS CT322 CTL 323D CTL 323E CTL Also must order applicable 14-Pin Connector Harness from Attachments below.		10,565.00
-------	--	---	--	-----------

COMPLETING KITS

1001		Control Box and Harness (High Flow) <i>This is for units not equipped with an Attachment Control Kit.</i> <i>For:</i> 315-320 SS 318D-320D SS 318E-320E SS CT322 CTL 323D CTL 323E CTL		531.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) NOTE: * Also order applicable Attachment Control Kit if base unit not equipped with it <i>For:</i> 317-320 SS CT322 CTL		213.00
1003		14-Pin Connector Harness (For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls) Also order applicable Attachment Control Kit if base unit not equipped with it <i>For:</i> 318D-320D SS 318E-320E SS 323D CTL 323E CTL		267.00

DEALER-INSTALLED KITS

AT361652		Kits and Accessories: 14-Pin Connector Harness (For 300-series with Traditional Controls) For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H For 300-series with 8-button handle. Also order applicable Attachment Control Kit if base unit not equipped with it. Installation Instructions T249659.		210.00
----------	--	---	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB72H SNOW BLOWER - HIGH FLOW

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT361654		14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.</i> <i>Also order applicable Attachment Control Kit if not equipped in base unit.</i> <i>Installation Instructions T250796.</i>		268.00
AT427986		Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
AT394637		Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i> <i>Replaces existing handles</i>		455.00
AT348477		Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i>		257.00
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT320590		Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector</i> <i>* Includes 8-Button Control Handle</i>		808.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT361655		Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>This is for units not equipped with an Attachment Control Kit.</i> <i>Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB78H SNOW BLOWER - HIGH FLOW

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9570T		WORKSITE PRO SB78H SNOW BLOWER - HIGH FLOW <i>For:</i> 315-328 SS 318D-328D SS 318E-328E SS CT322-CT332 CTLs 323D-333D CTLs 323E-333E CTLs Also must order applicable 14-Pin Connector Harness from Attachments below.		10,902.00
-------	--	--	--	-----------

COMPLETING KITS

1001		Control Box and Harness (High Flow) <i>This is for units not equipped with an Attachment Control Kit.</i> <i>For:</i> 315-328 SS 318D-328D SS 318E-328E SS CT322-CT332 CTLs 323D-333D CTLs 323E-333E CTLs		531.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) NOTE: * Also order applicable Attachment Control Kit if base unit not equipped with it <i>For:</i> 317-328 SS CT322-CT332 CTLs		213.00
1003		14-Pin Connector Harness (For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls) Also order applicable Attachment Control Kit if base unit not equipped with it <i>For:</i> 318D-328D SS 318E-328E SS 323D-333D CTLs 323E-333E CTLs		267.00

DEALER-INSTALLED KITS

AT361652		Kits and Accessories: 14-Pin Connector Harness (For 300-series with Traditional Controls) For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H For 300-series with 8-button handle. Also order applicable Attachment Control Kit if base unit not equipped with it. Installation Instructions T249659.		210.00
----------	--	---	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB78H SNOW BLOWER - HIGH FLOW

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT361654		14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.</i> <i>Also order applicable Attachment Control Kit if not equipped in base unit.</i> <i>Installation Instructions T250796.</i>		268.00
AT427986		Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
AT394637		Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i> <i>Replaces existing handles</i>		455.00
AT348477		Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i>		257.00
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT320590		Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector</i> <i>* Includes 8-Button Control Handle</i>		808.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT361655		Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>This is for units not equipped with an Attachment Control Kit.</i> <i>Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB84H SNOW BLOWER - HIGH FLOW

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9600T		WORKSITE PRO SB84H SNOW BLOWER - HIGH FLOW <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D-333D CTLs 329E-333E CTLs Also must order applicable 14-Pin Connector Harness from Attachments below.		11,519.00
-------	--	---	--	-----------

COMPLETING KITS

1001		Control Box and Harness (High Flow) <i>This is for units not equipped with an Attachment Control Kit.</i> <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D-333D CTL 329E-333E CTL		531.00
1002		14-Pin Connector Harness (For 300-series with Traditional Controls) NOTE: * Also order applicable Attachment Control Kit if base unit not equipped with it <i>For:</i> 325-332 SS CT332 CTL		213.00
1003		14-Pin Connector Harness (For 300-series with E-H Joystick Controls and D-Series with Traditional Controls or E-H Joystick Controls) Also order applicable Attachment Control Kit if base unit not equipped with it <i>For:</i> 326D-332D SS 326E-332E SS 329D-333D CTLs 329E-333E CTLs		267.00

DEALER-INSTALLED KITS

AT361652		Kits and Accessories: 14-Pin Connector Harness (For 300-series with Traditional Controls) For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H For 300-series with 8-button handle. Also order applicable Attachment Control Kit if base unit not equipped with it. Installation Instructions T249659.		210.00
----------	--	---	--	--------

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SB84H SNOW BLOWER - HIGH FLOW

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
AT361654		14-Pin Connector Harness (required to connect snow blower to Skid Steer/CTL Attachment Controls) <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H.</i> <i>Also order applicable Attachment Control Kit if not equipped in base unit.</i> <i>Installation Instructions T250796.</i>		268.00
AT427986		Attachment Control <i>For E series (models 328, 329, 332, and 333) with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		406.00
AT394637		Attachment Control (with E-H Joystick Controls without Joystick Buttons) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Controls without Joystick Buttons</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i> <i>Replaces existing handles</i>		455.00
AT348477		Attachment Control (with E-H Joystick Controls) <i>D Series (S/N 198376 and above)</i> <i>For use with E-H Joystick Controls (0950)</i> <i>Includes 3-pin and 14-pin connector</i>		257.00
AT348475		Attachment Control (with Foot, Hand Controls) <i>* For use with Foot Controls (0900) or Hand Controls (0925)</i> <i>* Includes 3-pin and 14-pin connector</i> <i>* Replaces existing handles</i>		711.00
AT320590		Attachment Control (with Foot, Hand Controls) (317-332, CT322-CT332) <i>* 14-pin connector</i> <i>* Includes 8-Button Control Handle</i>		808.00
AT339786		Attachment Control (with Joystick Controls) (300 Series) <i>14-pin connector and 3-pin connector included</i>		243.00
AT427985		Attachment Control Kit <i>For E series (models 318, 319, 320, 323, and 326) with manual control with Foot Controls (0900) or Hand Controls (0925) OR with EH controls (0950, 0975, 0980, and 0990). Includes 3-pin and 14-pin connector. Replaces existing handles.</i>		721.00
AT361655		Control Box and Harness <i>For use with Snow Blowers SB60B, SB72B, SB78B, SB84B, SB72H, SB78H, SB84H</i> <i>This is for units not equipped with an Attachment Control Kit.</i> <i>Installation Instructions T249658.</i>		525.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SP8C SNOW PUSH

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9801T		WORKSITE PRO SP8C SNOW PUSH <i>For:</i> 318D-332D SS 318E-332E SS 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL <i>With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.</i> <i>Includes a heavy-duty, replaceable rubber cutting edge</i>		3,524.00
-------	--	--	--	----------

PULLBACKS

NOTE: DEALER INSTALLED OPTION

1000		SP8C PULLBACK KIT		1,616.00
1001		LESS PULLBACK KIT		In Base Price

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT357576	ISO Adapter to Quik Tatch Coupler			1,541.00
AT440274	SP8C Pullback Kit			1,717.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO SP10C SNOW PUSH

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9371T		WORKSITE PRO SP10C SNOW PUSH <i>For:</i> 326D-332D SS 326E-332E SS 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL <i>With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.</i> <i>Includes a heavy-duty, replaceable rubber cutting edge</i>		3,978.00
-------	--	---	--	----------

PULLBACKS

NOTE: DEALER INSTALLED OPTION

1000		SP10C PULLBACK KIT		1,919.00
1001		LESS PULLBACK KIT		In Base Price

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT357576	ISO Adapter to Quik Tatch Coupler			1,541.00
AT440275	SP10C Pullback Kit			1,970.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BL6B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9610T		WORKSITE PRO BL6B SNOW / UTILITY BLADE <i>For:</i> 313-315 SS CT315 CTL		3,435.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
T250744	6 ft. Blade Extension			See Parts
T236767	6 ft. Non-Metallic Edge			See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BL7B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9620T		WORKSITE PRO BL7B SNOW / UTILITY BLADE <i>For:</i> 315-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs 110 TLB 300CX, 400X/400CX Loaders* <i>*Please refer to A&T Sales Manual for other requirements</i>		3,539.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories:		
T250745		7 ft. Blade Extension		See Parts
KV24031		7 ft. Non-Metallic Edge		See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BL8B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9630T		WORKSITE PRO BL8B SNOW / UTILITY BLADE <i>For:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 110 TLB 400X/400CX Loaders* <i>*Please refer to A&T Sales Manual for other requirements</i>		3,747.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
T250746	8 ft. Blade Extension			See Parts
KV24032	8 ft. Non-Metallic Edge			See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BL9B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9650T		WORKSITE PRO BL9B SNOW / UTILITY BLADE <i>For:</i> 317-332 SS 318D-332D SS 318E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL * With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.		4,180.00
-------	--	--	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT357576	ISO Adapter to Quik Tatch Coupler			1,541.00
T250747	9 ft. Blade Extension			See Parts
KV24033	9 ft. Non-Metallic Edge			See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO BL10B SNOW / UTILITY BLADE

Equipment for Base Machine

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9660T		WORKSITE PRO BL10B SNOW / UTILITY BLADE <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs 204K, 244J, 304K, 324J CWL * With the 244J, the Worksite Pro Skid Steer Style Coupler, AT357576, is required.		4,751.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT357576	ISO Adapter to Quik Tatch Coupler			1,541.00
T250748	10 ft. Blade Extension			See Parts
KV24034	10 ft. Non-Metallic Edge			See Parts

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO 10 IN. STEEL TRACKS

Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links,
and Pads

Outside Plate is Open for
Easy Cleaning and Length
Adjustment

Heavy Duty Bushings for Long
Wear Life

Tires must be in Wide
Position when Tracks are
Installed. Wheel Spacers
are NOT Required on 317-320.

Drilled Link Holes for
Increased Strength

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0023KV		WORKSITE PRO 10 IN. STEEL TRACKS <i>For the following units with Heavy Duty Tires: 313-320 SS 318D-320D SS Contains Chain Binder and Strap.</i>		2,677.00
--------	--	--	--	----------

DEALER-INSTALLED KITS

	Kits and Accessories:			
AT320928	2 in. Wheel Spacer Kit <i>* For special applications when increased track clearance is required. * Allows tires to be mounted 2 inches further away from Skid Steer.</i>			549.00
AT345942	3/4 in. Wheel Spacer Kit (Required for 313-315) <i>* For special applications when increased track clearance is required. * Allows tires to be mounted 3/4 inches further away from Skid Steer.</i>			1,364.00
KV22838	Binder			See Parts
AT340611	Boom Stop Kit (Required for 313-315)			152.00
AT351259	Bucket Offset Adapter <i>Lowers bucket approximately 2 inches.</i>			567.00
KV22839	Strap			See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO 12 IN. STEEL TRACKS / 320 & 320D
Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links,
and Pads

Outside Plate is Open for
Easy Cleaning and Length
Adjustment

Heavy Duty Bushings for Long
Wear Life

Tires must be in Wide
Position when Tracks are
Installed. Wheel Spacers
are NOT Required on 320.

Drilled Link Holes for
Increased Strength

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0024KV		WORKSITE PRO 12 IN. STEEL TRACKS / 320 & 320D <i>For the following units with 12 in. Heavy Duty Tires: 320 SS 320D SS Not available for the 320E model. Contains Chain Binder and Strap.</i>		3,093.00
--------	--	---	--	----------

DEALER-INSTALLED KITS

AT320928		Kits and Accessories: 2 in. Wheel Spacer Kit <i>* For special applications when increased track clearance is required. * Allows tires to be mounted 2 inches further away from Skid Steer.</i>		549.00
KV22838		Binder		See Parts
AT351259		Bucket Offset Adapter <i>Lowers bucket approximately 2 inches.</i>		567.00
KV22839		Strap		See Parts

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO 12 IN. STEEL TRACKS / 325-328 & 326D-328D
Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links,
and Pads

Outside Plate is Open for
Easy Cleaning and Length
Adjustment

Heavy Duty Bushings for Long
Wear Life

Tires must be in Wide
Position when Tracks are
Installed. Wheel Spacers
are NOT Required on 325-328.

Drilled Link Holes for
Increased Strength

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0025KV		WORKSITE PRO 12 IN. STEEL TRACKS / 325-328 & 326D-328D <i>For the following units with 12 in. Heavy Duty Tires: 325, 328 SS 326D, 328D SS 326E, 328E SS Contains Chain Binder and Strap.</i>		3,246.00
--------	--	---	--	----------

DEALER-INSTALLED KITS

AT320928		Kits and Accessories: 2 in. Wheel Spacer Kit <i>* For special applications when increased track clearance is required. * Allows tires to be mounted 2 inches further away from Skid Steer.</i>		549.00
KV22838		Binder		See Parts
AT351259		Bucket Offset Adapter <i>Lowers bucket approximately 2 inches.</i>		567.00
KV22839		Strap		See Parts

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO 14 IN. STEEL TRACKS
Equipment for Base Machine

Self Cleaning CasTrac Design
Replaceable Bushings, Links,
and Pads

Outside Plate is Open for
Easy Cleaning and Length
Adjustment

Heavy Duty Bushings for Long
Wear Life

Tires must be in Wide
Position when Tracks are
Installed. Wheel Spacers
are NOT Required on 325-328.

Drilled Link Holes for
Increased Strength

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0026KV		WORKSITE PRO 14 IN. STEEL TRACKS <i>For the following units with 14 in. Heavy Duty Tires: 328D and 328E (No kits required). 328 Skid Steer Loaders (Requires track guard kit KV17333). 332 332D, and 332E Skid Steer Loaders (Requires axle block spacer kit KV23789). Contains Chain Binder and Strap.</i>		3,882.00
--------	--	--	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories: 2 in. Wheel Spacer Kit <i>* For special applications when increased track clearance is required. * Allows tires to be mounted 2 inches further away from Skid Steer.</i>		549.00
	KV23789	Axle Blocks for 332		76.00
	KV22838	Binder		See Parts
	AT351259	Bucket Offset Adapter <i>Lowers bucket approximately 2 inches.</i>		567.00
	KV22839	Strap		See Parts
	KV17333	Track Guard Assembly Kit for 328 with 14 in. Heavy Duty Tires		76.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO TR36B TRENCHER
Equipment for Base Machine

<p>Features:</p> <ul style="list-style-type: none"> Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control <p>Performance:</p> <ul style="list-style-type: none"> 16 to 44 gpm 2000 to 3300 psi 	<p>Integral Quik-Tatch Mounting Frame</p> <p>NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.</p>
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0011KV	WORKSITE PRO TR36B TRENCHER <i>For:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs	4,371.00
--------	--	----------

MOTOR KITS

NOTE: DEALER INSTALLED OPTION

1002	16-20 gpm Motor Kit <i>For Standard Flow:</i> 313-320 SS 318D, 320D SS 318E, 320E SS CT322 CTL 319D, 323D CTLs 319E, 323E CTLs	818.00
1003	21-25 gpm Motor Kit <i>For Standard Flow:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs	842.00
1004	27-35 gpm Motor Kit <i>For High Flow:</i> 317-325 SS 318D-328D SS 318E-328E SS CT322, CT332 CTLs 323D-333D CTLs 323E-333E CTLs	2,239.00
1005	36-44 gpm Motor Kit	2,288.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO TR36B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
MOTOR KITS Continued...				
<i>For High Flow:</i>				
328-332 SS				
332D SS				
332E SS				
<hr/>				
CHAIN OPTIONS				
<i>NOTE: DEALER INSTALLED OPTION</i>				
2001		36" x 6" Wide Standard Cup Every Station		732.00
2002		36" x 8" Wide Standard Cup Every Station		779.00
2003		36" x 10" Wide Standard Cup Every Station		947.00
2004		36" x 12" Wide Standard Cup Every Station		1,077.00
2005		36" x 6" Wide 70/30 Combo Shark Tooth		936.00
<hr/>				
DEALER-INSTALLED KITS				
Kits and Accessories:				
AT377714		16-20 gpm Motor Kit <i>For Standard Flow:</i> 313-320 SS 318D, 320D SS CT322 CTL 319D, 323D CTLs		829.00
AT377715		21-25 gpm Motor Kit <i>For Standard Flow:</i> 325-332 SS 326D-332D SS CT332 CTL 329D, 333D CTLs		854.00
AT377716		27-35 gpm Motor Kit <i>For High Flow:</i> 317-325 SS 318D-328D SS CT322, CT332 CTLs 323D-333D CTLs		2,268.00
AT347421		36" x 10" Wide Standard Cup Every Station		951.00
AT347422		36" x 12" Wide Standard Cup Every Station		1,080.00
AT347423		36" x 6" Wide 70/30 Combo Shark Tooth		939.00
AT347419		36" x 6" Wide Standard Cup Every Station		722.00
AT347420		36" x 8" Wide Standard Cup Every Station		782.00
AT377717		36-44 gpm Motor Kit <i>For High Flow:</i> 328-332 SS 332D SS		2,318.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO TR36B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO TR48B TRENCHER
Equipment for Base Machine

<p>Features: Heavy Duty Planetary Drive Manual Side Shift Excellent Visibility Indicators for Proper Digging Control</p> <p>Performance: 16 to 44 gpm 2000 to 3300 psi</p>	<p>Integral Quik-Tatch Mounting Frame</p> <p>NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.</p>
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0012KV	WORKSITE PRO TR48B TRENCHER <i>For:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs		4,493.00
--------	--	--	----------

MOTOR KITS

NOTE: DEALER INSTALLED OPTION

1002	16-20 gpm Motor Kit <i>For Standard Flow:</i> 313-320 SS 318D, 320D SS 318E, 320E SS CT322 CTL 319D, 323D CTLs 319E, 323E CTLs		818.00
1003	21-25 gpm Motor Kit <i>For Standard Flow:</i> 325-332 SS 326D-332D SS 326E-332E SS CT332 CTL 329D, 333D CTLs 329E, 333E CTLs		842.00
1004	27-35 gpm Motor Kit <i>For High Flow:</i> 317-325 SS 318D-328D SS 318E-328E SS CT322, CT332 CTLs 323D-333D CTLs 323E-333E CTLs		2,239.00
1005	36-44 gpm Motor Kit		2,288.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO TR48B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
MOTOR KITS Continued...				
<i>For High Flow:</i>				
328-332 SS				
332D SS				
332E SS				
<hr/>				
CHAIN OPTIONS				
<i>NOTE: DEALER INSTALLED OPTION</i>				
2001		48" x 6" Wide Standard Cup Every Station		873.00
2002		48" x 8" Wide Standard Cup Every Station		947.00
2005		48" x 6" Wide 70/30 Combo Shark Tooth		1,117.00
<hr/>				
DEALER-INSTALLED KITS				
Kits and Accessories:				
AT377714		16-20 gpm Motor Kit <i>For Standard Flow:</i> 313-320 SS 318D, 320D SS CT322 CTL 319D, 323D CTLs		829.00
AT377715		21-25 gpm Motor Kit <i>For Standard Flow:</i> 325-332 SS 326D-332D SS CT332 CTL 329D, 333D CTLs		854.00
AT377716		27-35 gpm Motor Kit <i>For High Flow:</i> 317-325 SS 318D-328D SS CT322, CT332 CTLs 323D-333D CTLs		2,268.00
AT377717		36-44 gpm Motor Kit <i>For High Flow:</i> 328-332 SS 332D SS		2,318.00
AT347426		48" x 6" Wide Combo Shark Tooth		1,121.00
AT347424		48" x 6" Wide Standard Cup Every Station		842.00
AT347425		48" x 8" Wide Standard Cup Every Station		915.00
AT348835		Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO TR48B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00

**JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS**

WORKSITE PRO TR60B TRENCHER

Equipment for Base Machine

Features:
 Heavy Duty Planetary Drive
 Manual Side Shift
 Excellent Visibility
 Indicators for Proper Digging Control
 Performance:
 27 to 44 gpm
 2000 to 3300 psi

Integral Quik-Tatch Mounting Frame
 NOTE: Rear Ballast is not Required, but Will Enhance Machine Stability During Transport.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0013KV		WORKSITE PRO TR60B TRENCHER <i>For High Flow:</i> 325-332 SS 318D-332D SS 318E-332E SS CT332 CTL 323D-333D CTLs 323E-333E CTLs		5,312.00
--------	--	---	--	----------

MOTOR KITS

NOTE: DEALER INSTALLED OPTION

1004		27-35 gpm Motor Kit <i>For High Flow:</i> 317-325 SS 318D-328D SS 318E-328E SS CT322, CT332 CTLs 323D-333D CTLs 323E-333E CTLs		2,239.00
1005		36-44 gpm Motor Kit <i>For High Flow:</i> 328-332 SS 332D SS 332E SS		2,288.00

CHAIN OPTIONS

NOTE: DEALER INSTALLED OPTION

2001		60" x 6" Wide Standard Cup Every Station		1,041.00
2005		60" x 6" Wide 70/30 Combo Shark Tooth		1,362.00

DEALER-INSTALLED KITS

Kits and Accessories:

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO TR60B TRENCHER

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		DEALER-INSTALLED KITS Continued...		
	AT377716	27-35 gpm Motor Kit <i>For High Flow:</i> 317-325 SS 318D-328D SS CT322, CT332 CTLs 323D-333D CTLs		2,268.00
	AT377717	36-44 gpm Motor Kit <i>For High Flow:</i> 328-332 SS 332D SS		2,318.00
	AT347428	60" x 6" Wide 70/30 Combo Shark Tooth		1,316.00
	AT347427	60" x 6" Wide Standard Cup Every Station		1,008.00
	AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
	AT311312	Rear Weight Bracket Kit (325-332)		197.00
	R66949Y	Yellow 42lb. Quik-Tatch Weight		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO VR66C SMOOTH VIBRATORY ROLLER
Equipment for Base Machine

Performance:

Powered by Standard
Auxiliary
Hydraulics

Drum Oscillation of +/- 15
Degrees
66 in. (1.7 m) Smooth Drum
7800 lbf (3538 kg)
Dynamic Force
2600 rpm @ 20 gpm
Frequency

Drum Diameter 24 in.
(61.0 cm)

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

NOTE: Rear Ballast is
Required on the 317 & 320.
Rear Ballast May Enhance
Stability on Other Models.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7760T		WORKSITE PRO VR66C SMOOTH VIBRATORY ROLLER <i>For:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs		9,417.00
-------	--	---	--	----------

DEALER-INSTALLED KITS

		Kits and Accessories:		
AT348835		Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
KV14620		Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>		194.00
AT311312		Rear Weight Bracket Kit (325-332)		197.00
R66949Y		Yellow 42lb. Quik-Tatch Weight		60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO VR73C SMOOTH VIBRATORY ROLLER
Equipment for Base Machine

Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 73 in. (1.8 m) Smooth Drum 8,550 lbf (3878 kg) Dynamic Force 2600 rpm @ 20 gpm	Frequency Drum Diameter - 24 in. (61.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast May Enhance Stability.
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7770T	WORKSITE PRO VR73C SMOOTH VIBRATORY ROLLER <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322-CT332 CTLs 319D-333D CTLs 319E-333E CTLs	10,540.00
-------	---	-----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
AT311312	Rear Weight Bracket Kit (325-332)	197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO VR84C SMOOTH VIBRATORY ROLLER
Equipment for Base Machine

Performance: Powered by Standard Auxiliary Hydraulics Drum Oscillation of +/- 15 Degrees 84 in. (2.1 m) Smooth Drum 9,370 lbf (4250 kg) Dynamic Force 2600 rpm @ 20 gpm	Frequency Drum Diameter - 24 in. (61.0 cm) Quik-Tatch Mounting with 1/2 in. Couplers and Hoses NOTE: Rear Ballast May Enhance Stability.
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7780T	WORKSITE PRO VR84C SMOOTH VIBRATORY ROLLER <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs	11,082.00
-------	--	-----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
AT311312	Rear Weight Bracket Kit (325-332)	197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO VR66C PADDED VIBRATORY ROLLER
Equipment for Base Machine

Performance:

Powered by Standard
Auxiliary
Hydraulics

Drum Oscillation of +/- 15
Degrees
66 in. (1.7 m) Padded Drum
7800 lbf (3538 kg)
Dynamic Force
2600 rpm @ 20 gpm
Frequency

Drum Diameter less Pads -
20 in. (51.0 cm)

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

NOTE: Rear Ballast is
Required on the 317 & 320.
Rear Ballast May Enhance
Stability on Other Models.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7790T	WORKSITE PRO VR66C PADDED VIBRATORY ROLLER <i>For:</i> 313-332 SS 318D-332D SS 318E-332E SS CT315-CT332 CTLs 319D-333D CTLs 319E-333E CTLs	10,058.00
-------	---	-----------

DEALER-INSTALLED KITS

	Kits and Accessories:	
AT348835	Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>	352.00
KV14620	Rear Weight Bracket Kit (317-320) <i>* Requires Eight R66949Y Weights</i>	194.00
AT311312	Rear Weight Bracket Kit (325-332)	197.00
R66949Y	Yellow 42lb. Quik-Tatch Weight	60.00

JOHN DEERE COMMERCIAL WORKSITE PRODUCTS
WORKSITE PRO ATTACHMENTS

WORKSITE PRO VR73C PADDED VIBRATORY ROLLER

Equipment for Base Machine

Performance:

Powered by Standard
Auxiliary
Hydraulics

Drum Oscillation of +/- 15
Degrees

73 in. (1.8 m) Padded Drum

8,550 lbf (3878 kg)

Dynamic Force

2600 rpm @ 20 gpm

Frequency

Drum Diameter less Pads -
20 in. (51.0 cm)

Quik-Tatch Mounting with
1/2 in. Couplers and Hoses

NOTE: Rear Ballast May
Enhance Stability.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

7800T		WORKSITE PRO VR73C PADDED VIBRATORY ROLLER <i>For:</i> 325-332 SS 326D-332D SS 326E-332E SS CT322, CT332 CTLs 319D-333D CTLs 319E-333E CTLs		10,618.00
-------	--	--	--	-----------

DEALER-INSTALLED KITS

		Kits and Accessories: Counterweight, Stackable (Single Set) <i>Includes 2 - 86 lb weights (39 Kg)</i>		352.00
		Rear Weight Bracket Kit (325-332)		197.00
		Yellow 42lb. Quik-Tatch Weight		60.00

RESPONDER'S NAME: John Deere Construction Retail Sales

TITLE & NUMBER: SKID STEER AND OEM ATTACHMENTS T-631(5)

** Following is a list of all distributors that are authorized to sell the equipment listed above.

** The Swift Vendor Number (SWIFT UD) must be complete, including the vendor Swift ID and Location Code (LOC CODE).

** All distributors MUST provide the required insurance certificates to the State as outline in the Swift Event Special Terms and Conditions before any State Contract may be executed.

COMPANY NAME	SWIFT ID	LOC CODE	COMPANY ADDRESS	ST /ZIP	PHONE	CONTACT NAME
AG POWER ENTERPRISES, INC.	0000193945	01	101 ZUYDER ZEE AVENUE SOUTH HOLLANDALE	MN / 56045	507-889-4221	Ask for Government Sales Representative
AG POWER ENTERPRISES, INC.	0000193945	04	3555 18TH STREET SW OWATONNA	MN / 55060	507-451-4054	Ask for Government Sales Representative
AG POWER ENTERPRISES, INC.	0000193945	02	1051 OLD HWY 169 BLVD BELLE PLAINE	MN / 56011	952-873-2224	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	01	110 2ND STREET NE ELBOW LAKE	MN / 56531	218-685-4438	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	03	380 ATLANTIC AVENUE BENSON	MN / 56215	320-843-2610	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	02	23604 STATE HWY 9 MORRIS	MN / 56267	320-589-2011	Ask for Government Sales Representative
AMUNDSON PETERSON, INC.	0000323666	04	516 1ST STREET E MADISON	MN / 56256	320-598-7575	Ask for Government Sales Representative
DULUTH LAWN & SPORT INC	0000202057	01	4715 GRAND AVE. DULUTH	MN / 55807	218-628-3718	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	01	605 SOUTH MAIN WARREN	MN / 56762	218-745-4516	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	02	1820 STATE HWY 1 NE THIEF RIVER FALLS	MN / 56701	218-681-1131	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	04	300 US HWY 59 MAHNOMEN	MN / 56557	218-935-2241	Ask for Government Sales Representative
EVERGREEN IMPLEMENT COMPANY	0000194807	03	302 E. MAIN STREET BAUDETTE	MN / 56623	218-634-2231	Ask for Government Sales Representative
FRONTIER AG & TURF	0000353568	01	2925 145TH STREET WEST ROSEMONT	MN / 55068	651-423-2274	Ask for Government Sales Representative
FRONTIER AG & TURF	0000353568	02	12040 POINT DOUGLAS DR SOUTH HASTINGS	MN / 55033	651-437-7747	Ask for Government Sales Representative
FRONTIER AG & TURF	0000353568	05	1185 4TH STREET SOUTH CANNON FALLS	MN / 55009	507-263-4238	Ask for Government Sales Representative
HAUG IMPLEMENT CO.	0000203013	01	3593 HWY. 12 SE WILLMAR	MN / 56201	320-235-8115	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	03	3099 HIGHWAY 7 SW MONTEVIDEO	MN / 56265	320-269-6466	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	04	36648 US HWY 71 REDWOOD FALLS	MN / 56283	507-644-3571	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	01	1381 WEST HIGHWAY AVENUE BIRD ISLAND	MN / 55310	320-365-3445	Ask for Government Sales Representative
KIBBLE EQUIPMENT	0000197747	02	150 HWY 68 WABASSO	MN / 56293	507-342-5171	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	01	4561 HWY 212 GLENCOE	MN / 55336	320-864-5571	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	02	5845 KEATS AVENUE SW HOWARD LAKE	MN / 55349	320-543-2413	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	04	1035 35TH AVE NE SAUK RAPIDS	MN / 56379	320-252-2010	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	03	78412 COUNTY ROAD 20 STEWART	MN / 55385	320-562-2630	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	06	1140 CENTRE STREET SAUK CENTRE	MN / 56378	320-352-6511	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	07	5005 COUNTY ROAD 82 SE ALEXANDRIA	MN / 56308	320-763-4220	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	05	1710 NORTH FRANKLIN GLENWOOD	MN / 56334	320-634-5151	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	08	725 LAKE AVENUE SOUTH PAYNESVILLE	MN / 56362	320-243-7474	Ask for Government Sales Representative
MIDWEST MACHINERY CO.	0000282095	09	3708 BAPTIST CHURCH ROAD PRINCETON	MN / 55371	763-389-3453	Ask for Government Sales Representative
NORTRAX, INC.	0000801499	02	34316 US HWY 2 WEST GRAND RAPIDS	MN / 55744	218-326-9427	Ask for Government Sales Representative
NORTRAX, INC.	0000801499	03	3401 ARROWHEAD RD DULUTH	MN / 55811	218-722-7456	Ask for Government Sales Representative
PRESTON EQUIPMENT COMPANY	0000207584	01	21144 US 52 PRESTON	MN / 55965	507-765-3803	Ask for Government Sales Representative
RDO CONSTRUCTION EQ CO MW	0000221900	01	2900 MAIN AVENUE SOUTH EAST MOOREHEAD	MN / 56560	701-526-2200	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000199158	04	1910 LORRAY DR NORTH MANKATO	MN / 56003	507-387-1836	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000221900	02	905 BUFFALO AVENUE BRECKENRIDGE	MN / 56520	218-643-2601	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000192858	08	21207 CO. HWY #1 FERGUS FALLS	MN / 56537	218-739-3284	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000208398	01	110 MICHAEL STREET S HAWLEY	MN / 56549	218-483-3353	Ask for Government Sales Representative
RDO CONSTRUCTION EQPT CO	0000199158	01	12500 DUPONT AVE S BURNSVILLE	MN / 55337	952-890-8880	Ask for Government Sales Representative

